

Bryn Mawr College

Scholarship, Research, and Creative Work at Bryn Mawr College

Computer Science Faculty Research and
Scholarship

Computer Science

2013

System FC with Explicit Kind Equality (extended version)

Stephanie Weirich

Justin Hsu

Richard A. Eisenberg

Bryn Mawr College, rae@cs.brynmawr.edu

Follow this and additional works at: https://repository.brynmawr.edu/compsci_pubs



Part of the [Computer Sciences Commons](#)

[Let us know how access to this document benefits you.](#)

Citation

R. A. Eisenberg. System FC, as implemented in GHC. University of Pennsylvania Technical Report MS-CIS-15-09, 2015.

This paper is posted at Scholarship, Research, and Creative Work at Bryn Mawr College.
https://repository.brynmawr.edu/compsci_pubs/16

For more information, please contact repository@brynmawr.edu.

System FC with Explicit Kind Equality (Extended Version)

Stephanie Weirich Justin Hsu Richard A. Eisenberg

Department of Computer and Information Science, University of Pennsylvania
Philadelphia, PA, USA

{sweirich,justhsu,eir}@cis.upenn.edu

Abstract

System FC, the core language of the Glasgow Haskell Compiler, is an explicitly-typed variant of System F with first-class type equality proofs called *coercions*. This extensible proof system forms the foundation for type system extensions such as type families (type-level functions) and Generalized Algebraic Datatypes (GADTs). Such features, in conjunction with kind polymorphism and datatype promotion, support expressive compile-time reasoning.

However, the core language lacks explicit *kind* equality proofs. As a result, type-level computation does not have access to kind-level functions or promoted GADTs, the type-level analogues to expression-level features that have been so useful. In this paper, we eliminate such discrepancies by introducing kind equalities to System FC. Our approach is based on dependent type systems with heterogeneous equality and the “Type-in-Type” axiom, yet it preserves the metatheoretic properties of FC. In particular, type checking is simple, decidable and syntax directed. We prove the preservation and progress theorems for the extended language.

Categories and Subject Descriptors F.3.3 [Studies of Program Constructs]: Type structure

General Terms Design, Languages

Keywords Haskell, Dependent types, Equality

1. Introduction

Is Haskell a dependently typed programming language? Many would say no, as Haskell fundamentally does not allow expressions to appear in types (a defining characteristic of dependently-typed languages). However, the type system of the Glasgow Haskell Compiler (GHC), Haskell’s primary implementation, supports two essential features of dependently typed languages: *flow-sensitive typing* through Generalized Algebraic Datatypes (GADTs) (Peyton Jones et al. 2006; Schrijvers et al. 2009), and rich *type-level computation* through type classes (Jones 2000), type families (Chakravarty et al. 2005), datatype promotion and kind polymorphism (Yorgey et al. 2012). These two features allow clever Haskellers to encode programs that are typically reputed to need dependent types.

However, these encodings cannot accommodate all dependently-typed programs. GADTs and type families are supported in FC, GHC’s typed intermediate language, through the use of first-class type equalities (Sulzmann et al. 2007). However, FC lacks first-class *kind equalities* limiting its expressiveness. As a result, *GADTs cannot be promoted*, because the type equalities in their definition cannot be lifted to kind equalities. Furthermore, *GADTs cannot be indexed by kinds*, which would require reasoning about kind equality. Finally, although type families permit types to be defined computationally, the lack of kind equalities means there are *no kind families* in GHC. Although these features seem esoteric, they are often necessary for encoding dependently-typed programs in GHC (Eisenberg and Weirich 2012). We give concrete examples that require these features in Section 2.

Our goal in this paper is to eliminate such nonuniformities with a single blow, by unifying types and kinds. In essence, we augment FC’s type language with dependent kinds—kinds that can depend on types. This process is not without challenges—this dependency has complex interactions with type equality. However, our ultimate goal is to better support dependently typed programming in GHC, and resolving these issues is an critical step.

Specifically, we make the following technical contributions:

- We describe an explicitly-typed intermediate language with explicit equality proofs for both types *and kinds* (Sections 3 and 4). The language is no toy: it is an extension of the System FC intermediate language used by GHC (Sulzmann et al. 2007; Weirich et al. 2011; Yorgey et al. 2012; Vytiniotis et al. 2012).
- We extend the *type preservation* proof of FC to cover the new features (Section 5). The treatment of datatypes requires an important property: *congruence* for the equational theory. In other words, we can derive a proof of equality for any form of type or kind, given equality proofs of subcomponents. The computational content of this theorem, called *lifting*, generalizes the standard substitution operation. This operation is required in the operational semantics for datatypes.
- We prove the *progress* theorem in the presence of kind coercions and dependent coercion abstraction. The progress theorem holds under consistent sets of equality axioms. Our modifications require new conditions on axioms to ensure consistency, and proving consistency requires significant changes to the proof from prior work. We discuss these changes and their consequences in Section 6.

We have implemented our extensions to FC in a development branch¹ of GHC to demonstrate that our modifications are compatible with the existing system, and do not invalidate existing Haskell

© Stephanie Weirich, Justin Hsu and Richard A. Eisenberg. This is a major revision of “System FC with explicit kind equality,” originally published in *ICFP ’13, September 25–27, 2013, Boston, MA, USA*, <http://dx.doi.org/10.1145/2500365.2500599>, and includes the full technical material.

¹ Available online, from <http://www.cis.upenn.edu/~eir/packages/nokinds/>.

programs. This implementation involves extensions to the core language syntax, type checker and stepper (used in optimizations).

Although our designs are inspired by the rich theory of dependent type systems, applying these ideas in the context of Haskell means that our language differs in many ways from existing work. We detail these comparisons in Section 7.

The scope of this paper only includes the design and implementation of kind equalities in the FC intermediate language; we have not yet modified GHC’s source language, so promoted GADTs, kind-indexed GADTs and kind families are not (yet) available to programmers. Although the required syntactic extensions are minor, extending GHC’s constraint solver requires careful integration with existing features. Furthermore, the encodings that work around Haskell’s restriction that terms cannot appear in types often impose heavy syntactic overheads—improved source-level support for dependently-typed programming should also address this issue. We describe this important future work in Section 8.

2. Why kind equalities?

Kind equalities enable new, useful features. In this section we use an extended example to demonstrate how *kind-indexed GADTs*, *promoted GADTs*, and *kind families* might be used in practice. Below, code snippets that require kind equalities in their compilation to FC are highlighted in gray—all other code snippets compile.²

The running example below defines “shallowly” and “deeply” indexed representations of types, and shows how they may be used for Generic Programming. The former use Haskell’s types as indices (Crary et al. 1998; Yang 1998), whereas the latter use an algebraic datatype (also known as a *universe*) (Altenkirch and McBride 2002; Norell 2002). (Magalhães (2012) gives more details describing how extensions to Haskell, including the ones described in this paper, benefit generic programming.)

Shallow indexing Consider a GADT for type representations:

```
data TyRep :: * -> * where
  TyInt  :: TyRep Int
  TyBool :: TyRep Bool
```

GADTs differ from ordinary algebraic datatypes in that they allow each data constructor to constrain the type parameters to the datatype. For example, the `TyInt` constructor requires that the single parameter to `TyRep` be `Int`.

We can use type representations for type-indexed programming—a simple example is computing a default element for each type.

```
zero :: ∀ a. TyRep a -> a
zero TyInt  = 0      -- ‘a’ must be Int
zero TyBool = False  -- ‘a’ must be Bool
```

This code pattern matches the type representation to determine what value to return. Because of the nonuniform type index, pattern matching recovers the identity of the type variable `a`. In the first case, because the data constructor is `TyInt`, this parameter must be `Int`, so `0` can be returned. In the second case the parameter `a` must be equal to `Bool`, so returning `False` is well-typed.

However, the GADT above can only be used to represent types of kind `*`. To represent type constructors with kind `* -> *`, such as `Maybe` or `[]`, we could create a separate datatype, perhaps called `TyRep1`. However, this approach is ugly and inflexible—what about tuples? Do we need a `TyRep2`, `TyRep3`, and more?

We might hope that kind polymorphism (Yorgey et al. 2012), which allows datatypes to be parameterized by kind variables as well as type variables, could be the solution. For example, the

following kind polymorphic type takes two phantom arguments, a kind variable κ and a type variable a of kind κ .

```
data Proxy (a :: κ) = P
```

However, kind polymorphism is not enough to unify the representations for `TyRep`—the type representation (shown below) should constrain its *kind* parameter.

```
data TyRep :: ∀ κ. κ -> * where
  TyInt  :: TyRep Int
  TyBool :: TyRep Bool
  TyMaybe :: TyRep Maybe
  TyApp  :: TyRep a -> TyRep b -> TyRep (a b)
```

This `TyRep` type takes two parameters, a kind κ and a type of that kind (not named in the kind annotation). The data constructors constrain κ to a concrete kind. For the example to be well-formed, `TyInt` must constrain the *kind* parameter to `*`. Similarly, `TyMaybe` requires the kind parameter to be `* -> *`. We call this example a *kind-indexed GADT* because the datatype is indexed by both kind and type information.

Pattern matching with this datatype refines kinds as well as types—determining whether a type is of the form `TyApp` makes new kind and type equalities available. For example, consider the `zero` function extended with a default value of the `Maybe` type.

```
zero :: ∀ (a :: *). TyRep a -> a
zero TyInt      = 0
zero TyBool     = False
zero (TyApp TyMaybe _) = Nothing
```

In the last case, the `TyApp` pattern introduces the kind variable κ , the type variables $b :: \kappa -> *$ and $c :: \kappa$, and the type equality $a \sim b \ c$. The `TyMaybe` pattern adds the kind equality $\kappa \sim *$ and type equality $b \sim \text{Maybe}$. Combining the equalities, we can show that `Maybe c`, the type of `Nothing`, is well-kinded and equal to `a`.³

Deep indexing Kind equalities enable additional features besides kind-indexed GADTs. The previous example used Haskell types directly to index type representations. With datatype promotion, we can instead define a datatype (a *universe*) for type information.

```
data Ty = TInt | TBool
```

We can use this datatype to index the representation type.

```
data TyRep :: Ty -> * where
  TyInt  :: TyRep TInt
  TyBool :: TyRep TBool
```

Note that the kind of the parameter to this datatype is `Ty` instead of `*`—datatype promotion allows the type `Ty` to be used as a kind and allows its constructors, `TyInt` and `TyBool`, to appear in types.

To use these type representations, we describe their connection with Haskell types via a *type family* (a function at the type level).

```
type family I (t :: Ty) :: *
type instance I TInt  = Int
type instance I TBool = Bool
```

`I` is a function that maps the (promoted) data constructor `TInt` to the Haskell type `Int`, and similarly `TBool` to `Bool`.

We can use these type representations to define type-indexed operations, like before.

²with GHC 7.6 and the language extensions `PolyKinds`, `DataKinds`, `GADTs`, `ExplicitForAll` and `TypeFamilies`.

³Note that although this definition of `zero` is exhaustive, it is unlikely that an extended version of GHC will be able to determine that fact automatically.

```
zero :: ∀ (a :: Ty). TyRep a → I a
zero TyInt = 0
zero TyBool = False
```

Pattern matching `TyInt` refines `a` to `TInt`, which then uses the type family definition to show that the result type is equal to `Int`.

Dependently typed languages do not require an argument like `TyRep` to implement operations such as `zero`—they can match directly on the type of kind `Ty`. This is not allowed in Haskell, which maintains a separation between types and expressions. The `TyRep` argument is an example of a *singleton* type, a standard way of encoding dependently typed operations in Haskell.

Note that this representation is no better than the shallow version in one respect—I must produce a type of kind `*`. What if we wanted to encode `TMaybe` with `Ty`?

To get around this issue, we use a GADT to represent different kinds of types. We first need a universe of kinds.

```
data Kind = Star | Arr Kind Kind
```

`Kind` is a normal datatype that, when promoted, can be used to index the `Ty` datatype, making it a (standard) GADT.

```
data Ty :: Kind → * where
  TInt    :: Ty Star
  TBool   :: Ty Star
  TMaybe :: Ty (Arr Star Star)
  TApp    :: Ty (Arr k1 k2) → Ty k1 → Ty k2
```

This indexing means that `Ty` can only represent well-kinded types. For example `TMaybe` has type `Ty (Arr Star Star)` and `TApp TMaybe TBool` has type `Ty Star`, while the value `TApp TInt` would be rejected. Although this GADT can be expressed in GHC, the corresponding `TyRep` type requires two new extensions: *promoted GADTs* and *kind families*.

With the current design of FC, only a subset of Haskell 98 datatypes can be promoted. In particular, GADTs cannot be used to index other GADTs. The extensions proposed in this work allow the GADT `Ty` above to be used as an index to `TyRep` or to be interpreted by the type family `I`, as shown below.

```
data TyRep (k :: Kind) (t :: Ty k) where
  TyInt    :: TyRep Star TInt
  TyBool   :: TyRep Star TBool
  TyMaybe :: TyRep (Arr Star Star) TMaybe
  TyApp    :: TyRep (Arr k1 k2) a → TyRep k1 b
            → TyRep k2 (TApp a b)
```

We now need to adapt the type family `I` to work with the new promoted GADT `Ty`. To do so, we must classify its return kind, and for that, we need a *kind family*—a function that produces a kind by pattern matching a type or kind argument. For example, we can interpret values of the `Kind` datatype as Haskell kinds like so:

```
kind family IK (k :: Kind)
kind instance IK Star = *
kind instance IK (Arr k1 k2) = IK k1 → IK k2
```

This interpretation of kinds is necessary to define the interpretation of types—without it, this definition does not “kind-check”:

```
type family I (t :: Ty k) :: IK k
type instance I TInt = Int
type instance I TBool = Bool
type instance I TMaybe = Maybe
type instance I (TApp a b) = (I a) (I b)
```

However, once `I` has been defined, `Ty` and `TyRep` can be used in type-indexed operations as before.

```
zero :: ∀ (a :: Ty Star). TyRep Star a → I a
zero TyInt = 0
zero TyBool = False
zero (TyApp TyMaybe _) = Nothing
```

The examples above demonstrate all three features that kind equalities enable: kind-indexed GADTs, kind families, and promoted GADTs. While these examples are all derived from generic programming, we have also been able to use these features to express dependently typed programs from McBride (2012) and Oury and Swierstra (2008). We omit these examples for lack of space.

We note that the Haskell syntax used in the gray boxes above is hypothetical, as we have not extended the surface language. However, an important first step is to enhance the core language, System FC, so that it is expressive enough to support these features. We now turn to this task.

3. System FC

System FC is the typed intermediate language of GHC. GHC’s advanced features, such as GADTs and type families, are compiled into FC as type equalities. This section reviews the current status of System FC, describes that compilation, and puts our work in context. FC has evolved over time, from its initial definition (Sulzmann et al. 2007), to extensions FC_2 (Weirich et al. 2011), and F_C^\uparrow (Yorgey et al. 2012). In this paper, we use the name FC for the language and all of its variants. Our technical discussion contrasts our new extensions with the most recent prior version, F_C^\uparrow .

Along with the usual kinds (κ), types (τ) and expressions (e), FC contains coercions (γ) that are proofs of type equality. The judgement

$$\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2$$

checks that the coercion γ proves types τ_1 and τ_2 equal. These proofs are used to change the types of expressions. For example, if γ is a proof of $\tau_1 \sim \tau_2$, and the expression e has type τ_1 , then the expression $e \triangleright \gamma$ (pronounced “ e casted by γ ”) has type τ_2 .

Making type conversion explicit ensures that the FC typing relation $\Gamma \vdash_{\text{tm}} e : \tau$ is syntax-directed and decidable. This is not the case in the source language; there type checking requires nonlocal reasoning, such as unification and type class resolution. Furthermore, in the presence of certain flags (such as `UndecidableInstances`), it may not terminate.

Straightforward type checking is an important sanity check on the internals of GHC—transformations and optimizations must preserve typability. Therefore, all information necessary for type checking is present in FC expressions. This information includes explicit type abstractions and applications (System FC is an extension of System F_ω (Girard 1972)) as well as explicit proofs of type equality.

For example, type family definitions are compiled to *axioms* about type equality that can be used in FC coercion proofs. A type family declaration and instance in source Haskell

```
type family F a :: *
type instance F Bool = Int
```

generates the following FC axiom declaration:

$$\text{axF} : F \text{ Bool} \sim \text{Int}$$

When given a source language function of type

```
g :: ∀ a. a → F a → Char
```

the expression `g True 3` translates to the FC expression

$$g \text{ Bool True } (3 \triangleright \text{sym axF})$$

that instantiates g at type `Bool` and coerces `3` to have type `F Bool`. The coercion `sym axF` is a proof that `Int` \sim `F Bool`.

GADTs are compiled into FC so that pattern matching on their data constructors introduces *type equality assumptions* into the context. For example, consider the following simple GADT.

```
data T :: * -> * where
  TInt :: T Int
```

This declaration could have also been written as a normal datatype where the type parameter is constrained to be equal to `Int`.

```
data T a = (a ~ Int) => TInt
```

In fact, all GADTs can be rewritten in this form using equality constraints. Pattern matching makes this constraint available to the type checker. For example, the type checker concludes below that `3` has type `a` because the type `Int` is known to be equal to `a`.

```
f :: T a -> a
f TInt = 3
```

In the translation to FC, the `TInt` data constructor takes this equality constraint as an explicit argument.

$$\text{TInt} : \forall a : *. (a \sim \text{Int}) \Rightarrow T a$$

When pattern matching on values of type $T a$, this proof is available for use in a cast.

$$f = \Lambda a : *. \lambda x : T a. \text{case } x \text{ of} \\ \text{TInt } (c : a \sim \text{Int}) \rightarrow (3 \triangleright \text{sym } c)$$

Coercion assumptions and axioms can be composed to form larger proofs. FC includes a number of forms in the coercion language that witness the reflexivity, symmetry and transitivity of type equality. Furthermore, equality is a congruent relation over types. For example, if we have proofs of $\tau_1 \sim \tau_2$ and $\tau'_1 \sim \tau'_2$, then we can form a proof of the equality $\tau_1 \tau'_1 \sim \tau_2 \tau'_2$. Finally, composite coercion proofs can be decomposed. For example, data constructors T are injective, so given a proof of $T \tau_1 \sim T \tau_2$, a proof of $\tau_1 \sim \tau_2$ can be produced.

Explicit coercion proofs are like explicit type arguments: they are erasable from expressions and do not effect the operational behavior of an expression. (We make this precise in Section 5.3.) To ensure that coercions do not suspend computation, FC includes “push rules”. For example, when a coerced value is applied to an argument, the coercion must be “pushed” to the argument and result of the application so that β -reduction can occur.

$$\frac{\Gamma \vdash_{\text{co}} \gamma : \sigma_1 \rightarrow \sigma_2 \sim \tau_1 \rightarrow \tau_2}{(v \triangleright \gamma) e \rightarrow (v (e \triangleright \text{sym}(\text{nth}^1 \gamma))) \triangleright \text{nth}^2 \gamma} \text{ S_PUSH}$$

In this rule, if the expression $(v \triangleright \gamma) e$ is well typed, then γ must be a proof of the equality $\sigma_1 \rightarrow \sigma_2 \sim \tau_1 \rightarrow \tau_2$. The coercions $\text{sym}(\text{nth}^1 \gamma)$ and $\text{nth}^2 \gamma$ decompose this proof into coercions for the argument ($\tau_1 \sim \sigma_1$) and result ($\sigma_2 \sim \tau_2$) of the application.

4. System FC with kind equalities

The main idea of this paper is to augment FC with proofs of equality between kinds and to use these proofs to explicitly coerce the kinds of types. We do so via new type form: if type τ has kind κ_1 , and γ is a proof that kind κ_1 equals kind κ_2 , then $\tau \triangleright \gamma$ is type τ casted to kind κ_2 . There are several challenges to this extension, which we address with the following technical solutions.

- *Unifying kinds and types.* A language with kind polymorphism, kind equalities, kind coercions, type polymorphism, type equalities and type coercions quickly becomes redundant (and somewhat overwhelming).

H	$::=$ (\rightarrow) $*$ T K	Type constants Arrow Type/Kind Type constructor Promoted data constructor
w	$::=$ a F H	Type-level names Type variables Type functions Type constants
σ, τ, κ	$::=$ w $\forall a : \kappa. \tau$ $\forall c : \phi. \tau$ $\tau_1 \tau_2$ $\tau \triangleright \gamma$ $\tau \gamma$	Types and Kinds Names Polymorphic types Coercion abstr. type Type/kind application Casting Coercion application
ϕ	$::= \sigma \sim \tau$	Propositions (coercion kinds)
γ, η	$::=$ c $C \bar{p}$ $\langle \tau \rangle$ sym γ $\gamma_1 \ddagger \gamma_2$ $\forall_n(a_1, a_2, c). \gamma$ $\forall_{(n_1, n_2)}(c_1, c_2). \gamma$ $\gamma_1 \gamma_2$ $\gamma(\gamma_2, \gamma'_2)$ $\gamma \triangleright \gamma'$ $\gamma @ \gamma'$ $\gamma @ (\gamma_1, \gamma_2)$ nth ^{i} γ kind γ	Coercions Variables Axiom application Reflexivity Symmetry Transitivity Type/kind abstr. cong. Coercion abstr. cong. Type/kind app. cong. Coercion app. cong. Coherence Type/kind instantiation Coercion instantiation n th argument projection Kind equality extraction
ρ	$::= \tau \mid \gamma$	Type or coercion
e, u	$::=$ x $\lambda x : \tau. e$ $e_1 e_2$ $\Lambda a : \kappa. e$ $e \tau$ $\lambda c : \phi. e$ $e \gamma$ $e \triangleright \gamma$ K case e of $\bar{p} \rightarrow \bar{u}$ contra $\gamma \tau$	Expressions Variables Abstraction Application Type/kind abstraction Type/kind application Coercion abstraction Coercion application Casting Data constructors Case analysis Absurdity
p	$::= K \Delta \bar{x} : \bar{\tau}$	Patterns
Δ	$::=$ \emptyset $\Delta a : \kappa$ $\Delta c : \phi$	Telescopes Empty Type variable binding Coercion variable binding

Figure 1. Basic Grammar

Therefore, we follow pure type systems (Barendregt 1992) and unify the syntax of types and kinds, allowing us to reuse type coercions as kind coercions.⁴ Although there is no syntactic distinction between types and kinds, we informally use the word *type* (metavariables τ and σ) for those members that classify runtime expressions, and *kind* (metavariable κ) for those members that classify expressions of the type language.

As in pure type systems, types and kinds share semantics—there is a common judgement for the validity of both. Furthermore, our rules include the $\star:\star$ axiom which means that there is no real distinction between types and kinds. This choice simplifies many aspects of the language design.

Languages such as Coq and Agda avoid the $\star:\star$ axiom because it introduces inconsistency, but that is not an issue here. The FC type language is already inconsistent in the sense that all kinds are inhabited. The type safety property of FC depends on the consistency of its *coercion* language, not its *type* language. See Section 6 and Section 7 for more discussion of this issue.⁵

- *Making type equality “heterogeneous”*. As kinds classify types, kind equality has nontrivial interactions with type equality.

Because kind coercions are explicit, there are equivalent types that do not have syntactically identical kinds. Therefore, like McBride’s “John Major” equality (2002), our definition of type equality $\tau_1 \sim \tau_2$ is heterogeneous—the types τ_1 and τ_2 could have kinds κ_1 and κ_2 that have no syntactic relation to each other. A proof γ of $\tau_1 \sim \tau_2$ implies not only that τ_1 and τ_2 are equal, but also that their kinds are equal. The new coercion form **kind** γ extracts the proof of $\kappa_1 \sim \kappa_2$ from γ .

Another difficulty comes from the need to equate polymorphic types that have coercible but not syntactically equal kinds for the bound variable. We discuss the modification to this coercion form in Section 4.3.1.

- *Coercion irrelevance*. Coercions should be irrelevant to both the operational semantics *and* type equivalence. The fact that a coercion is used to change the type of an expression, or the kind of a type, should not influence the evaluation of the expression or the equalities available for the type. For the former, we maintain irrelevance by updating FC’s “push rules” to the new semantics (see Section 5 for details). For the latter, we carefully construct our coercion forms to ignore coercions inside types (Section 4.3.2).
- *Dependent coercion abstraction*. As in prior versions of FC, coercions are first class—they can be passed as arguments to functions and stored in data structures (as the arguments to data constructors of GADTs). However, this system differs from earlier versions in that the type form for these objects, written $\forall c: \phi. \tau$, *names* the abstracted proof with the variable c and allows the type τ to refer to this coercion.

This extension is necessary for some kind-indexed GADTs. For example, consider the following datatype, which is polymorphic over a kind and type parameter.

```
data T :: ∀ k. k → * where
  K :: ∀ (b :: *). b → T b
```

⁴GHC already uses a shared datatype for types and kinds, so this merge brings the formalism closer to the actual implementation.

⁵If a consistent type language were desired for FC for other reasons, we believe that the ideas presented in this paper are adaptable to the stratification of \star into *universe levels* (Luo 1994), as is done in Coq and Agda.

The single data constructor K constrains the kind to be \star but does not otherwise constrain the type.

After translation, the data constructor should be given the following FC type, where the abstracted kind coercion c is used to cast the kind of the parameter k .

$$K: \forall k: \star, b: k. \forall c: (k \sim \star). (b \triangleright c) \rightarrow T k b$$

4.1 Type system overview

The next few subsections go into more detail about these technical points. We start with a quick tour of the type system.

The new syntax for FC appears in Figure 1; forms that are new or modified in this paper are highlighted—these modifications are primarily in the type and coercion languages. Also, note that \star is a new type constant and κ is a metavariable for types. The only difference in the grammar for expressions is that type abstractions and kind abstractions have been merged. In general, the type system and operational semantics for the expression language is the same here as in prior versions of FC.

A context Γ is a list of assumptions for term variables (x), type variables/datatypes/data constructors (w), coercion variables (c), and coercion axioms (C).

$$\Gamma ::= \emptyset \mid \Gamma, x: \tau \mid \Gamma, w: \kappa \mid \Gamma, c: \phi \mid \Gamma, C: \forall \Delta. \phi$$

The type system includes the following judgements:

$\vdash_{\text{wf}} \Gamma$	Context validity	(Figure 5)
$\Gamma \vdash_{\text{ty}} \tau : \kappa$	Type/kind validity	(Figure 2)
$\Gamma \vdash_{\text{pr}} \phi \text{ ok}$	Proposition validity	(Figure 3)
$\Gamma \vdash_{\text{tm}} e : \tau$	Expression typing	(appendix)
$\Gamma \vdash_{\text{co}} \gamma : \phi$	Coercion validity	(Figure 4)
$\Gamma \vdash_{\text{tel}} \bar{\rho} \leftarrow \Delta$	Telescope arg. validity	(appendix)

Each of the judgements is syntax directed: given the information before the colon (if present), a simple algorithm determines if the judgement holds, and recovers the information after the colon.

4.2 Type and kind formation

We next describe our extensions and modifications to the rules classifying FC types into kinds, which appear in Figure 2. Some of these rules are unchanged or only slightly modified from prior versions of FC.

For example, rule K_VAR looks up the kind of a type-level name from the typing context. Unlike previous systems, this rule now covers the kinding of promoted constructors, since w ranges over them. Recall that datatype promotion allows data constructors, such as $TInt$, to appear in types and be the arguments of type functions. Previously, the types of data constructors had to be explicitly promoted to kinds (Yorgey et al. 2012). Now, *any* data constructor may freely be used as a type. When the constructor is used as a type, its kind is the same as the type of the constructor when used as a term.

Rule K_ARROW gives the expected kind for the arrow type constructor. We use the usual syntactic sugar for arrow types, writing $\tau_1 \rightarrow \tau_2$ for $(\rightarrow) \tau_1 \tau_2$. Note that the kind of the arrow type constructor is itself an arrow type. However, that circularity does not cause difficulty. After that, the rule K_ALLT describes when polymorphic types are well formed.

The next two rules describe when type application is well-formed. Application is overloaded in these rules, but the system is still syntax-directed—the type of the first component determines which rule applies. We do not combine function types $\sigma_1 \rightarrow \sigma_2$ and polymorphic types $\forall a: \kappa. \sigma$ into a single form because of type erasure: term arguments are necessary at runtime, whereas type arguments may be erased. Although this distinction is meaningless at

$$\boxed{\Gamma \vdash_{\text{ty}} \tau : \kappa}$$

$$\frac{\text{K_VAR}}{\frac{\text{wf } \Gamma \quad w : \kappa \in \Gamma}{\Gamma \vdash_{\text{ty}} w : \kappa}}$$

$$\frac{\text{K_ARROW}}{\frac{\text{wf } \Gamma}{\Gamma \vdash_{\text{ty}} (\rightarrow) : \star \rightarrow \star \rightarrow \star}}$$

$$\frac{\text{K_ALLT}}{\frac{\Gamma, a : \kappa \vdash_{\text{ty}} \tau : \star \quad \Gamma \vdash_{\text{ty}} \kappa : \star}{\Gamma \vdash_{\text{ty}} \forall a : \kappa. \tau : \star}}$$

$$\frac{\text{K_APP}}{\frac{\Gamma \vdash_{\text{ty}} \tau_1 : \kappa_1 \rightarrow \kappa_2 \quad \Gamma \vdash_{\text{ty}} \tau_2 : \kappa_1}{\Gamma \vdash_{\text{ty}} \tau_1 \tau_2 : \kappa_2}}$$

$$\frac{\text{K_INST}}{\frac{\Gamma \vdash_{\text{ty}} \tau_1 : \forall a : \kappa_1. \kappa_2 \quad \Gamma \vdash_{\text{ty}} \tau_2 : \kappa_1}{\Gamma \vdash_{\text{ty}} \tau_1 \tau_2 : \kappa_2[\tau_2/a]}}$$

$$\frac{\text{K_STARINSTAR}}{\frac{\text{wf } \Gamma}{\Gamma \vdash_{\text{ty}} \star : \star}}$$

$$\frac{\text{K_CAPP}}{\frac{\Gamma \vdash_{\text{ty}} \tau_1 : \forall c : \phi. \kappa \quad \Gamma \vdash_{\text{co}} \gamma_1 : \phi}{\Gamma \vdash_{\text{ty}} \tau_1 \gamma_1 : \kappa[\gamma_1/c]}}$$

$$\frac{\text{K_ALLC}}{\frac{\Gamma, c : \phi \vdash_{\text{ty}} \tau : \star \quad \Gamma \vdash_{\text{pr}} \phi \text{ ok}}{\Gamma \vdash_{\text{ty}} \forall c : \phi. \tau : \star}}$$

$$\frac{\text{K_CAST}}{\frac{\Gamma \vdash_{\text{ty}} \tau : \kappa_1 \quad \Gamma \vdash_{\text{co}} \eta : \kappa_1 \sim \kappa_2 \quad \Gamma \vdash_{\text{ty}} \kappa_2 : \star}{\Gamma \vdash_{\text{ty}} \tau \triangleright \eta : \kappa_2}}$$

Figure 2. Kind and type formation rules

$$\boxed{\Gamma \vdash_{\text{pr}} \phi \text{ ok}}$$

$$\frac{\text{PROP_EQUALITY}}{\frac{\Gamma \vdash_{\text{ty}} \sigma_1 : \kappa_1 \quad \Gamma \vdash_{\text{ty}} \sigma_2 : \kappa_2}{\Gamma \vdash_{\text{pr}} \sigma_1 \sim \sigma_2 \text{ ok}}}$$

Figure 3. Proposition formation rule

the kind level, it is benign. Identifying these forms at the kind level while retaining the distinction at the term level would needlessly complicate the language.

The rules K_STARINSTAR , K_CAST and K_CAPP and K_ALLC check the new type forms. The first says that \star has kind \star .

To preserve the syntax-directed nature of FC, we must make the use of kind equality proofs explicit. We do so via the new form $\tau \triangleright \gamma$ of kind casts: when given a type τ of kind κ_1 and a proof γ that kind κ_1 equals kind κ_2 , the cast produces a type of kind κ_2 . Because equality is heterogeneous, the K_CAST rule requires a third premise to ensure that the new kind has the correct classification, so that inhabited types have kind \star .

To promote GADTs we must be able to promote data constructors that take coercions as arguments, requiring the new application form $\tau \gamma$. For example, the data constructor TInt (from Section 3) requires a type argument τ and a proof that $\tau \sim \text{Int}$. Note that there is no type-level abstraction over coercion—the form $\tau \gamma$ can only appear when the head of τ is a promoted datatype constructor.

4.3 Coercions

Coercions are proof terms witnessing the equality between types (and kinds), and are classified by propositions ϕ . The rules under which the proofs can be derived appear in Figure 4, with the validity rule for ϕ appearing in Figure 3. These rules establish properties of the type equality relation:

$$\boxed{\Gamma \vdash_{\text{co}} \gamma : \phi}$$

$$\frac{\text{CT_REFL}}{\frac{\Gamma \vdash_{\text{ty}} \tau : \kappa}{\Gamma \vdash_{\text{co}} \langle \tau \rangle : \tau \sim \tau}}$$

$$\frac{\text{CT_SYM}}{\frac{\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2}{\Gamma \vdash_{\text{co}} \text{sym } \gamma : \tau_2 \sim \tau_1}}$$

$$\frac{\text{CT_TRANS}}{\frac{\Gamma \vdash_{\text{co}} \gamma_1 : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{co}} \gamma_2 : \tau_2 \sim \tau_3}{\Gamma \vdash_{\text{co}} \gamma_1 \circ \gamma_2 : \tau_1 \sim \tau_3}}$$

$$\frac{\text{CT_APP}}{\frac{\Gamma \vdash_{\text{co}} \gamma_1 : \tau'_1 \sim \tau'_2 \quad \Gamma \vdash_{\text{co}} \gamma_2 : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \tau'_1 \tau_1 : \kappa_1 \quad \Gamma \vdash_{\text{ty}} \tau'_2 \tau_2 : \kappa_2}{\Gamma \vdash_{\text{co}} \gamma_1 \gamma_2 : \tau'_1 \tau_1 \sim \tau'_2 \tau_2}}$$

$$\frac{\text{CT_CAPP}}{\frac{\Gamma \vdash_{\text{co}} \gamma_1 : \tau_1 \sim \tau'_1 \quad \Gamma \vdash_{\text{ty}} \tau_1 \gamma_2 : \kappa \quad \Gamma \vdash_{\text{ty}} \tau'_1 \gamma'_2 : \kappa'}{\Gamma \vdash_{\text{co}} \gamma_1(\gamma_2, \gamma'_2) : \tau_1 \gamma_2 \sim \tau'_1 \gamma'_2}}$$

$$\frac{\text{CT_ALLT}}{\frac{\Gamma \vdash_{\text{co}} \eta : \kappa_1 \sim \kappa_2 \quad \Gamma, a_1 : \kappa_1, a_2 : \kappa_2, c : a_1 \sim a_2 \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \forall a_1 : \kappa_1. \tau_1 : \star \quad \Gamma \vdash_{\text{ty}} \forall a_2 : \kappa_2. \tau_2 : \star}{\Gamma \vdash_{\text{co}} \forall \eta(a_1, a_2, c). \gamma : (\forall a_1 : \kappa_1. \tau_1) \sim (\forall a_2 : \kappa_2. \tau_2)}}$$

$$\frac{\text{CT_ALLC}}{\frac{\Gamma \vdash_{\text{co}} \eta_1 : \sigma_1 \sim \sigma'_1 \quad \phi_1 = \sigma_1 \sim \sigma_2 \quad \Gamma \vdash_{\text{co}} \eta_2 : \sigma_2 \sim \sigma'_2 \quad \phi_2 = \sigma'_1 \sim \sigma'_2 \quad c_1 \# |\gamma| \quad c_2 \# |\gamma| \quad \Gamma, c_1 : \phi_1, c_2 : \phi_2 \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \forall c_1 : \phi_1. \tau_1 : \star \quad \Gamma \vdash_{\text{ty}} \forall c_2 : \phi_2. \tau_2 : \star}{\Gamma \vdash_{\text{co}} \forall (\eta_1, \eta_2)(c_1, c_2). \gamma : (\forall c_1 : \phi_1. \tau_1) \sim (\forall c_2 : \phi_2. \tau_2)}}$$

$$\frac{\text{CT_COH}}{\frac{\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \tau_1 \triangleright \gamma' : \kappa}{\Gamma \vdash_{\text{co}} \gamma \triangleright \gamma' : \tau_1 \triangleright \gamma' \sim \tau_2}}$$

$$\frac{\text{CT_VAR}}{\frac{c : \phi \in \Gamma \quad \text{wf } \Gamma}{\Gamma \vdash_{\text{co}} c : \phi}}$$

$$\frac{\text{CT_AXIOM}}{\frac{C : \forall \Delta. (\tau_1 \sim \tau_2) \in \Gamma \quad \Gamma \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta}{\Gamma \vdash_{\text{co}} C \bar{\rho} : \tau_1[\bar{\rho}/\Delta] \sim \tau_2[\bar{\rho}/\Delta]}}$$

$$\frac{\text{CT_NTH}}{\frac{\Gamma \vdash_{\text{co}} \gamma : H \bar{\rho} \sim H \bar{\rho}' \quad \rho_i = \tau \quad \rho'_i = \tau'}{\Gamma \vdash_{\text{co}} \text{nth}^i \gamma : \tau \sim \tau'}}$$

$$\frac{\text{CT_NTH1TA}}{\frac{\Gamma \vdash_{\text{co}} \gamma_1 : (\forall a_1 : \kappa_1. \tau_1) \sim (\forall a_2 : \kappa_2. \tau_2)}{\Gamma \vdash_{\text{co}} \text{nth}^1 \gamma_1 : \kappa_1 \sim \kappa_2}}$$

$$\frac{\text{CT_INST}}{\frac{\Gamma \vdash_{\text{co}} \gamma_1 : (\forall a_1 : \kappa_1. \tau_1) \sim (\forall a_2 : \kappa_2. \tau_2) \quad \Gamma \vdash_{\text{co}} \gamma_2 : \sigma_1 \sim \sigma_2 \quad \Gamma \vdash_{\text{ty}} \sigma_1 : \kappa_1 \quad \Gamma \vdash_{\text{ty}} \sigma_2 : \kappa_2}{\Gamma \vdash_{\text{co}} \gamma_1 @ \gamma_2 : \tau_1[\sigma_1/a_1] \sim \tau_2[\sigma_2/a_2]}}$$

$$\frac{\text{CT_NTH1CA}}{\frac{\Gamma \vdash_{\text{co}} \gamma : (\forall c : \kappa_1 \sim \kappa_2. \tau) \sim (\forall c' : \kappa'_1 \sim \kappa'_2. \tau')}{\Gamma \vdash_{\text{co}} \text{nth}^1 \gamma : \kappa_1 \sim \kappa'_1}}$$

$$\frac{\text{CT_NTH2CA}}{\frac{\Gamma \vdash_{\text{co}} \gamma : (\forall c : \kappa_1 \sim \kappa_2. \tau) \sim (\forall c' : \kappa'_1 \sim \kappa'_2. \tau')}{\Gamma \vdash_{\text{co}} \text{nth}^2 \gamma : \kappa_2 \sim \kappa'_2}}$$

$$\frac{\text{CT_INSTC}}{\frac{\Gamma \vdash_{\text{co}} \gamma : (\forall c_1 : \phi_1. \tau_1) \sim (\forall c_2 : \phi_2. \tau_2) \quad \Gamma \vdash_{\text{co}} \gamma_1 : \phi_1 \quad \Gamma \vdash_{\text{co}} \gamma_2 : \phi_2}{\Gamma \vdash_{\text{co}} \gamma @ (\gamma_1, \gamma_2) : \tau_1[\gamma_1/c_1] \sim \tau_2[\gamma_2/c_2]}}$$

$$\frac{\text{CT_EXT}}{\frac{\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \tau_1 : \kappa_1 \quad \Gamma \vdash_{\text{ty}} \tau_2 : \kappa_2}{\Gamma \vdash_{\text{co}} \text{kind } \gamma : \kappa_1 \sim \kappa_2}}$$

Figure 4. Coercion formation rules

- Equality is an *equivalence relation*, as seen in rules CT_REFL, CT_SYM, and CT_TRANS.
- Equality is *congruent*—types with equal subcomponents are equal. Every type formation rule (except for the base cases like variables and constants) has an associated congruence rule. The exception is kind coercion $\tau \triangleright \gamma$, where the congruence rule is derivable (see Section 4.3.2). The congruence rules are mostly straightforward; we discuss the rules for quantified types (rules CT_ALLT and CT_ALLC) in Section 4.3.1.
- Equality can be *assumed*. Coercion variables and axioms add assumptions about equality to the context and appear in proofs (using rules CT_VAR and CT_AXIOM respectively). These axioms for type equality are allowed to be *axiom schemes*—they may be parameterized and must be instantiated when used.

The general form of the type of an axiom, $C: \forall \Delta. \phi$ gathers multiple parameters in a *telescope*, a context denoted with Δ of type and coercion variables, each of which scope over the remainder of the telescope as well as the body of the axiom. We specify the list of instantiations for a telescope with $\bar{\rho}$, a mixed list of types and coercions. When type checking an axiom application, we must type check its list of arguments $\bar{\rho}$ against the given telescope. The judgement form $\Gamma \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta$ (presented in the appendix) checks each argument ρ in turn against the binding in the telescope, scoping variables appropriately.
- Equality can be *decomposed* using the next six rules. For example, because we know that datatypes are injective type functions, we can decompose a proof of the equivalence of two datatypes into equivalence proofs for any pair of corresponding type parameters (CT_NTH). Furthermore, the equivalence of two polymorphic types means that the kinds of the bound variables are equivalent (CT_NTH1TA), and that all instantiations of the bound variables are equivalent (CT_INST). The same is true for coercion abstraction types (rules CT_NTH1CA, CT_NTH2CA, and CT_INSTC).
- Equality is *heterogeneous*. If γ is a proof of the equality $\tau_1 \sim \tau_2$, then **kind** γ extracts a proof of equality between the kinds of τ_1 and τ_2 .

4.3.1 Congruence rules for quantified types

In prior versions of FC, the coercion $\forall a: \kappa. \gamma$ proved the equality proposition $\forall a: \kappa. \tau_1 \sim \forall a: \kappa. \tau_2$, using the following rule:

$$\frac{\Gamma \vdash_{\text{ty}} \kappa : \star \quad \Gamma, a: \kappa \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2}{\Gamma \vdash_{\text{co}} \forall a: \kappa. \gamma : (\forall a: \kappa. \tau_1) \sim (\forall a: \kappa. \tau_2)} \quad \text{CT_ALLTX}$$

This rule sufficed because the only quantified types that could be shown equal had the same syntactic kinds κ for the bound variable. However, we now have a nontrivial equality between kinds. We need to be able to show a more general proposition, $\forall a: \kappa_1. \tau_1 \sim \forall a: \kappa_2. \tau_2$, even when κ_1 is not syntactically equal to κ_2 .

Without this generality, the language does not satisfy the preservation theorem, which requires that the equality relation be substitutive—given a valid type σ where a appears free, and a proof $\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2$, we must be able to derive a proof between $\sigma[\tau_1/a]$ and $\sigma[\tau_2/a]$. For this property to hold, if a occurs in the kind of a quantified type (or coercion) variable $\forall b: a. \tau$, then we must be able to derive $\forall b: \tau_1. \tau \sim \forall b: \tau_2. \tau$.

Rule CT_ALLT shows when two polytypes are equal. The first premise requires a proof η that the kinds of the bound variables are equal. But, these two kinds might not be *syntactically* equal, so we must have two type variables, a_1 and a_2 , one of each kind. The second premise of the rule adds both bindings $a_1: \kappa_1$ and $a_2: \kappa_2$ to the context as well as an assertion c that a_1 and a_2 are equal.

The polytypes themselves can only refer to their own variables, as verified by the last two premises of the rule.

The other type form that includes binding is the coercion abstractions, $\forall c: \phi. \tau$. The rule CT_ALLC constructs a proof that two such types of this form are equal. We can only construct such proofs when the abstracted propositions relate correspondingly equal types, as witnessed by proofs η_1 and η_2 . The proof term introduces two coercion variables into the context, similar to the two type variables above. Due to proof irrelevance, there is no need for a proof of equality between coercions themselves. Note that the kind of c_1 is *not* that of η_1 : the kind of c_1 is built from types in both η_1 and η_2 .

The rule CT_ALLC also restricts how the variables c_1 and c_2 can be used in γ . The premises $c_1 \# |\gamma|$ and $c_2 \# |\gamma|$ prevent these variables from appearing in the relevant parts of γ . (The freshness operator $\#$ requires its two arguments to have disjoint sets of free variables.) This restriction stems from our proof technique for the consistency of this proof system; we define the erasure operation $|\cdot|$ and discuss this issue in more detail in Section 6.

4.3.2 Coercion irrelevance and coherence

Although the type system includes a judgement for type equality, and types may include explicit coercion proofs, the system does not include a judgement that states when two coercions proofs are equal. The reason is that this relation is trivial—all coercions should be considered equivalent. As a result, coercion proofs are irrelevant to type equality.

This “proof irrelevance” is guaranteed by several of the coercion rules. Consider the congruence rule for coercion application, CT_CAPP: there are no restrictions on γ_2 and γ'_2 other than well-formedness. Another example is rule CT_INSTC—again, no relation is required between the coercions γ_1 and γ_2 .

Not only is the identity of coercion proofs irrelevant, but it is always possible to equate a type with a casted version of itself. The coherence rule, CT_COH, essentially says that the use of kind coercions can be ignored when proving type equalities. Although this rule seems limited, it is sufficient to derive the elimination and congruence rules for coerced types, as seen below.

$$\frac{\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \tau_1 \triangleright \eta_1 : \kappa_1 \quad \Gamma \vdash_{\text{ty}} \tau_2 \triangleright \eta_2 : \kappa_2}{\Gamma \vdash_{\text{co}} (\mathbf{sym}((\mathbf{sym} \gamma) \triangleright \eta_2)) \triangleright \eta_1 : \tau_1 \triangleright \eta_1 \sim \tau_2 \triangleright \eta_2}$$

(Again, note that there is no relation required between η_1 and η_2 .) We use the syntactic sugar $\gamma \triangleright \eta_1 \sim \eta_2$ to abbreviate the coercion $(\mathbf{sym}((\mathbf{sym} \gamma) \triangleright \eta_2)) \triangleright \eta_1$.

Likewise, coherence derives a proof term for decomposing equalities between coerced types.

$$\frac{\Gamma \vdash_{\text{co}} \gamma : \tau_1 \triangleright \gamma_1 \sim \tau_2 \triangleright \gamma_2}{\Gamma \vdash_{\text{co}} \mathbf{sym}((\langle \tau_1 \rangle \triangleright \gamma_1) \mathbin{\&\#} \langle \tau_2 \rangle \triangleright \gamma_2) : \tau_1 \sim \tau_2}$$

4.4 Datatypes

Because we focus on the treatment of equality in the type language, we omit most of the discussion of the expression language and its operational semantics. However, since we have collapsed types and kinds, we must revise the treatment of datatypes, whose constructors can contain types and kinds as arguments. Previously, the arguments to datatype constructors were ordered with all kind arguments occurring before all type arguments (Yorgey et al. 2012). In this language, we cannot divide up the arguments in this way. Therefore, we again use the technique of telescopes to describe the more complex dependency between arguments.

The validity rules for contexts (see Figure 5) restrict datatype constants T to have kind $\forall \bar{a}: \bar{\kappa}. \star$. We call the variables \bar{a} the *parameters* of the datatype. For example, the kind of the datatype List is $\forall a: \star. \star$ and the kind of the datatype TyRep (the first version

$\boxed{\vdash_{\text{wf}} \Gamma}$

$$\frac{\Gamma \vdash_{\text{ty}} \forall \bar{a}: \bar{\kappa}. \star : \star \quad T \# \Gamma}{\vdash_{\text{wf}} \Gamma, T: \forall \bar{a}: \bar{\kappa}. \star} \text{ GWF_TYDATA}$$

$$\frac{\Gamma \vdash_{\text{ty}} \forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a}) : \star \quad K \# \Gamma}{\vdash_{\text{wf}} \Gamma, K: \forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a})} \text{ GWF_CON}$$

$$\frac{\Gamma, \Delta \vdash_{\text{pr}} \phi \text{ ok} \quad C \# \Gamma}{\vdash_{\text{wf}} \Gamma, C: \forall \Delta. \phi} \text{ GWF_AX}$$

Figure 5. Context formation rules (excerpted)

from Section 2) is $\forall k: \star, t: k. \star$. Furthermore, datatypes can only be parameterized by types and kinds, not coercions.

Likewise, the same validity rules force data constructors K to have types/kinds of the form

$$\forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a}).$$

Each data constructor K must produce an element of T applied to all of its parameters $\bar{a}: \bar{\kappa}$. Above, the form $\forall \Delta. \tau$ is syntactic sugar for a list of nested quantified types. The scope of the bound variables includes both the remainder of the telescope Δ and the form within the quantification (in this case, $\bar{\sigma} \rightarrow T \bar{a}$).

The telescope Δ describes the *existential* arguments to the data constructor. These arguments may be either coercions or types, and because of the dependency, must be allowed to freely intermix. For example, the data constructor TyInt from Section 2 (a data constructor belonging to $\text{TyRep} : \forall k: \star, t: k. \star$) includes two coercions in its telescope, one asserting that the kind parameter k is \star , the second asserting that the type parameter t is Int :

$$\text{TyInt} : \forall k: \star, t: k. \forall c_1: k \sim \star, c_2: t \sim \text{Int}. \text{TyRep } k \ t$$

Likewise, the data constructor TyApp existentially binds k', a, b , and c —one kind and two type variables followed by a coercion.

$$\text{TyApp} : \forall k: \star, t: k. \forall k': \star, a: k' \rightarrow k, b: k', c: t \sim a \ b. \text{TyRep } (k' \rightarrow k) \ a \rightarrow \text{TyRep } k' \ b \rightarrow \text{TyRep } k \ t$$

A datatype value is of the form $K \bar{\tau} \bar{\rho} \bar{e}$, where $\bar{\tau}$ denotes the parameters (which cannot include coercions), $\bar{\rho}$ instantiate the existential arguments, and \bar{e} is the list of usual expression arguments to the data constructor.

5. The “push” rules and the preservation theorem

Now that we have defined our extensions, we turn to the metatheory: preservation and progress. While the operational semantics is largely unchanged from prior work, we detail here a few key differences. The most intricate part of the operational semantics of FC are the “push” rules, which ensure that coercions do not interfere with the small step semantics. Coercions are “pushed” into the subcomponents of values whenever a coerced value appears in an elimination context. System FC has four push rules, one for each such context: term application, type application, coercion application, and pattern matching on a datatype. The first three are straightforward and are detailed in previous work (Yorgey et al. 2012). In this section, we focus on pattern matching and the S_KPUSH rule.

5.1 Pushing coercions through constructors

When pattern matching on a coerced datatype value of the form $K \bar{\tau} \bar{\rho} \bar{e} \triangleright \gamma$, the coercion must be distributed over all of the arguments of the data constructor, producing a new scrutinee $K \bar{\tau}' \bar{\rho}' \bar{e}'$ as shown in Figure 6. In the rest of this section, we explain the rule

$$\frac{\begin{array}{l} K: \forall \bar{a}: \bar{\kappa}. \forall \Delta. \bar{\sigma} \rightarrow (T \bar{a}) \in \Gamma \\ \Psi = \text{extend}(\text{context}(\gamma); \bar{\rho}; \Delta) \\ \bar{\tau}' = \Psi_2(\bar{a}) \\ \bar{\rho}' = \Psi_2(\text{dom } \Delta) \\ \text{for each } e_i \in \bar{e}, \\ \quad e'_i = e_i \triangleright \Psi(\sigma_i) \end{array}}{\text{case } ((K \bar{\tau} \bar{\rho} \bar{e}) \triangleright \gamma) \text{ of } \bar{p} \rightarrow \bar{u} \longrightarrow \text{case } (K \bar{\tau}' \bar{\rho}' \bar{e}') \text{ of } \bar{p} \rightarrow \bar{u}} \text{ S_KPUSH}$$

Figure 6. The S_KPUSH rule

by describing the formation of the *lifting context* Ψ and its use in the definition of $\bar{\tau}'$, $\bar{\rho}'$ and \bar{e}' .

The S_KPUSH rule uses a *lifting operation* $\Psi(\cdot)$ on expressions which coerces the type of its argument (\bar{e} in Figure 6). For example, suppose we have a data constructor K of type $\forall a: \star. F a \rightarrow T a$ for some type function F and some type constructor T . Consider what happens when a case expression scrutinee $(K \text{Int } e) \triangleright \gamma$, where γ is a coercion of type $T \text{Int} \sim T \tau'$. The push rule should convert this expression to $K \tau' (e \triangleright \gamma')$ for some new coercion γ' showing $F \text{Int} \sim F \tau'$. To produce γ' , we need to lift the type $F a$ to a coercion along the coercion $\text{nth}^1 \gamma$, which shows $\text{Int} \sim \tau'$.

In previous work, lifting was written $\sigma[a \mapsto \gamma]$, defined by analogy with substitution. Because of the similar syntax of types and coercion proofs, we could think of lifting as replacing a type variable with a coercion to produce a new coercion. That intuition holds true here, but we require more machinery to make this precise.

Lifting contexts We define lifting with respect to a *lifting context* Ψ , which maps type variables to triples (τ_1, τ_2, γ) and coercion variables to pairs (η_1, η_2) . The forms τ_1 and η_1 refer to the original, uncoerced parameters to the data constructor (Int in our example). The forms τ_2 and η_2 refer to the new, coerced parameters to the data constructor (like τ' in our example). Finally, the coercion γ witnesses the equality of τ_1 and τ_2 . No witness is needed for the equality between η_1 and η_2 —equality on proofs is trivial.

The lifting operation is defined by structural recursion on its type argument. This operation is complicated by type forms that bind fresh variables: $\forall a: \kappa. \tau$ and $\forall c: \phi. \tau$. Lifting over these types introduces new mappings in the lifting context, marked with $\dot{\mapsto}$.

$$\Psi ::= \emptyset \quad | \quad \Psi, a: \kappa \mapsto (\tau_1, \tau_2, \gamma) \quad | \quad \Psi, c: \phi \mapsto (\gamma_1, \gamma_2) \\ \quad | \quad \Psi, a: \kappa \dot{\mapsto} (a_1, a_2, c) \quad | \quad \Psi, c: \phi \dot{\mapsto} (c_1, c_2)$$

(We use the notation $\dot{\mapsto}$ to refer to a mapping created either with \mapsto or with $\dot{\mapsto}$.) A lifting context Ψ induces two multisubstitutions $\Psi_1(\cdot)$ and $\Psi_2(\cdot)$, as follows:

Definition 5.1 (Lifting context substitution). $\Psi_1(\cdot)$ and $\Psi_2(\cdot)$ are multisubstitutions, applicable to types, coercions, telescopes, typing contexts, and even other lifting contexts.

1. For each $a: \kappa \dot{\mapsto} (\tau_1, \tau_2, \gamma)$ in Ψ , $\Psi_1(\cdot)$ maps a to τ_1 and $\Psi_2(\cdot)$ maps a to τ_2 .
2. For each $c: \phi \dot{\mapsto} (\gamma_1, \gamma_2)$ in Ψ , $\Psi_1(\cdot)$ maps c to γ_1 and $\Psi_2(\cdot)$ maps c to γ_2 .

Now, we can now state the judgement form $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$, shown in Figure 7, which defines when a lifting context is valid and compatible with a given telescope.

The two substitution operations satisfy straightforward substitution lemmas, defined and proved in the appendix. The usual substitution lemmas, which substitute a single type or coercion, are a direct corollary of these lemmas.

$\boxed{\Gamma \vdash_{\mathcal{C}} \Delta \rightsquigarrow \Psi}$ Lifting context validity

$$\begin{array}{c}
\frac{\vdash_{\text{wf}} \Gamma}{\Gamma \vdash_{\mathcal{C}} \emptyset \rightsquigarrow \emptyset} \text{LC_EMPTY} \\
\\
\frac{\Gamma \vdash_{\mathcal{C}} \Delta \rightsquigarrow \Psi \quad a \# \Gamma, \Delta \quad \Gamma \vdash_{\text{ty}} \sigma_1 : \Psi_1(\kappa) \quad \Gamma \vdash_{\text{ty}} \sigma_2 : \Psi_2(\kappa) \quad \Gamma \vdash_{\text{co}} \gamma : \sigma_1 \sim \sigma_2}{\Gamma \vdash_{\mathcal{C}} (\Delta, a : \kappa) \rightsquigarrow (\Psi, a : \kappa \mapsto (\sigma_1, \sigma_2, \gamma))} \text{LC_TY} \\
\\
\frac{\Gamma \vdash_{\mathcal{C}} \Delta \rightsquigarrow \Psi \quad c \# \Gamma, \Delta \quad \Gamma \vdash_{\text{co}} \eta_1 : \Psi_1(\phi) \quad \Gamma \vdash_{\text{co}} \eta_2 : \Psi_2(\phi)}{\Gamma \vdash_{\mathcal{C}} (\Delta, c : \phi) \rightsquigarrow (\Psi, c : \phi \mapsto (\eta_1, \eta_2))} \text{LC_CO} \\
\\
\frac{a_1 \# \Gamma, \Delta \quad a_2 \# \Gamma, \Delta \quad c \# \Gamma, \Delta \quad \Gamma \vdash_{\mathcal{C}} \Delta \rightsquigarrow \Psi}{\Gamma \vdash_{\mathcal{C}} (\Delta, a : \kappa) \rightsquigarrow (\Psi, a : \kappa \mapsto (a_1, a_2, c))} \text{LC_TYFRESH} \\
\\
\frac{\Gamma \vdash_{\mathcal{C}} \Delta \rightsquigarrow \Psi \quad c_1 \# \Gamma, \Delta \quad c_2 \# \Gamma, \Delta}{\Gamma \vdash_{\mathcal{C}} (\Delta, c : \phi) \rightsquigarrow (\Psi, c : \phi \mapsto (c_1, c_2))} \text{LC_COFRESH}
\end{array}$$

Figure 7. Lifting context validity

We can now define *lifting*:⁶

Definition 5.2 (Lifting). *We define the lifting of types to coercions, written $\Psi(\tau)$, by induction on the type structure. The following equations, to be tried in order, define the operation. (Note that the last line uses the syntactic sugar introduced in Section 4.3.2.)*

$$\begin{array}{l}
\Psi(a) = \gamma \text{ when } a : \kappa \mapsto^2 (\tau_1, \tau_2, \gamma) \in \Psi \\
\Psi(\tau) = \langle \tau \rangle \text{ when } \tau \# \text{dom}(\Psi) \\
\Psi(\tau_1 \tau_2) = \Psi(\tau_1) \Psi(\tau_2) \\
\Psi(\tau \gamma) = \Psi(\tau) (\Psi_1(\gamma), \Psi_2(\gamma)) \\
\Psi(\forall a : \kappa. \tau) = \forall_{\Psi(\kappa)} (a_1, a_2, c). \Psi'(\tau) \\
\quad \text{where } \Psi' = \Psi, a : \kappa \mapsto (a_1, a_2, c) \\
\quad \text{and } a_1, a_2, c \text{ are fresh} \\
\Psi(\forall c : \sigma_1 \sim \sigma_2. \tau) = \forall_{(\Psi(\sigma_1), \Psi(\sigma_2))} (c_1, c_2). \Psi'(\tau) \\
\quad \text{where } \Psi' = \Psi, c : \sigma_1 \sim \sigma_2 \mapsto (c_1, c_2) \\
\quad \text{and } c_1, c_2 \text{ are fresh} \\
\Psi(\tau \triangleright \gamma) = \Psi(\tau) \triangleright \Psi_1(\gamma) \sim \Psi_2(\gamma)
\end{array}$$

The lifting lemma establishes the correctness of the lifting operation and shows that equality is congruent.

Lemma 5.3 (Lifting Lemma). *If Ψ is a valid lifting context for context Γ and the telescope Δ , and $\Gamma, \Delta \vdash_{\text{ty}} \tau : \kappa$, then*

$$\Gamma \vdash_{\text{co}} \Psi(\tau) : \Psi_1(\tau) \sim \Psi_2(\tau)$$

Lifting context creation In the S.KPUSH rule, the actual context Ψ used for lifting is built in two stages. First, $\text{context}(\gamma)$ defines a lifting context with coercions for the parameters to the datatype.

Definition 5.4 (Lifting context generation). *If $\Gamma \vdash_{\text{co}} \gamma : T \bar{\sigma} \sim T \bar{\sigma}'$, and $T : \forall \bar{a} : \bar{\kappa}. \star \in \Gamma$, where the lists $\bar{\sigma}, \bar{\sigma}'$, and $\bar{a} : \bar{\kappa}$ are all of length n , then define $\text{context}(\gamma)$ as*

$$\text{context}(\gamma) = \overline{a_i : \kappa_i \mapsto (\sigma_i, \sigma'_i, \text{nth}^i \gamma)}^{i \in 1..n}$$

Intuitively, $(\text{context}(\gamma))_1(\tau)$ replaces all parameters a in τ with the corresponding type on the left of \sim in the type of γ . Similarly, $(\text{context}(\gamma))_2(\tau)$ replaces a with the corresponding type on the right of \sim .

⁶This definition is not just for the proof—it is implemented in GHC as part of the optimizer to reduce case expressions.

The lifting context that results from this coercion is compatible with the parameters of the datatype. More precisely:

Lemma 5.5 (Lifting context specification). *If $\Gamma \vdash_{\text{co}} \gamma : T \bar{\sigma} \sim T \bar{\sigma}'$, and $T : \forall \bar{a} : \bar{\kappa}. \star \in \Gamma$ then $\Gamma \vdash_{\mathcal{C}} \bar{a} : \bar{\kappa} \rightsquigarrow \text{context}(\gamma)$.*

Proof. Straightforward induction. \square

Next, this initial lifting context is extended with coercions using the operation $\text{extend}(\cdot)$, which adds mappings for the variables in Δ , the existential parameters to the data constructor K . Due to the dependency, we define the operation recursively. The intuition still holds: $(\text{extend}(\Psi; \bar{\rho}; \Delta))_1(\tau)$ replaces free variables in τ with their corresponding “from” types, while $(\text{extend}(\Psi; \bar{\rho}; \Delta))_2(\tau)$ replaces a variables with their corresponding “to” types.

Definition 5.6 (Lifting context extension). *Define the operation of lifting context extension, written $\text{extend}(\Psi; \bar{\rho}; \Delta)$, as:*

$$\begin{array}{l}
\text{extend}(\Psi; \emptyset; \emptyset) = \Psi \\
\text{extend}(\Psi; \bar{\rho}; \tau; \Delta, a : \kappa) = \\
\quad \Psi', a : \kappa \mapsto (\tau, \tau \triangleright \Psi'(\kappa), \text{sym}(\langle \tau \rangle \triangleright \Psi'(\kappa))) \\
\quad \text{where } \Psi' = \text{extend}(\Psi; \bar{\rho}; \Delta) \\
\text{extend}(\Psi; \bar{\rho}; \gamma; \Delta, c : \sigma_1 \sim \sigma_2) = \\
\quad \Psi', c : \sigma_1 \sim \sigma_2 \mapsto (\gamma, \text{sym}(\Psi'(\sigma_1)) \ddagger \gamma \ddagger \Psi'(\sigma_2)) \\
\quad \text{where } \Psi' = \text{extend}(\Psi; \bar{\rho}; \Delta)
\end{array}$$

5.2 Type preservation

Now that we have explained the most novel part of the operational semantics, we can state the preservation theorem.

Theorem 5.7 (Preservation). *If $\Gamma \vdash_{\text{tm}} e : \tau$ and $e \longrightarrow e'$ then $\Gamma \vdash_{\text{tm}} e' : \tau$.*

The proof of this theorem is by induction on the typing derivation, with a case analysis on the small-step. Most of the rules are straightforward, following directly by induction or by substitution. The “push” rules require reasoning about coercion propagation. We include the details of the rules that differ from previous work (Weirich et al. 2010) in the appendix.

5.3 Correctness of push rules: The type erasure theorem

We care not only that the push rules preserve types, but that they do “the right thing.” Do these rules reduce to no-ops if we erase types and coercions?

To state this formally, we define an erasure operation $|\cdot|$ over expressions. This operation erases types, coercions, and equality propositions to trivial forms \bullet_{ty} , \bullet_{co} and \bullet_{prop} and removes all casts. The full definition of this operation appears in the appendix, and we present only the interesting cases here:

$$|e \tau| = |e| \bullet_{\text{ty}} \quad |e \gamma| = |e| \bullet_{\text{co}} \quad |e \triangleright \gamma| = |e|$$

With this operation, we can state that erasing types, coercions and casts does not change how expressions evaluate e .

Theorem 5.8 (Type erasure). *If $e \longrightarrow e'$, then either $|e| = |e'|$ or $|e| \longrightarrow |e'|$.*

6. Consistency and the progress theorem

The proof for the progress theorem follows the same course as in previous work (Weirich et al. 2010). The progress theorem holds only for *closed*, *consistent* contexts. A context is *closed* if it does not contain any expression variable bindings—as usual, open expressions could be stuck. We use the metavariable Σ to denote closed contexts.

Theorem 6.1 (Progress). *Assume Σ is a closed, consistent context. If $\Sigma \vdash_{\text{tm}} e_1 : \tau$ and e_1 is not a value v or a coerced value $v \triangleright \gamma$, then there exists an e_2 such that $e_1 \longrightarrow e_2$.*

The definition of consistent contexts is stated using the notions of uncoerced *values* and their types, *value types*. Formally, we define values v and value types ξ , with the following grammars:

$$\begin{aligned} v &::= \lambda x: \sigma. e \mid \Lambda a: \kappa. e \mid \lambda c: \phi. e \mid K \bar{\tau} \bar{\rho} \bar{e} \\ \xi &::= \sigma_1 \rightarrow \sigma_2 \mid \forall a: \kappa. \sigma \mid \forall c: \phi. \sigma \mid T \bar{\sigma} \end{aligned}$$

The canonical forms lemma tells us that the shape of a value is determined by its type:

Lemma 6.2 (Canonical Forms). *Say $\Sigma \vdash_{\text{tm}} v : \sigma$. Then σ is a value type. Furthermore,*

1. If $\sigma = \sigma_1 \rightarrow \sigma_2$ then v is $\lambda x: \sigma_1. e$ or $K \bar{\tau} \bar{\rho} \bar{e}$.
2. If $\sigma = \forall a: \kappa. \sigma'$ then v is $\Lambda a: \kappa. e$ or $K \bar{\tau} \bar{\rho} \bar{e}$.
3. If $\sigma = \forall c: \phi. \sigma'$ then v is $\lambda c: \tau_1 \sim \tau_2. e$ or $K \bar{\tau} \bar{\rho} \bar{e}$.
4. If $\sigma = T \bar{\tau}$ then v is $K \bar{\tau} \bar{\rho} \bar{e}$.

Definition 6.3 (Consistency). *A context Γ is consistent if ξ_1 and ξ_2 have the same head form whenever $\Gamma \vdash_{\text{co}} \gamma : \xi_1 \sim \xi_2$.*

Although the extensions in this paper have little effect on the structure of this proof compared to prior work, there is still work to do: we need a new notion of acceptable contexts to allow kind equalities, and we must prove that these contexts are consistent.

Our consistency argument proceeds in four steps:

1. Because coercion proofs are irrelevant to type equivalence, we start with an *implicitly coerced* version of the language, where all coercion proofs have been erased. Derivations in the explicit language can be matched up with derivations in the implicit language (Definition 6.4) so showing consistency in the latter implies consistency in the former.
2. We define a *rewrite relation* that reduces types in the implicit system by firing axioms in the context (Figure 8).
3. We specify a sufficient condition, which we write **Good** Γ (Definition 6.6), for a context to be consistent. This condition allows the axioms produced by type and kind family definitions.
4. We show that good contexts are consistent by arguing that the joinability of the rewrite relation is complete with respect to the implicit coercion proof system. Since the rewrite relation and erasure preserve the head form of value types, this gives consistency for both the implicit and explicit systems.

Since we don't want consistency to depend on particular proofs of kind equality, we prove our results with an implicit version of the type language. This implicit language elides coercion proofs and casts from the type language, and has judgements (denoted with a turnstile \models) analogous to the explicit language but for a few key differences where coercions are dropped from types.

First, the use of kind coercions are no longer explicitly marked in types.

$$\frac{\Gamma \models \tau : \kappa \quad \Gamma \models \gamma : \kappa \sim \kappa' \quad \Gamma \models \kappa' : \star}{\Gamma \models \tau : \kappa'} \quad \text{IT_CAST}$$

Note that this system is no longer syntax directed—a type may have several syntactically different kinds. This is not a problem, as we use this system as a proof device for progress only.

Second, the coercion in an application is erased to \bullet_{co} .

$$\frac{\Gamma \models \tau : \forall c: \phi. \kappa \quad \Gamma \models \gamma : \phi}{\Gamma \models \tau \bullet_{\text{co}} : \kappa} \quad \text{IT_CAPP}$$

(In general, we use \bullet_{co} to represent an elided coercion proof.)

We define coercion proofs between erased types in a similar fashion. Most of the rules carry over from the explicitly typed system, but there are three major differences. First, the implicit language does not include a coherence rule as there are no explicit casts. In the explicit language, given a coercion proof $\Gamma \vdash_{\text{co}} \gamma :$

$\tau \sim \tau'$, the coherence rule was used to construct a proof $\gamma \triangleright \gamma'$ where the kind of the first type τ is changed, by applying a cast $\tau \triangleright \gamma'$. However, we can accomplish this in the implicit language, by using IT_CAST to *implicitly* cast the kind of τ using coercion γ' .

Second, the coercion application congruence rule is modified in accordance with coercion erasure.

$$\frac{\Gamma \models \gamma : \tau \sim \tau' \quad \Gamma \models \tau \bullet_{\text{co}} : \kappa \quad \Gamma \models \tau' \bullet_{\text{co}} : \kappa'}{\Gamma \models \gamma(\bullet_{\text{co}}, \bullet_{\text{co}}) : \tau \bullet_{\text{co}} \sim \tau' \bullet_{\text{co}}} \quad \text{ICT_CAPP}$$

This rule says that if two erased coercion applications are well formed, then if the two erased coercion abstractions are equal, there is a proof that the two applications are equal.

The final difference is in the rule for coercion abstractions: The requirement that c_1 and c_2 not appear in the (erased) coercion proof γ is for purely technical reasons (see below).

To connect the explicit and implicit systems, we define an erasure operation:

Definition 6.4 (Coercion Erasure). *Given an explicitly typed term τ or coercion γ , we define its erasure, denoted $|\tau|$ or $|\gamma|$, by induction on its structure. The interesting cases follow:*

$$\begin{aligned} |\tau \triangleright \gamma| &= |\tau| & |\gamma(\gamma_1, \gamma_2)| &= |\gamma|(\bullet_{\text{co}}, \bullet_{\text{co}}) \\ |\tau \gamma| &= |\tau| \bullet_{\text{co}} & |\gamma \triangleright \gamma'| &= |\gamma| \\ |\gamma @(\gamma', \gamma'')| &= |\gamma| @(\bullet_{\text{co}}, \bullet_{\text{co}}) \end{aligned}$$

All other cases follow by simply propagating the $|\cdot|$ operation down the abstract syntax tree. (The full definition of this operation appears in the appendix.)

We further define the erasure of a context Γ , denoted $|\Gamma|$, by erasing the types and equality propositions of each binding.

Lemma 6.5 (Erasure is type preserving). *If a judgement holds in the explicit system, the judgement with coercions erased throughout the context, types and coercions is derivable in the implicit system.*

1. If $\vdash_{\text{wf}} \Gamma$ then $\models |\Gamma|$.
2. If $\Gamma \vdash_{\text{ty}} \tau : \kappa$ then $|\Gamma| \models |\tau| : |\kappa|$.
3. If $\Gamma \vdash_{\text{pr}} \phi \text{ ok}$ then $|\Gamma| \models |\phi| \text{ ok}$.
4. If $\Gamma \vdash_{\text{co}} \gamma : \phi$ then $|\Gamma| \models |\gamma| : |\phi|$.
5. If $\Gamma \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta$ then $|\Gamma| \models |\bar{\rho}| : |\Delta|$.

We define a nondeterministic rewrite relation on open implicit types in Figure 8. We say that σ_1 is *joinable* with σ_2 , written $\Gamma \models \sigma_1 \Leftarrow \sigma_2$, when both can multi-rewrite to a common reduct.

Consistency does not hold in arbitrary contexts, and it is difficult in general to check whether a context is inconsistent. Therefore, like in previous work (Weirich et al. 2010), we give sufficient conditions written **Good** Γ , for a context to be consistent. Since we are working with the implicit language, these conditions are actually for the *erased* context.

Definition 6.6 (Good contexts). *We have **Good** Γ when the following conditions hold:*

1. *All coercion assumptions and axioms in Γ are of the form $C: \forall \Delta. (F \bar{\tau} \sim \tau')$ or of the form $c: a_1 \sim a_2$. In the first form, the arguments to the type function must behave like patterns: for all $\bar{\rho}$, every $\tau_i \in \bar{\tau}$ and every τ'_i such that $\Gamma \models \tau_i[\bar{\rho}/\Delta] \rightsquigarrow \tau'_i$, there exists $\bar{\rho}'$ such that $\tau'_i = \tau_i[\bar{\rho}'/\Delta]$ and $\Gamma \models \sigma_m \rightsquigarrow \sigma'_m$ for each $\sigma_m \in \bar{\rho}$ and $\sigma'_m \in \bar{\rho}'$.*
2. *Axioms and coercion assumptions don't overlap. For each $F \bar{\tau}$, there exists at most one prefix $\bar{\tau}_1$ of $\bar{\tau}$ such that there exist C and $\bar{\rho}$ where $C: \forall \Delta. F \bar{\sigma}_0 \sim \sigma_1 \in \Gamma$ and $\bar{\tau}_1 = \bar{\sigma}_0[\bar{\rho}/\Delta]$. These C and $\bar{\rho}$ are unique for every matching $F \bar{\tau}$.*
3. *For each a , there is at most one assumption of the form $c: a \sim a'$ or $c: a' \sim a$, and $a \neq a'$.*

$$\boxed{\Gamma \models \tau \rightsquigarrow \tau'}$$

$$\frac{}{\Gamma \models \tau \rightsquigarrow \tau} \text{ TS_REFL}$$

$$\frac{\Gamma, \Gamma' \models \kappa \rightsquigarrow \kappa' \quad \Gamma, c: a_1 \sim a_2, \Gamma' \models \sigma \rightsquigarrow \sigma'}{\Gamma, \Gamma' \models \forall a_1: \kappa. \sigma \rightsquigarrow \forall a_2: \kappa'. \sigma'} \text{ TS_ALLT}$$

$$\frac{\Gamma \models \tau_1 \rightsquigarrow \tau'_1 \quad \Gamma \models \tau_2 \rightsquigarrow \tau'_2 \quad \Gamma \models \sigma \rightsquigarrow \sigma'}{\Gamma \models \forall c: \tau_1 \sim \tau_2. \sigma \rightsquigarrow \forall c: \tau'_1 \sim \tau'_2. \sigma'} \text{ TS_ALLC}$$

$$\frac{C: \forall \Delta. (F \bar{\tau} \sim \tau') \in \Gamma \quad \frac{\sigma_1 = \tau[\bar{\rho}/\Delta] \quad \sigma'_1 = \tau'[\bar{\rho}/\Delta]}{\Gamma \models F \bar{\sigma}_1 \rightsquigarrow \sigma'_1}}{\Gamma \models F \bar{\sigma}_1 \rightsquigarrow \sigma'_1} \text{ TS_RED}$$

$$\frac{c: a \sim \tau \in \Gamma}{\Gamma \models a \rightsquigarrow \tau} \text{ TS_VARRED}$$

$$\frac{\Gamma \models \tau \rightsquigarrow \tau' \quad \Gamma \models \sigma \rightsquigarrow \sigma'}{\Gamma \models \tau \sigma \rightsquigarrow \tau' \sigma'} \text{ TS_APP}$$

$$\frac{\Gamma \models \tau \rightsquigarrow \tau'}{\Gamma \models \tau \bullet_{\text{co}} \rightsquigarrow \tau' \bullet_{\text{co}}} \text{ TS_CAPP}$$

Figure 8. Rewrite relation

4. *Axioms equate types of the same kind. For each $C: \forall \Delta. (F \bar{\tau} \sim \tau')$ in Γ , the kinds of each side must equal: for some $\kappa, \Gamma, \Delta \models F \bar{\tau} : \kappa$ and $\Gamma, \Delta \models \tau' : \kappa$ and that kind must not mention bindings in the telescope, $\Gamma \models \kappa : \star$.*

The main lemma required for consistency is the completeness of joinability. Here, we write $\text{fcv}(\gamma) \subseteq \text{dom } \Gamma'$ to indicate that all coercion variables and axioms used in γ are in the domain of Γ' .

Lemma 6.7 (Completeness). *Suppose that $\Gamma \models \gamma : \sigma_1 \sim \sigma_2$, and $\text{fcv}(\gamma) \subseteq \text{dom } \Gamma'$ for some subcontext Γ' satisfying **Good** Γ' . Then $\Gamma \models \sigma_1 \Leftrightarrow \sigma_2$.*

The proof of this theorem appears in the appendix. Here, we highlight a technical point about coercions between coercion abstractions. The completeness proof requires that all coercion variables in a coercion γ must satisfy the requirements of **Good** contexts. As a result, we need to restrict the coercion abstraction equality rule in both the implicit and explicit systems.

$$\frac{\begin{array}{l} \Gamma \models \eta_1 : \sigma_1 \sim \sigma'_1 \quad \phi_1 = \sigma_1 \sim \sigma_2 \\ \Gamma \models \eta_2 : \sigma_2 \sim \sigma'_2 \quad \phi_2 = \sigma'_1 \sim \sigma'_2 \\ c_1 \# \gamma \quad c_2 \# \gamma \\ \Gamma, c_1: \phi_1, c_2: \phi_2 \models \gamma : \tau_1 \sim \tau_2 \\ \Gamma \models \forall c_1: \phi_1. \tau_1 : \star \quad \Gamma \models \forall c_2: \phi_2. \tau_2 : \star \end{array}}{\Gamma \models \forall (\eta_1, \eta_2). (c_1, c_2). \gamma : (\forall c_1: \phi_1. \tau_1) \sim (\forall c_2: \phi_2. \tau_2)}$$

In this rule, the variables c_1 and c_2 cannot be used in γ due to the premises $c_1 \# \gamma$ and $c_2 \# \gamma$. (The analogous rule in the explicit system includes the premises $c_1 \# |\gamma|$ and $c_2 \# |\gamma|$.) This restriction is because c_1 and c_2 may be inconsistent assumptions: perhaps $c_1: \text{Int} \sim \text{Bool}$. If we were to introduce these into the context, induction would fail.

The consequence of these restrictions is that there are some types that cannot be shown equivalent, even though they are intuitively equivalent. For example, there is no proof of equivalence between the types $\forall c_1: \text{Int} \sim b. \text{Int}$ and $\forall c_2: \text{Int} \sim b. b$ —a coercion between these two types would need to use c_1 or c_2 . However, this lack of expressiveness is not significant—in source Haskell, it could only be observed through exotic uses of first-class polymor-

phism, which are already rare in general. Furthermore, this restriction already exists in GHC^7 and other dependently-typed languages such as Agda and Coq. It is possible that a different consistency proof would validate a rule that does not restrict the use of these variables. However, we leave this possibility to future work.

7. Discussion and related work

Collapsing kinds and types Blurring the distinction between types and kinds is convenient, but is it wise? It is well known that type systems that include the $\Gamma \vdash_{\text{ty}} \star : \star$ rule are inconsistent logics (Girard 1972). Does that cause trouble? For FC the answer is no—inconsistency here means that all kinds are inhabited, but even without our extensions, all kinds are already inhabited.

The $\Gamma \vdash_{\text{ty}} \star : \star$ rule often causes type checking to be undecidable in dependently typed languages (Cardelli 1986; Augustsson 1998). This axiom permits the expression of divergent terms—if the type checker tries to reduce them it will loop. However, type checking in FC is decidable—all type equalities are witnessed by finite equality proofs, not potentially infinite reductions.

At the source language level, which does reduce type expressions, it is not clear whether adding the $\Gamma \vdash_{\text{ty}} \star : \star$ rule could cause type inference to loop (in the absence of language extensions such as `UndecidableInstances` which already make divergence possible). However, even though this version of FC combines types and kinds, the Haskell source language need not do so (predictable type inference algorithms may require more traditional stratification). This gap would not be new—differing requirements for the core and surface languages have already led FC to be more expressive than source Haskell.

Heterogeneous equality Heterogeneous equality is an essential part of this system. It is primarily motivated by the presence of dependent application (such as rules `K_INST` and `K_CAPP`), where the kind of the result depends on the value of the argument. We would like type equivalence to be congruent with respect to application, as is demonstrated by rule `CT_APP`. However, if all equalities are required to be homogeneous, then not all uses of the rule are valid because the result kinds may differ.

For example, consider the datatype $\text{TyRep} : \forall k: \star. \forall b: k. \star$. If we have coercions $\Gamma \vdash_{\text{co}} \gamma_1 : \star \sim \kappa$ and $\Gamma \vdash_{\text{co}} \gamma_2 : \text{Int} \sim \tau$ (with $\Gamma \vdash_{\text{ty}} \tau : \kappa$), then we can construct the proof

$$\Gamma \vdash_{\text{co}} (\text{TyRep}) \gamma_1 \gamma_2 : \text{TyRep} \star \text{Int} \sim \text{TyRep} \kappa \tau$$

However, this proof requires heterogeneity because the first part ($(\text{TyRep}) \gamma_1$) creates an equality between types of different kinds: $\text{TyRep} \star$ and $\text{TyRep} \kappa$. The first has kind $\star \rightarrow \star$, whereas the second has kind $\kappa \rightarrow \star$.

The coherence rule (`CT_COH`) also requires that equality be heterogeneous because it equates types that almost certainly have different kinds. This rule, inspired by Observational Type Theory (Altenkirch et al. 2007), provides a simple way of ensuring that proofs do not interfere with equality. Without it, we would need coercions analogous to the many “push” rules of the operational semantics.

There are several choices in the semantics of heterogeneous equality. We have chosen the most popular, where a proposition $\sigma_1 \sim \sigma_2$ is interpreted as a conjunction: “the types are equal and their kinds are equal”. This semantics is similar to Epigram 1 (McBride 2002), the `HeterogeneousEquality` module in the Agda standard library,⁸ and the treatment in Coq.⁹ Epigram 2 (Al-

⁷Currently, coercions between the types $(\text{Int} \sim b) \Rightarrow \text{Int}$ and $(\text{Int} \sim b) \Rightarrow b$ are disallowed

⁸<http://wiki.portal.chalmers.se/agda/agda.php?n=Libraries.StandardLibrary>

⁹<http://coq.inria.fr/stdlib/Coq.Logic.JMeq.html>

tenkirch et al. 2007) uses an alternative semantics, interpreted as “if the kinds are equal then the types are equal”. (This relation requires a proof of kind equality before coercing types.) Guru (Stump et al. 2008) and Trellys (Kimmell et al. 2012; Sjöberg et al. 2012) use yet another interpretation which says nothing about the kinds. These differences reflect the design of the type systems—the syntax-directed type system of FC makes the conjunctive interpretation the most reasonable, whereas the bidirectional type system of Epigram 2 makes the implicational version more convenient. As Guru/Trellys demonstrate, it is also reasonable to not require kind equality. We conjecture that without the **kind** γ coercion form, it would be sound to drop the fourth condition from **Good** Γ .

Unlike higher-dimensional type theory (Licata and Harper 2012), equality in this language has no computational content. Because of the separation between objects and proofs, FC is resolutely one-dimensional—we do not define what it means for proofs to be equivalent. Instead, we ensure that in any context the identity of equality proofs is unimportant.

The implicit language Our proof technique for consistency, based on erasing explicit type conversions, is inspired by ICC (Miquel 2001). Coercion proofs are irrelevant to the definition of type equality, so to reason about type equality it is convenient to ignore them entirely. Following ICC* (Barras and Bernardo 2008), we could also view the implicit language as the “real” semantics for FC, and consider the language of this paper as an adaptation of that semantics with annotations to make typing decidable. Furthermore, the implicit language is interesting in its own right as it is closer to source Haskell, which also makes implicit use of type equalities.

However, although the implicit language allows type equality assumptions to be used implicitly, it is not extensional type theory (ETT) (Martin-Löf 1984): it separates proofs from programs so that it can weaken the former (ensuring consistency) while enriching the latter (with “type-in-type”). As a result, the proof language of FC is not as expressive as ETT; besides the limitations on equalities between coercion abstractions in Section 6, FC lacks η -equivalence or extensional reasoning for type-level functions.

Explicit equality proofs In concurrent related work, van Doorn, Geuvers and Wiedijk (Geuvers and Wiedijk 2004; van Doorn et al. 2013) develop a variant of pure type systems that replaces implicit conversions with explicit convertibility proofs. There are strong connections to this paper: they too use heterogeneous equality and must significantly generalize the statement of a lifting lemma (which they call “equality of substitutions”). However, there are differences. Their work is based on Pure Type Systems, which generalize over sorts, rules and axioms; we only consider a single instance here. They also show that the system with explicit equalities is equivalent to the system with implicit equalities; we only show one direction. Finally, as their work is based on intensional type theory, it does not address coercion abstraction. Consequently, their analogue to rule CT_ALLT is the following asymmetric rule.

$$\frac{\begin{array}{l} \Gamma \vdash_{\text{co}} \eta : \kappa_1 \sim \kappa_2 \\ \Gamma, a_1 : \kappa_1 \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 [a_1 \triangleright \eta / a_2] \\ \Gamma \vdash_{\text{ty}} \forall a_1 : \kappa_1. \tau_1 : \star \\ \Gamma \vdash_{\text{ty}} \forall a_2 : \kappa_2. \tau_2 : \star \end{array}}{\Gamma \vdash_{\text{co}} \eta a_1 : \kappa_1. \gamma : (\forall a_1 : \kappa_1. \tau_1) \sim (\forall a_1 : \kappa_2. \tau_2)} \quad \text{CT_ALLTA}$$

We conjecture that in our system, the above rule is equivalent to CT_ALLT.

8. Conclusions and future work

This work provides the basis for the practical extension of a popular programming language implementation. It does so without sac-

rificing any important metatheoretic properties. This extension is a necessary step towards making Haskell more dependently typed.

The next step in this research plan is to lift these extensions to the source language, incorporating these features within GHC’s constraint solving algorithm. In particular, we plan future language extensions in support of type- and kind-level programming, such as datakinds (datatypes that exist only at the kind-level), kind synonyms and kind families. Although GHC already infers kinds, we will need to extend this mechanism to generate kind coercions and take advantage of these new features.

Going further, we would like to also like to support a true “dependent type” in Haskell, which would allow types to mention expressions directly, instead of requiring singleton encodings. One way to extend Haskell in this way is through elaboration: we believe that the translation between source Haskell and FC could automatically insert the appropriate singleton arguments (Eisenberg and Weirich 2012), perhaps using the class system to determine where they are necessary. This approach would not require further extension to FC. Alternatively, Adam Gundry’s forthcoming dissertation¹⁰ includes Π -types in a version of System FC that is strongly influenced by an early draft of this work. If elaboration does not prove to be sufficiently expressive, Gundry’s work provides a blueprint for future core language extension.

In either case the interaction between dependent types and type inference brings new research challenges. However, the results in this paper mean that these challenges can be addressed in the context of a firm semantic basis.

Acknowledgments

Thanks to Simon Peyton Jones, Dimitrios Vytiniotis, Iavor Diatchki, José Pedro Magalhães, Adam Gundry and Conor McBride for discussion. This material is based upon work supported by the National Science Foundation under Grant Nos. 0910500 and 1116620.

References

- T. Altenkirch and C. McBride. Generic programming within dependently typed programming. In J. Gibbons and J. Jeuring, editors, *Generic Programming*, volume 243 of *IFIP Conference Proceedings*, pages 1–20. Kluwer, 2002.
- T. Altenkirch, C. McBride, and W. Swierstra. Observational equality, now! In *Proceedings of the 2007 workshop on Programming Languages meets Program Verification*, PLPV ’07, pages 57–68, New York, 2007. ACM.
- L. Augustsson. Cayenne—a language with dependent types. In *Proceedings of the third ACM SIGPLAN International Conference on Functional Programming*, ICFP ’98, pages 239–250, New York, 1998. ACM.
- H. P. Barendregt. Handbook of logic in computer science (vol. 2). chapter Lambda calculi with types, pages 117–309. Oxford University Press, New York, 1992.
- B. Barras and B. Bernardo. The implicit calculus of constructions as a programming language with dependent types. In *Foundations of Software Science and Computational Structures*, volume 4962 of *Lecture Notes in Computer Science*, pages 365–379. Springer, Berlin, Heidelberg, 2008.
- L. Cardelli. A polymorphic lambda calculus with type:type. Technical Report 10, Digital Equipment Corporation Systems Research Center, 1986.
- M. M. T. Chakravarty, G. Keller, and S. Peyton Jones. Associated type synonyms. In *Proceedings of the tenth ACM SIGPLAN International Conference on Functional Programming*, ICFP ’05, pages 241–253, New York, 2005. ACM.
- K. Crary, S. Weirich, and G. Morrisett. Intensional polymorphism in type erasure semantics. In *Proceedings of the Third ACM SIGPLAN*

¹⁰ Personal communication

- International Conference on Functional Programming*, ICFP '98, pages 301–313, Baltimore, MD, USA, 1998. ACM.
- R. A. Eisenberg and S. Weirich. Dependently typed programming with singletons. In *Proceedings of the 2012 Haskell Symposium*, Haskell '12, pages 117–130, New York, 2012. ACM.
- H. Geuvers and F. Wiedijk. A logical framework with explicit conversions. In C. Schürmann, editor, *LFM'04, Proceedings of the Fourth International Workshop on Logical Frameworks and Meta-Languages*, Cork, Ireland, pages 32–45, 2004.
- J.-Y. Girard. *Interprétation fonctionnelle et élimination des coupures de l'arithmétique d'ordre supérieur*. PhD thesis, Université de Paris VII, 1972.
- M. P. Jones. Type classes with functional dependencies. In *9th European Symposium on Programming, ESOP '00*, volume 1782 of *Lecture Notes in Computer Science*, pages 230–244. Springer, 2000.
- G. Kimmell, A. Stump, H. D. Eades III, P. Fu, T. Sheard, S. Weirich, C. Casinghino, V. Sjöberg, N. Collins, and K. Y. Ahn. Equational reasoning about programs with general recursion and call-by-value semantics. In *Sixth ACM SIGPLAN Workshop Programming Languages meets Program Verification (PLPV '12)*, 2012.
- D. R. Licata and R. Harper. Canonicity for 2-dimensional type theory. In *Proceedings of the 39th annual ACM SIGPLAN-SIGACT symposium on Principles of programming languages*, POPL '12, pages 337–348, New York, NY, USA, 2012. ACM.
- Z. Luo. *Computation and reasoning: a type theory for computer science*. Oxford University Press, Inc., New York, NY, USA, 1994.
- J. P. Magalhães. The right kind of generic programming. In *8th ACM SIGPLAN Workshop on Generic Programming, WGP 2012, Copenhagen, Denmark*, New York, NY, USA, 2012. ACM.
- P. Martin-Löf. *Intuitionistic Type Theory*. Bibliopolis, 1984.
- C. McBride. Elimination with a motive. In *Selected papers from the International Workshop on Types for Proofs and Programs, TYPES '00*, pages 197–216, London, UK, UK, 2002. Springer-Verlag.
- C. T. McBride. Agda-curious?: an exploration of programming with dependent types. In P. Thiemann and R. B. Findler, editors, *ICFP*, pages 1–2. ACM, 2012. ISBN 978-1-4503-1054-3.
- A. Miquel. The implicit calculus of constructions: extending pure type systems with an intersection type binder and subtyping. In *Proceedings of the 5th international conference on Typed lambda calculi and applications*, TLCA'01, pages 344–359, Berlin, Heidelberg, 2001. Springer-Verlag.
- U. Norell. *Functional generic programming and type theory*, 2002. MSC thesis.
- N. Oury and W. Swierstra. The power of Pi. In *Proceedings of the 13th ACM SIGPLAN international conference on Functional programming*, ICFP '08, pages 39–50, New York, NY, USA, 2008. ACM. ISBN 978-1-59593-919-7.
- S. Peyton Jones, D. Vytiniotis, S. Weirich, and G. Washburn. Simple unification-based type inference for GADTs. In *Proceedings of the eleventh ACM SIGPLAN International Conference on Functional Programming*, ICFP '06, pages 50–61, New York, NY, USA, 2006. ACM.
- T. Schrijvers, S. Peyton Jones, M. Sulzmann, and D. Vytiniotis. Complete and decidable type inference for GADTs. In *Proceedings of the 14th ACM SIGPLAN international conference on Functional programming*, ICFP '09, pages 341–352, New York, NY, USA, 2009. ACM.
- V. Sjöberg, C. Casinghino, K. Y. Ahn, N. Collins, H. D. Eades III, P. Fu, G. Kimmell, T. Sheard, A. Stump, and S. Weirich. Irrelevance, heterogeneous equality, and call-by-value dependent type systems. In *Fourth workshop on Mathematically Structured Functional Programming (MSFP '12)*, 2012.
- A. Stump, M. Deters, A. Petcher, T. Schiller, and T. Simpson. Verified programming in Guru. In *Proceedings of the 3rd workshop on Programming languages meets program verification*, PLPV '09, pages 49–58, New York, NY, USA, 2008. ACM.
- M. Sulzmann, M. M. T. Chakravarty, S. P. Jones, and K. Donnelly. System F with type equality coercions. In *Proceedings of the 2007 ACM SIGPLAN*

international workshop on Types in languages design and implementation, TLDI '07, pages 53–66, New York, NY, USA, 2007. ACM.

- F. van Doorn, H. Geuvers, and F. Wiedijk. Explicit convertibility proofs in pure type systems. Draft paper, in submission. <http://www.cs.ru.nl/~herman/PUBS/ExplicitPTS.pdf>, 2013.
- D. Vytiniotis, S. Peyton Jones, and J. P. Magalhães. Equality proofs and deferred type errors: A compiler pearl. In *Proceedings of the 14th ACM SIGPLAN International Conference on Functional Programming, ICFP 2012, Copenhagen, Denmark*, New York, NY, USA, 2012. ACM.
- S. Weirich, D. Vytiniotis, S. Peyton Jones, and S. Zdancewic. Generative type abstraction and type-level computation (extended version). Technical report, University of Pennsylvania, Nov. 2010.
- S. Weirich, D. Vytiniotis, S. Peyton Jones, and S. Zdancewic. Generative type abstraction and type-level computation. In *Proceedings of the 38th annual ACM SIGPLAN-SIGACT symposium on Principles of programming languages*, POPL '11, pages 227–240, New York, NY, USA, 2011. ACM.
- Z. Yang. Encoding types in ML-like languages. In *Proceedings of the Third International Conference on Functional Programming (ICFP)*, pages 289–300, Baltimore, Maryland, USA, 1998. ACM Press.
- B. A. Yorgey, S. Weirich, J. Cretin, S. Peyton Jones, D. Vytiniotis, and J. P. Magalhães. Giving Haskell a promotion. In *Proceedings of the 8th ACM SIGPLAN workshop on Types in Language Design and Implementation*, TLDI '12, pages 53–66, New York, NY, USA, 2012. ACM.

A. Additional semantics

Below, we list a few rules and definitions not included in the main discussion.

A.1 Context well-formedness

These rules ensure that all assumptions in the context are well formed and unique. They additionally constrain the form of the kinds of datatypes and the types of data constructors. $\boxed{\vdash_{wf} \Gamma}$

$$\begin{array}{c}
 \overline{\vdash_{wf} \emptyset} \quad \text{GWF_EMPTY} \\
 \frac{\Gamma \vdash_{ty} \kappa : \star \quad a \# \Gamma}{\vdash_{wf} \Gamma, a: \kappa} \quad \text{GWF_TYVAR} \\
 \frac{\Gamma \vdash_{ty} \kappa : \star \quad F \# \Gamma}{\vdash_{wf} \Gamma, F: \kappa} \quad \text{GWF_TYFUN} \\
 \frac{\Gamma \vdash_{ty} \forall \bar{a}: \bar{\kappa}. \star : \star \quad T \# \Gamma}{\vdash_{wf} \Gamma, T: \forall \bar{a}: \bar{\kappa}. \star} \quad \text{GWF_TYDATA} \\
 \frac{\Gamma \vdash_{ty} \tau : \kappa \quad x \# \Gamma}{\vdash_{wf} \Gamma, x: \tau} \quad \text{GWF_VAR} \\
 \frac{\Gamma \vdash_{ty} \forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a}) : \star \quad K \# \Gamma}{\vdash_{wf} \Gamma, K: \forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a})} \quad \text{GWF_CON} \\
 \frac{\Gamma \vdash_{pr} \phi \text{ ok} \quad c \# \Gamma}{\vdash_{wf} \Gamma, c: \phi} \quad \text{GWF_CVAR} \\
 \frac{\Gamma, \Delta \vdash_{pr} \phi \text{ ok} \quad C \# \Gamma}{\vdash_{wf} \Gamma, C: \forall \Delta. \phi} \quad \text{GWF_AX}
 \end{array}$$

A.2 Telescope argument validity

$$\begin{array}{c}
 \boxed{\Gamma \vdash_{tel} \bar{\rho} \Leftarrow \Delta} \\
 \frac{\vdash_{wf} \Gamma}{\Gamma \vdash_{tel} \emptyset \Leftarrow \emptyset} \quad \text{T2_EMPTY} \\
 \frac{\Gamma, \Delta \vdash_{ty} \kappa : \star \quad a \# \Gamma, \Delta \quad \Gamma \vdash_{ty} \tau : \kappa[\bar{\rho}/\Delta] \quad \Gamma \vdash_{tel} \bar{\rho} \Leftarrow \Delta}{\Gamma \vdash_{tel} \bar{\rho}, \tau \Leftarrow (\Delta, a: \kappa)} \quad \text{T2_CONST}
 \end{array}$$

$$\frac{\Gamma, \Delta \vdash_{\text{pr}} \phi \text{ ok} \quad c \# \Gamma, \Delta \quad \Gamma \vdash_{\text{co}} \gamma : \phi[\bar{\rho}/\Delta] \quad \Gamma \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta}{\Gamma \vdash_{\text{tel}} \bar{\rho}, \gamma \Leftarrow (\Delta, c: \phi)} \quad \text{T2_CONSG}$$

$$\frac{}{(\lambda c: \sigma_1 \sim \sigma_2. e) \gamma \longrightarrow e[\gamma/c]} \quad \text{S_CBETA}$$

A.3 Expression typing and operational semantics

$\Gamma \vdash_{\text{tm}} e : \tau$ Expression typing

$$\frac{\vdash_{\text{wf}} \Gamma \quad x: \tau \in \Gamma}{\Gamma \vdash_{\text{tm}} x : \tau} \quad \text{T_VAR}$$

$$\frac{\Gamma, x: \tau_1 \vdash_{\text{tm}} e : \tau_2}{\Gamma \vdash_{\text{tm}} \lambda x: \tau_1. e : \tau_1 \rightarrow \tau_2} \quad \text{T_ABS}$$

$$\frac{\Gamma \vdash_{\text{tm}} e : \tau_1 \rightarrow \tau_2 \quad \Gamma \vdash_{\text{tm}} u : \tau_1}{\Gamma \vdash_{\text{tm}} e u : \tau_2} \quad \text{T_APP}$$

$$\frac{\Gamma, c: \phi \vdash_{\text{tm}} e : \tau \quad \Gamma \vdash_{\text{pr}} \phi \text{ ok}}{\Gamma \vdash_{\text{tm}} \lambda c: \phi. e : \forall c: \phi. \tau} \quad \text{T_CABS}$$

$$\frac{\Gamma \vdash_{\text{tm}} e : \forall c: \phi. \tau \quad \Gamma \vdash_{\text{co}} \gamma : \phi}{\Gamma \vdash_{\text{tm}} e \gamma : \tau[\gamma/c]} \quad \text{T_CAPP}$$

$$\frac{\Gamma, a: \kappa \vdash_{\text{tm}} e : \tau}{\Gamma \vdash_{\text{tm}} \Lambda a: \kappa. e : \forall a: \kappa. \tau} \quad \text{T_TABS}$$

$$\frac{\Gamma \vdash_{\text{tm}} e : \forall a: \kappa. \tau \quad \Gamma \vdash_{\text{ty}} \tau' : \kappa}{\Gamma \vdash_{\text{tm}} e \tau' : \tau[\tau'/a]} \quad \text{T_TAPP}$$

$$\frac{\Gamma \vdash_{\text{tm}} e : \tau_1 \quad \Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \tau_2 : \star}{\Gamma \vdash_{\text{tm}} e \triangleright \gamma : \tau_2} \quad \text{T_CAST}$$

$$\frac{\vdash_{\text{wf}} \Gamma \quad K: \tau \in \Gamma}{\Gamma \vdash_{\text{tm}} K : \tau} \quad \text{T_CON}$$

$\Gamma \vdash_{\text{tm}} e : T \bar{\tau}$
 $\Gamma \vdash_{\text{ty}} \tau : \star$
 \bar{K}_i are exhaustive for T
for each i

$$K_i: \forall \bar{a}: \bar{\kappa}. \forall \Delta_i. \bar{\sigma}_i \rightarrow (T \bar{a}) \in \Gamma$$

$$\Delta'_i = \Delta_i[\tau'/\bar{a}]$$

$$\sigma'_i = \sigma_i[\tau'/\bar{a}]$$

$$\Gamma, \Delta'_i, x_i: \sigma'_i \vdash_{\text{tm}} u_i : \tau$$

$$\frac{}{\Gamma \vdash_{\text{tm}} \text{case } e \text{ of } K_i \Delta'_i x_i: \sigma'_i \rightarrow u_i : \tau} \quad \text{T_CASE}$$

$$\Gamma \vdash_{\text{co}} \gamma : H_1 \bar{\rho}_1 \sim H_2 \bar{\rho}_2 \quad H_1 \neq H_2$$

$$\frac{\Gamma \vdash_{\text{ty}} \tau : \star}{\Gamma \vdash_{\text{tm}} \text{contra } \gamma \tau : \tau} \quad \text{T_CONTRA}$$

$e \longrightarrow e'$ Step reduction, parameterized by toplevel context

$$\frac{}{(\lambda x: \tau. e) e' \longrightarrow e[e'/x]} \quad \text{S_BETA}$$

$$\frac{e_1 \longrightarrow e'_1}{e_1 e_2 \longrightarrow e'_1 e_2} \quad \text{S_EAPP}$$

$$\frac{\Gamma \vdash_{\text{co}} \gamma : \sigma_1 \rightarrow \sigma_2 \sim \tau_1 \rightarrow \tau_2}{(v \triangleright \gamma) e \longrightarrow (v (e \triangleright \text{sym}(\text{nth}^1 \gamma))) \triangleright \text{nth}^2 \gamma} \quad \text{S_PUSH}$$

$$\frac{}{(\Lambda a: \kappa. e) \tau \longrightarrow e[\tau/a]} \quad \text{S_TBETA}$$

$$\frac{e_1 \longrightarrow e'_1}{e_1 \sigma \longrightarrow e'_1 \sigma} \quad \text{S_TAPP}$$

$$\Gamma \vdash_{\text{co}} \gamma : \forall a: \kappa_1. \sigma_1 \sim \forall a: \kappa_2. \sigma_2$$

$$\gamma' = \text{sym}(\text{nth}^1 \gamma)$$

$$\tau' = \tau \triangleright \gamma'$$

$$\frac{}{(v \triangleright \gamma) \tau \longrightarrow (v \tau') \triangleright \gamma @ (\tau \triangleright \gamma')} \quad \text{S_TPUSH}$$

$$\frac{e_1 \longrightarrow e'_1}{e_1 \gamma \longrightarrow e'_1 \gamma} \quad \text{S_CAPP}$$

$$\frac{\Gamma \vdash_{\text{co}} \gamma : (\forall c: \phi. \tau) \sim (\forall c': \phi'. \tau') \quad \gamma'' = \text{nth}^1 \gamma \ddagger \gamma' \ddagger \text{sym}(\text{nth}^2 \gamma)}{(v \triangleright \gamma) \gamma' \longrightarrow v \gamma'' \triangleright \gamma @ (\gamma'', \gamma')} \quad \text{S_CPUSH}$$

$$\frac{}{(v \triangleright \gamma_1) \triangleright \gamma_2 \longrightarrow v \triangleright (\gamma_1 \ddagger \gamma_2)} \quad \text{S_COMB}$$

$$\frac{e \longrightarrow e'}{e \triangleright \gamma \longrightarrow e' \triangleright \gamma} \quad \text{S_COERCE}$$

$$\frac{K_i \Delta_i \bar{x}_i: \bar{\sigma}_i \rightarrow u_i \in \bar{p} \rightarrow \bar{u}}{\text{case } K_i \bar{\tau} \bar{\rho} \bar{e} \text{ of } \bar{p} \rightarrow \bar{u} \rightarrow u_i [\bar{e}/\bar{x}_i] [\bar{\rho}/\Delta_i]} \quad \text{S_CASEMATCH}$$

$$\frac{e \longrightarrow e'}{\text{case } e \text{ of } \bar{p} \rightarrow \bar{u} \longrightarrow \text{case } e' \text{ of } \bar{p} \rightarrow \bar{u}} \quad \text{S_CASE}$$

$$K: \forall \bar{a}: \bar{\kappa}. \forall \Delta. \bar{\sigma} \rightarrow (T \bar{a}) \in \Gamma$$

$$\Psi = \text{extend}(\text{context}(\gamma); \bar{\rho}; \Delta)$$

$$\tau' = \Psi_2(\bar{a})$$

$$\bar{\rho}' = \Psi_2(\text{dom } \Delta)$$

$$\text{for each } e_i \in \bar{e},$$

$$e'_i = e_i \triangleright \Psi(\sigma_i)$$

$$\frac{}{\text{case } ((K \bar{\tau} \bar{\rho} \bar{e}) \triangleright \gamma) \text{ of } \bar{p} \rightarrow \bar{u} \longrightarrow \text{case } (K \tau' \bar{\rho}' e') \text{ of } \bar{p} \rightarrow \bar{u}} \quad \text{S_KPUSH}$$

A.4 Erasure operation

$ x $	$=$	x
$ \lambda x: \tau. e $	$=$	$\lambda x: \bullet_{\text{ty}}. e $
$ e_1 e_2 $	$=$	$ e_1 e_2 $
$ \Lambda a: \kappa. e $	$=$	$\Lambda a: \bullet_{\text{ty}}. e $
$ e \tau $	$=$	$ e \bullet_{\text{ty}}$
$ \lambda c: \phi. e $	$=$	$\lambda c: \bullet_{\text{prop}}. e $
$ e \gamma $	$=$	$ e \bullet_{\text{co}}$
$ e \triangleright \gamma $	$=$	$ e $
$ K $	$=$	K
$ \text{case } e \text{ of } \overline{p \rightarrow u} $	$=$	$\text{case } e \text{ of } \overline{p \rightarrow u }$
$ \text{contra } \gamma \tau $	$=$	$\text{contra } \bullet_{\text{co}} \bullet_{\text{ty}}$
$ a $	$=$	a
$ H $	$=$	H
$ F $	$=$	F
$ K $	$=$	K
$ \forall a: \kappa. \tau $	$=$	$\forall a: \kappa . \tau $
$ \forall c: \phi. \tau $	$=$	$\forall c: \phi . \tau $
$ \tau_1 \tau_2 $	$=$	$ \tau_1 \tau_2 $
$ \tau_1 \triangleright \gamma $	$=$	$ \tau_1 $
$ \tau_1 \gamma $	$=$	$ \tau_1 \bullet_{\text{co}}$
$ \sigma_1 \sim \sigma_2 $	$=$	$ \sigma_1 \sim \sigma_2 $
$ c $	$=$	c
$ C \bar{\rho} $	$=$	$C \bar{\rho} $
$ \langle \tau \rangle $	$=$	$\langle \tau \rangle$
$ \text{sym } \gamma $	$=$	$\text{sym } \gamma $
$ \gamma_1 \ddot{\gamma}_2 $	$=$	$ \gamma_1 \ddot{ \gamma_2 }$
$ \forall_{\eta}(a_1, a_2, c). \gamma $	$=$	$\forall_{ \eta }(a_1, a_2, c). \gamma $
$ \forall_{(\eta_1, \eta_2)}(c_1, c_2). \gamma $	$=$	$\forall_{(\eta_1 , \eta_2)}(c_1, c_2). \gamma $
$ \gamma_1 \gamma_2 $	$=$	$ \gamma_1 \gamma_2 $
$ \gamma(\gamma_1, \gamma_2) $	$=$	$ \gamma (\bullet_{\text{co}}, \bullet_{\text{co}})$
$ \gamma \triangleright \gamma' $	$=$	$ \gamma $
$ \gamma @ \gamma' $	$=$	$ \gamma @ \gamma' $
$ \gamma @ (\gamma', \gamma'') $	$=$	$ \gamma @ (\bullet_{\text{co}}, \bullet_{\text{co}})$
$ \text{nth}^i \gamma $	$=$	$\text{nth}^i \gamma $
$ \text{kind } \gamma $	$=$	$\text{kind } \gamma $
$ \rho \text{ (where } \rho = \tau \text{)}$	$=$	$ \tau $
$ \rho \text{ (where } \rho = \gamma \text{)}$	$=$	\bullet_{co}
$ \emptyset $	$=$	\emptyset
$ \Gamma, a: \kappa $	$=$	$ \Gamma , a: \kappa $
$ \Gamma, c: \phi $	$=$	$ \Gamma , c: \phi $
$ \Gamma, C: \forall \Delta. \phi $	$=$	$ \Gamma , C: \forall \Delta . \phi $

A.5 Implicit Language Typing

$\boxed{\models \Gamma}$ Implicit Validity

$\overline{\models \emptyset}$	IV_EMPTY
$\frac{\Gamma \models \kappa : \star \quad a \# \Gamma}{\models \Gamma, a: \kappa}$	IV_TYVAR
$\frac{\Gamma \models \kappa : \star \quad F \# \Gamma}{\models \Gamma, F: \kappa}$	IV_TYFUN
$\frac{\Gamma \models \forall \bar{a}: \bar{\kappa}. \star : \star \quad T \# \Gamma}{\models \Gamma, T: \forall \bar{a}: \bar{\kappa}. \star}$	IV_TYDATA
$\frac{\Gamma \models \tau : \kappa \quad x \# \Gamma}{\models \Gamma, x: \tau}$	IV_VAR

$$\frac{\Gamma \models \forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a}) : \star \quad K \# \Gamma}{\models \Gamma, K: \forall \bar{a}: \bar{\kappa}. \forall \Delta. (\bar{\sigma} \rightarrow T \bar{a})} \text{ IV_CON}$$

$$\frac{\Gamma \models \phi \text{ ok} \quad c \# \Gamma}{\models \Gamma, c: \phi} \text{ IV_CVAR}$$

$$\frac{\Gamma, \Delta \models \phi \text{ ok} \quad C \# \Gamma}{\models \Gamma, C: \forall \Delta. \phi} \text{ IV_AX}$$

$\boxed{\Gamma \models \phi \text{ ok}}$ Implicit coercion kind well-formedness

$$\frac{\Gamma \models \sigma_1 : \kappa_1 \quad \Gamma \models \sigma_2 : \kappa_2}{\Gamma \models \sigma_1 \sim \sigma_2 \text{ ok}} \text{ IP_EQUALITY}$$

$\boxed{\Gamma \models \tau : \kappa}$ Implicit Kinding

$$\frac{\models \Gamma}{\Gamma \models \star : \star} \text{ IT_STARINSTAR}$$

$$\frac{\models \Gamma}{\Gamma \models (\rightarrow) : \star \rightarrow \star \rightarrow \star} \text{ IT_ARROW}$$

$$\frac{\models \Gamma}{\Gamma \models \star \rightarrow \star \rightarrow \star : \star} \text{ IT_ARROWK}$$

$$\frac{\models \Gamma \quad w: \kappa \in \Gamma}{\Gamma \models w : \kappa} \text{ IT_VAR}$$

$$\frac{\Gamma \models \tau_1 : \kappa_1 \rightarrow \kappa_2 \quad \Gamma \models \tau_2 : \kappa_1}{\Gamma \models \tau_1 \tau_2 : \kappa_2} \text{ IT_APP}$$

$$\frac{\Gamma \models \tau_1 : \forall a: \kappa_1. \kappa_2 \quad \Gamma \models \tau_2 : \kappa_1}{\Gamma \models \tau_1 \tau_2 : \kappa_2[\tau_2/a]} \text{ IT_INST}$$

$$\frac{\Gamma \models \tau : \forall c: \phi. \kappa \quad \Gamma \models \gamma : \phi}{\Gamma \models \tau \bullet_{\text{co}} : \kappa} \text{ IT_CAPP}$$

$$\frac{\Gamma, a: \kappa \models \tau : \star \quad \Gamma \models \kappa : \star}{\Gamma \models \forall a: \kappa. \tau : \star} \text{ IT_ALLT}$$

$$\frac{\Gamma, c: \phi \models \tau : \star \quad \Gamma \models \phi \text{ ok}}{\Gamma \models \forall c: \phi. \tau : \star} \text{ IT_ALLC}$$

$$\frac{\Gamma \models \tau : \kappa \quad \Gamma \models \gamma : \kappa \sim \kappa' \quad \Gamma \models \kappa' : \star}{\Gamma \models \tau : \kappa'} \text{ IT_CAST}$$

$\boxed{\Gamma \models \gamma : \phi}$ Implicit Coercion Typing

$$\frac{\Gamma \models \gamma : \tau \sim \tau' \quad \Gamma \models \tau \bullet_{\text{co}} : \kappa \quad \Gamma \models \tau' \bullet_{\text{co}} : \kappa'}{\Gamma \models \gamma(\bullet_{\text{co}}, \bullet_{\text{co}}) : \tau \bullet_{\text{co}} \sim \tau' \bullet_{\text{co}}} \text{ ICT_CAPP}$$

$$\frac{\Gamma \models \eta_1 : \sigma_1 \sim \sigma'_1 \quad \phi_1 = \sigma_1 \sim \sigma_2 \quad \Gamma \models \eta_2 : \sigma_2 \sim \sigma'_2 \quad \phi_2 = \sigma'_1 \sim \sigma'_2 \quad c_1 \# \gamma \quad c_2 \# \gamma \quad \Gamma, c_1: \phi_1, c_2: \phi_2 \models \gamma : \tau_1 \sim \tau_2 \quad \Gamma \models \forall c_1: \phi_1. \tau_1 : \star \quad \Gamma \models \forall c_2: \phi_2. \tau_2 : \star}{\Gamma \models \forall_{(\eta_1, \eta_2)}(c_1, c_2). \gamma : (\forall c_1: \phi_1. \tau_1) \sim (\forall c_2: \phi_2. \tau_2)} \text{ ICT_ALLC}$$

$$\frac{\Gamma \models \gamma_1 : (\forall a_1: \kappa_1. \tau_1) \sim (\forall a_2: \kappa_2. \tau_2) \quad \Gamma \models \gamma_2 : \sigma_1 \sim \sigma_2 \quad \Gamma \models \sigma_1 : \kappa_1 \quad \Gamma \models \sigma_2 : \kappa_2}{\Gamma \models \gamma_1 @ \gamma_2 : \tau_1[\sigma_1/a_1] \sim \tau_2[\sigma_2/a_2]} \text{ ICT_INST}$$

$$\frac{\Gamma \models \gamma : (\forall c: \sigma_1 \sim \sigma_2. \tau) \sim (\forall c': \sigma'_1 \sim \sigma'_2. \tau') \quad \Gamma \models \gamma_1 : \sigma_1 \sim \sigma_2 \quad \Gamma \models \gamma_2 : \sigma'_1 \sim \sigma'_2}{\Gamma \models \gamma @ (\bullet_{\text{co}}, \bullet_{\text{co}}) : \tau \sim \tau'} \text{ ICT_INSTC}$$

$$\begin{array}{c}
\frac{\Gamma \models \tau : \kappa}{\Gamma \models \langle \tau \rangle : \tau \sim \tau} \text{ ICT_REFL} \\
\frac{\Gamma \models \gamma : \tau_1 \sim \tau_2}{\Gamma \models \mathbf{sym} \gamma : \tau_2 \sim \tau_1} \text{ ICT_SYM} \\
\frac{\Gamma \models \gamma_1 : \tau_1 \sim \tau_2 \quad \Gamma \models \gamma_2 : \tau_2 \sim \tau_3}{\Gamma \models \gamma_1 \circ \gamma_2 : \tau_1 \sim \tau_3} \text{ ICT_TRANS} \\
\frac{\Gamma \models \gamma_1 : \tau'_1 \sim \tau'_2 \quad \Gamma \models \gamma_2 : \tau_1 \sim \tau_2}{\Gamma \models \tau'_1 \tau_1 : \kappa_1 \quad \Gamma \models \tau'_2 \tau_2 : \kappa_2} \text{ ICT_APP} \\
\frac{\Gamma \models \eta : \kappa_1 \sim \kappa_2 \quad \Gamma, a_1 : \kappa_1, a_2 : \kappa_2, c : a_1 \sim a_2 \models \gamma : \tau_1 \sim \tau_2 \quad \Gamma \models \forall a_1 : \kappa_1. \tau_1 : \star \quad \Gamma \models \forall a_2 : \kappa_2. \tau_2 : \star}{\Gamma \models \forall \eta(a_1, a_2, c). \gamma : (\forall a_1 : \kappa_1. \tau_1) \sim (\forall a_2 : \kappa_2. \tau_2)} \text{ ICT_ALLT} \\
\frac{c : \phi \in \Gamma \quad \models \Gamma}{\Gamma \models c : \phi} \text{ ICT_VAR} \\
\frac{C : \forall \Delta. (\tau_1 \sim \tau_2) \in \Gamma \quad \Gamma \models \bar{\rho} : \Delta}{\Gamma \models C \bar{\rho} : \tau_1[\bar{\rho}/\Delta] \sim \tau_2[\bar{\rho}/\Delta]} \text{ ICT_AXIOM} \\
\frac{\Gamma \models \gamma : H \bar{\tau} \sim H \bar{\tau}'}{\Gamma \models \mathbf{nth}^i \gamma : \tau_i \sim \tau'_i} \text{ ICT_NTH} \\
\frac{\Gamma \models \gamma_1 : (\forall a_1 : \kappa_1. \tau_1) \sim (\forall a_2 : \kappa_2. \tau_2)}{\Gamma \models \mathbf{nth}^1 \gamma_1 : \kappa_1 \sim \kappa_2} \text{ ICT_NTH1TA} \\
\frac{\Gamma \models \gamma : (\forall c : \kappa_1 \sim \kappa_2. \tau) \sim (\forall c' : \kappa'_1 \sim \kappa'_2. \tau')}{\Gamma \models \mathbf{nth}^1 \gamma : \kappa_1 \sim \kappa'_1} \text{ ICT_NTH1CA} \\
\frac{\Gamma \models \gamma : (\forall c : \kappa_1 \sim \kappa_2. \tau) \sim (\forall c' : \kappa'_1 \sim \kappa'_2. \tau')}{\Gamma \models \mathbf{nth}^2 \gamma : \kappa_2 \sim \kappa'_2} \text{ ICT_NTH2CA} \\
\frac{\Gamma \models \gamma : \tau_1 \sim \tau_2 \quad \Gamma \models \tau_1 : \kappa_2 \quad \Gamma \models \tau_2 : \kappa_2}{\Gamma \models \mathbf{kind} \gamma : \kappa_1 \sim \kappa_2} \text{ ICT_EXT} \\
\boxed{\Gamma \models \bar{\rho} : \Delta} \quad \text{Implicit telescope argument validity} \\
\frac{\models \Gamma}{\Gamma \models \emptyset : \emptyset} \text{ IT2_EMPTY} \\
\frac{\Gamma, \Delta \models \kappa : \star \quad a \# \Gamma, \Delta \quad \Gamma \models \tau : \kappa[\bar{\rho}/\Delta] \quad \Gamma \models \bar{\rho} : \Delta}{\Gamma \models \bar{\rho}, \tau : (\Delta, a : \kappa)} \text{ IT2_CONST} \\
\frac{\Gamma, \Delta \models \phi \text{ ok} \quad c \# \Gamma, \Delta \quad \Gamma \models \gamma : \phi[\bar{\rho}/\Delta] \quad \Gamma \models \bar{\rho} : \Delta}{\Gamma \models \bar{\rho}, \bullet_{\text{co}} : (\Delta, c : \phi)} \text{ IT2_CONSG}
\end{array}$$

A.6 Telescope reduction

$$\boxed{\Gamma \models \bar{\rho} \rightsquigarrow \bar{\rho}'} \\
\frac{\overline{\Gamma \models \emptyset \rightsquigarrow \emptyset}}{\Gamma \models \tau \rightsquigarrow \tau' \quad \Gamma \models \bar{\rho} \rightsquigarrow \bar{\rho}'} \text{ RCONS} \\
\frac{}{\Gamma \models \emptyset \rightsquigarrow \emptyset} \text{ RNIL}$$

B. Regularity

These typing judgements are designed to satisfy the following generation properties that ensure that the subcomponents of each judgement are valid.

Lemma B.1 (Regularity/Generation).

1. If $\Gamma \vdash_{\text{ty}} \tau : \kappa$ then $\Gamma \vdash_{\text{ty}} \kappa : \star$ and $\vdash_{\text{wf}} \Gamma$.
2. If $\Gamma \vdash_{\text{tm}} e : \tau$ then $\Gamma \vdash_{\text{ty}} \tau : \star$ and $\vdash_{\text{wf}} \Gamma$.
3. If $\Gamma \vdash_{\text{co}} \gamma : \sigma_1 \sim \sigma_2$ then $\Gamma \vdash_{\text{pr}} \sigma_1 \sim \sigma_2$ ok and $\vdash_{\text{wf}} \Gamma$.

Proof. The proof of this lemma is a straightforward induction on typing derivations, appealing to substitution Lemma C.4. \square

C. Preservation

This section presents the necessary details for the proof of the preservation theorem. The theorem itself is proved by induction on the typing derivation with a case analysis of the rule used in the operational semantics. Below, we present only three cases, those for S_KPUSH, S_TPUSH, and S_CPUSH. These are the only cases that differ from the proof described in previous work (Weirich et al. 2010). We also present many supporting lemmas needed for these cases, particularly regarding the treatment of lifting contexts.

C.1 Lifting contexts

A lifting context contains two types of mappings: those labeled with \mapsto that denote a mapping from type or coercion variables to existing types and coercions, and those labeled with \mapsto^{\bullet} that denote a mapping from type or coercion variables to fresh type and coercion variables.

A lifting context is considered valid with respect to a context Γ and telescope Δ when the following judgement holds:

$$\boxed{\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi} \quad \text{Lifting context validity}$$

$$\begin{array}{c}
\frac{\vdash_{\text{wf}} \Gamma}{\Gamma \vdash_{\text{lc}} \emptyset \rightsquigarrow \emptyset} \text{ LC_EMPTY} \\
\frac{\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi \quad a \# \Gamma, \Delta \quad \Gamma \vdash_{\text{ty}} \sigma_1 : \Psi_1(\kappa) \quad \Gamma \vdash_{\text{ty}} \sigma_2 : \Psi_2(\kappa) \quad \Gamma \vdash_{\text{co}} \gamma : \sigma_1 \sim \sigma_2}{\Gamma \vdash_{\text{lc}} (\Delta, a : \kappa) \rightsquigarrow (\Psi, a : \kappa \mapsto (\sigma_1, \sigma_2, \gamma))} \text{ LC_TY} \\
\frac{\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi \quad c \# \Gamma, \Delta \quad \Gamma \vdash_{\text{co}} \eta_1 : \Psi_1(\phi) \quad \Gamma \vdash_{\text{co}} \eta_2 : \Psi_2(\phi)}{\Gamma \vdash_{\text{lc}} (\Delta, c : \phi) \rightsquigarrow (\Psi, c : \phi \mapsto (\eta_1, \eta_2))} \text{ LC_CO} \\
\frac{a_1 \# \Gamma, \Delta \quad a_2 \# \Gamma, \Delta \quad c \# \Gamma, \Delta \quad \Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi}{\Gamma \vdash_{\text{lc}} (\Delta, a : \kappa) \rightsquigarrow (\Psi, a : \kappa \mapsto^{\bullet} (a_1, a_2, c))} \text{ LC_TYFRESH} \\
\frac{\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi \quad c_1 \# \Gamma, \Delta \quad c_2 \# \Gamma, \Delta \quad \Gamma \vdash_{\text{lc}} (\Delta, c : \phi) \rightsquigarrow (\Psi, c : \phi \mapsto^{\bullet} (c_1, c_2))}{\Gamma \vdash_{\text{lc}} (\Delta, c : \phi) \rightsquigarrow (\Psi, c : \phi \mapsto^{\bullet} (c_1, c_2))} \text{ LC_COFRESH}
\end{array}$$

We can view the fresh bindings of a lifting context as a typing context:

Definition C.1 (Single flattening). *The operation $\dot{\Psi}_j$ turns a lifting context into a typing context.*

1. For each $a : \kappa \mapsto^{\bullet} (a_1, a_2, c) \in \Psi$, the context $\dot{\Psi}_j$ includes the binding $a_j : \Psi_j(\kappa)$.
2. For each $c : \phi \mapsto^{\bullet} (c_1, c_2)$, the context includes the binding $c_j : \Psi_j(\phi)$.

Definition C.2 (Flattening). *The operation $\dot{\Psi}$ turns a lifting context into a typing context.*

1. For each $a : \kappa \mapsto^{\bullet} (a_1, a_2, c) \in \Psi$, the context $\dot{\Psi}$ includes the bindings $a_1 : \Psi_1(\kappa)$, $a_2 : \Psi_2(\kappa)$, $c : a_1 \sim a_2$.
2. For each $c : \phi \mapsto^{\bullet} (c_1, c_2)$, the context includes the bindings $c_1 : \Psi_1(\phi)$, $c_2 : \Psi_2(\phi)$.

Lemma C.3 (Lifting context domains). *If $\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi$, then the domain of Δ equals the set of variables mapped in Ψ .*

Proof. Straightforward induction on the derivation of $\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi$. \square

Lemma C.4 (Lifting context substitution). *Suppose $\Gamma \vdash_{\text{lc}} \Delta \rightsquigarrow \Psi$.*

1. If $\Gamma, \Delta, \Gamma' \vdash_{\text{ty}} \tau : \kappa$ then $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \Psi_j(\tau) : \Psi_j(\kappa)$
2. If $\Gamma, \Delta, \Gamma' \vdash_{\text{pr}} \phi$ ok then $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{pr}} \Psi_j(\phi)$ ok
3. If $\Gamma, \Delta, \Gamma' \vdash_{\text{co}} \gamma : \phi$ then $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{co}} \Psi_j(\gamma) : \Psi_j(\phi)$
4. If $\Gamma, \Delta, \Gamma' \vdash_{\text{tc}} \Delta' \rightsquigarrow \Psi'$ then
 $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{tc}} \Psi_j(\Delta') \rightsquigarrow \Psi_j(\Psi')$
5. If $\Gamma, \Delta, \Gamma' \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta'$ then $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{tel}} \Psi_j(\bar{\rho}) \Leftarrow \Psi_j(\Delta')$
6. If $\Gamma \vdash_{\text{wf}} \Gamma, \Delta, \Gamma'$, then $\vdash_{\text{wf}} \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma')$

Proof. We proceed by mutual induction.

There are many cases to consider. We consider the interesting ones here:

Case K.VAR: We know $\Gamma, \Delta, \Gamma' \vdash_{\text{ty}} w : \kappa$, and by inversion, $\vdash_{\text{wf}} \Gamma, \Delta, \Gamma'$ and $w: \kappa \in \Gamma, \Delta, \Gamma'$. We must show $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \Psi_j(w) : \Psi_j(\kappa)$.

We have two cases:

$w \in \text{dom } \Gamma$: Because $w \notin \text{dom } \Delta$, $\Psi_j(w) = w$. Furthermore, because κ appears in Γ, Δ, Γ' before any element in Δ is declared, we know that κ cannot refer to any variable declared in Δ . Therefore, $\Psi_j(\kappa) = \kappa$. By the induction hypothesis, $\vdash_{\text{wf}} \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma')$, and we can use rule K.VAR to get $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} w : \kappa$ as desired.

$w \in \text{dom } \Delta$: By Lemma C.3, a mapping $w: \kappa \mapsto^2 (\tau_1, \tau_2, \gamma)$ must exist in Ψ . Here, we have two further cases, depending on the nature of the mapping:

\mapsto : Inverting $\Gamma \vdash_{\text{tc}} \Delta \rightsquigarrow \Psi$ eventually gives us $\Gamma \vdash_{\text{ty}} \Psi_j(w) : \Psi_j(\kappa)$ (from rule LC.TY). Weakening then gives us $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \Psi_j(w) : \Psi_j(\kappa)$ as desired.

\mapsto : By the definition of $\dot{\Psi}_j$, $w: \Psi_j(\kappa) \in \dot{\Psi}_j$. By the induction hypothesis, we can derive $\vdash_{\text{wf}} \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma')$. Then, we apply rule K.VAR to get $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \Psi_j(w) : \Psi_j(\kappa)$ as desired.

$w \in \text{dom } \Gamma'$: Because $w \notin \text{dom } \Delta$, $\Psi_j(w) = w$. Furthermore, we know $w: \kappa \in \Gamma'$ and therefore $w: \Psi_j(\kappa) \in \Psi_j(\Gamma')$. The induction hypothesis gives us $\vdash_{\text{wf}} \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma')$ and we can use rule K.VAR to derive $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \Psi_j(w) : \Psi_j(\kappa)$ as desired.

$w \notin \text{dom } \Delta$:

Case K.ALLC: We know $\Gamma, \Delta, \Gamma' \vdash_{\text{ty}} \forall c: \phi. \tau : \star$, and by inversion, $\Gamma, \Delta, \Gamma', c: \phi \vdash_{\text{ty}} \tau : \star$ and $\Gamma, \Delta, \Gamma' \vdash_{\text{pr}} \phi$ ok. We must show $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \forall c: \Psi_j(\phi). \Psi_j(\tau) : \star$.

The induction hypothesis gives us $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma'), c: \Psi_j(\phi) \vdash_{\text{ty}} \Psi_j(\tau) : \star$ and $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{pr}} \Psi_j(\phi)$ ok. Thus, by rule K.ALLC, $\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \forall c: \Psi_j(\phi). \Psi_j(\tau) : \star$ and we are done.

Case CT.ALLC: We know

$$\Gamma, \Delta, \Gamma' \vdash_{\text{co}} \forall (\eta_1, \eta_2) (c_1, c_2). \gamma : (\forall c_1: \phi_1. \tau_1) \sim (\forall c_2: \phi_2. \tau_2)$$

and by inversion

$$\begin{aligned} \Gamma, \Delta, \Gamma' \vdash_{\text{co}} \eta_1 : \sigma_1 \sim \sigma'_1 \\ \Gamma, \Delta, \Gamma' \vdash_{\text{co}} \eta_2 : \sigma_2 \sim \sigma'_2 \\ \phi_1 = \sigma_1 \sim \sigma_2 \\ \phi_2 = \sigma'_1 \sim \sigma'_2 \\ c_1 \# |\gamma| \\ c_2 \# |\gamma| \\ \Gamma, \Delta, \Gamma', c_1: \phi_1, c_2: \phi_2 \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \\ \Gamma, \Delta, \Gamma' \vdash_{\text{ty}} \forall c_1: \phi_1. \tau_1 : \star \\ \Gamma, \Delta, \Gamma' \vdash_{\text{ty}} \forall c_2: \phi_2. \tau_2 : \star \end{aligned}$$

We wish to show

$$\begin{aligned} \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash \forall (\Psi_j(\eta_1), \Psi_j(\eta_2)) (c_1, c_2). \Psi_j(\gamma) : \\ (\forall c_1: \Psi_j(\phi_1). \Psi_j(\tau_1)) \sim (\forall c_2: \Psi_j(\phi_2). \Psi_j(\tau_2)). \end{aligned}$$

To use rule CT.ALLC, we need to show

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{co}} \Psi_j(\eta_1) : \Psi_j(\sigma_1) \sim \Psi_j(\sigma'_1) \quad (1)$$

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{co}} \Psi_j(\eta_2) : \Psi_j(\sigma_2) \sim \Psi_j(\sigma'_2) \quad (2)$$

$$c_1 \# |\Psi_j(\gamma)| \quad (3)$$

$$c_2 \# |\Psi_j(\gamma)| \quad (4)$$

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma'), c_1: \Psi_j(\phi_1), c_2: \Psi_j(\phi_2) \vdash_{\text{co}} \Psi_j(\gamma) : \Psi_j(\tau_1) \sim \Psi_j(\tau_2) \quad (5)$$

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \forall c_1: \Psi_j(\phi_1). \Psi_j(\tau_1) : \star \quad (6)$$

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{ty}} \forall c_2: \Psi_j(\phi_2). \Psi_j(\tau_2) : \star \quad (7)$$

We know (1), (2), (5), (6), and (7) by the induction hypothesis. We can derive (3) and (4) by noting that $\Psi_j(\cdot)$ and $|\cdot|$ commute with each other and that c_1, c_2 do not appear in Ψ . Therefore, if $c_1 \# |\gamma|$, then $c_1 \# |\Psi_j(\gamma)|$ and likewise for c_2 . Now, we can apply CT.ALLC and we are done.

Case CT.AXIOM: We know $\Gamma, \Delta, \Gamma' \vdash_{\text{co}} C \bar{\rho} : \tau_1[\bar{\rho}/\Delta'] \sim \tau_2[\bar{\rho}/\Delta']$, and by inversion, $C: \forall \Delta'. (\tau_1 \sim \tau_2) \in \Gamma, \Delta, \Gamma'$ and $\Gamma, \Delta, \Gamma' \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta'$. We must show

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{co}} \Psi_j(C \bar{\rho}) : \Psi_j(\tau_1[\bar{\rho}/\Delta']) \sim \Psi_j(\tau_2[\bar{\rho}/\Delta'])$$

or, equivalently,

$$\begin{aligned} \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{co}} C \Psi_j(\bar{\rho}) : \\ \Psi_j(\tau_1)[\Psi_j(\bar{\rho})/\Psi_j(\Delta')] \sim \Psi_j(\tau_2)[\Psi_j(\bar{\rho})/\Psi_j(\Delta')] \end{aligned}$$

To use CT.AXIOM to prove this fact, we need, in turn

$$C: \forall \Psi_j(\Delta'). (\Psi_j(\tau_1) \sim \Psi_j(\tau_2)) \in \Gamma, \dot{\Psi}_j, \Psi_j(\Gamma')$$

$$\Gamma, \dot{\Psi}_j, \Psi_j(\Gamma') \vdash_{\text{tel}} \Psi_j(\bar{\rho}) \Leftarrow \Psi_j(\Delta')$$

The induction hypothesis gives us the second fact above.

By construction, a lifting context cannot map an axiom variable C . Thus, appealing to Lemma C.3, we know that $C \notin \text{dom } \Delta$.

We then have two cases:

$C \in \text{dom } \Gamma$: Because C is well-formed in Γ , the type of C cannot mention any variables in Δ . Thus, $\Psi_j(\Delta') = \Delta'$, $\Psi_j(\tau_1) = \tau_1$ and $\Psi_j(\tau_2) = \tau_2$. Then, we can conclude that $C: \forall \Delta'. (\tau_1 \sim \tau_2) \in \Gamma$ and we are done.

$C \in \text{dom } \Gamma'$: In this case, we can conclude that

$$C: \forall \Psi_j(\Delta'). (\Psi_j(\tau_1) \sim \Psi_j(\tau_2)) \in \Psi_j(\Gamma')$$

and we are done. \square

We will need the following lemmas to prove the lifting lemma:

Lemma C.5 (Lifting context coercions). *If $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$ and Ψ contains the mapping $a: \kappa \overset{?}{\mapsto} (\tau_1, \tau_2, \gamma)$, then $\Gamma, \dot{\Psi} \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2$.*

Proof. Straightforward induction on $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$. \square

Lemma C.6 (Weakened lifting context substitution). *Suppose $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$.*

1. *If $\Gamma, \Delta \vdash_{\text{ty}} \tau : \kappa$ then $\Gamma, \dot{\Psi} \vdash_{\text{ty}} \Psi_j(\tau) : \Psi_j(\kappa)$*
2. *If $\Gamma, \Delta \vdash_{\text{co}} \gamma : \phi$ then $\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi_j(\gamma) : \Psi_j(\phi)$*
3. *If $\Gamma, \Delta \vdash_{\text{c}} \Delta' \rightsquigarrow \Psi'$ then $\Gamma, \dot{\Psi} \vdash_{\text{c}} \Psi_j(\Delta') \rightsquigarrow \Psi_j(\Psi')$*
4. *If $\Gamma, \Delta \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta'$ then $\Gamma, \dot{\Psi} \vdash_{\text{tel}} \Psi_j(\bar{\rho}) \Leftarrow \Psi_j(\Delta')$*

(This lemma is the same as Lemma C.4, except the j subscripts in the conclusion contexts are removed.)

Proof. Immediate from Lemma C.4 and weakening, noting that any difference between $\dot{\Psi}_j$ and $\dot{\Psi}$ are guaranteed to be fresh bindings. \square

Lemma C.7 (Erased lifted coercions). *Let Ψ contain the mapping $c: \phi \overset{?}{\mapsto} (c_1, c_2)$. If $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$ and $\Gamma, \Delta \vdash_{\text{ty}} \tau : \kappa$, then $c_1 \# |\Psi(\tau)|$ and $c_2 \# |\Psi(\tau)|$.*

Proof. We proceed by induction on the typing derivation for τ .

Cases K_STARINSTAR and K_ARROW: Trivial.

Case K_VAR: $\tau = w$, and we know $\vdash_{\text{wf}} \Gamma, \Delta$ and $w: \kappa \in \Gamma, \Delta$. Here we have two cases:

$w \in \text{dom } \Delta$: We know w is a type variable, so $w \neq c$. Thus, w appears either after or before c in Ψ . If w appears after c , then, by the fact that all mappings with \mapsto precede all mappings with $\overset{?}{\mapsto}$ in Ψ , $\Psi(w)$ is some fresh variable c' , and thus $c_1 \# |\Psi(w)|$ and $c_2 \# |\Psi(w)|$ as desired. Going forward, we can assume w occurs before c in Ψ . Now, the mapping from w may be built with \mapsto or $\overset{?}{\mapsto}$. We have already handled the latter case, so going forward, we can assume that the mapping is built with \mapsto . $\Psi(w) = \gamma$ for some γ . However, this γ is built from components all of which are out of scope of c , c_1 , and c_2 . Thus, neither c_1 nor c_2 appear in γ and thus do not appear in $|\gamma|$. Thus, $c_1 \# |\Psi(w)|$ and $c_2 \# |\Psi(w)|$ as desired.

$w \notin \text{dom } \Delta$: In this case $\Psi(w) = \langle w \rangle$. Because the spaces of type variables and coercion variables are distinct, we know that $w \neq c_1$ and $w \neq c_2$, as desired.

Case K_APP: $\tau = \tau_1 \tau_2$, and we know $\Gamma, \Delta \vdash_{\text{ty}} \tau_1 : \kappa_1 \rightarrow \kappa_2$ and $\Gamma, \Delta \vdash_{\text{ty}} \tau_2 : \kappa_1$. Here, $\Psi(\tau_1 \tau_2) = \Psi(\tau_1) \Psi(\tau_2)$. The induction hypothesis tells us that c_1, c_2 do not appear in $|\Psi(\tau_1)|, |\Psi(\tau_2)|$. Since $|\gamma_1 \gamma_2| = |\gamma_1| |\gamma_2|$, the desired result follows directly from this result.

Case K_INST: Analogous to K_APP.

Case K_CAPP: $\tau = \tau_1 \gamma_1$, and we know

$$\begin{aligned} \Gamma, \Delta \vdash_{\text{ty}} \tau_1 : \forall c: \phi. \kappa \\ \Gamma, \Delta \vdash_{\text{co}} \gamma_1 : \phi \end{aligned}$$

We have $\Psi(\tau_1 \gamma_1) = \Psi(\tau_1)(\Psi_1(\gamma_1), \Psi_2(\gamma_1))$. The induction hypothesis tells us that c_1, c_2 do not appear in $|\Psi(\tau_1)|$. By the definition of $|\cdot|$, $|\Psi(\tau_1 \gamma_1)| = |\Psi(\tau_1)|(\bullet_{\text{co}}, \bullet_{\text{co}})$. Thus, c_1, c_2 do not appear in $|\Psi(\tau_1 \gamma_1)|$ as desired.

Case K_ALLT: $\tau = \forall a: \kappa. \tau'$, and we know $\Gamma, \Delta, a: \kappa \vdash_{\text{ty}} \tau' : \star$ and $\Gamma, \Delta \vdash_{\text{ty}} \kappa : \star$. Letting $\Psi' = \Psi, a: \kappa \overset{?}{\mapsto} (a_1, a_2, c)$ (for fresh a_1, a_2, c), we have $|\Psi(\forall a: \kappa. \tau')| =$

$|\forall_{\Psi(\kappa)}(a_1, a_2, c). \Psi'(\tau')| = \forall_{|\Psi(\kappa)|}(a_1, a_2, c). |\Psi'(\tau')|$. The induction hypothesis tells us that c_1, c_2 do not appear in $|\Psi(\kappa)|$ and $|\Psi'(\tau')|$, so we are done.

Case K_ALLC: Analogous to K_ALLT.

Case K_CAST: $\tau = \tau' \triangleright \eta$ and we know $\Gamma, \Delta \vdash_{\text{ty}} \tau' : \kappa_1, \Gamma, \Delta \vdash_{\text{co}} \eta : \kappa_1 \sim \kappa_2$, and $\Gamma, \Delta \vdash_{\text{ty}} \kappa_2 : \star$. We have $|\Psi(\tau' \triangleright \eta)| = |\Psi(\tau') \triangleright \Psi_1(\eta) \sim \Psi_2(\eta)| = |\text{sym}((\text{sym } \Psi(\tau')) \triangleright \Psi_2(\eta)) \triangleright \Psi_1(\eta)| = \text{sym}(\text{sym } |\Psi(\tau')|)$. The induction hypothesis tells us that c_1, c_2 do not appear in $|\Psi(\tau')|$, so we are done. \square

Proof of Lemma 5.3 (Lifting): If $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$ and $\Gamma, \Delta \vdash_{\text{ty}} \tau : \kappa$, then

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau) : \Psi_1(\tau) \sim \Psi_2(\tau)$$

Proof. We proceed by induction on the typing derivation for τ .

Case K_STARINSTAR: Trivial: $\Gamma, \dot{\Psi} \vdash_{\text{co}} \langle \star \rangle : \star \sim \star$.

Case K_ARROW: Trivial: $\Gamma, \dot{\Psi} \vdash_{\text{co}} \langle (\rightarrow) \rangle : (\rightarrow) \sim (\rightarrow)$.

Case K_VAR: $\tau = w$, and we know $\vdash_{\text{wf}} \Gamma, \Delta$ and $w: \kappa \in \Gamma, \Delta$. Here we have two cases:

$w \in \text{dom } \Delta$: By the definition of Δ , w must be a type variable

- a. Using Lemma C.3, there must exist a mapping $a: \kappa \overset{?}{\mapsto} (\tau_1, \tau_2, \gamma)$ in Ψ . Then, we know $\Psi(w) = \gamma$, $\Psi_1(w) = \tau_1$, and $\Psi_2(w) = \tau_2$. By Lemma C.5, we can get $\Gamma, \dot{\Psi} \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2$, and thus $\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(w) : \Psi_1(w) \sim \Psi_2(w)$ as desired.

$w \notin \text{dom } \Delta$: Trivial: $\Gamma, \dot{\Psi} \vdash_{\text{co}} \langle w \rangle : w \sim w$.

Case K_APP: $\tau = \tau_1 \tau_2$, and we know $\Gamma, \Delta \vdash_{\text{ty}} \tau_1 : \kappa_1 \rightarrow \kappa_2$ and $\Gamma, \Delta \vdash_{\text{ty}} \tau_2 : \kappa_1$. $\Psi(\tau_1 \tau_2) = \Psi(\tau_1) \Psi(\tau_2)$. The induction hypothesis gives us

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_1) : \Psi_1(\tau_1) \sim \Psi_2(\tau_1) \\ \Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_2) : \Psi_1(\tau_2) \sim \Psi_2(\tau_2). \end{aligned}$$

We now wish to use rule CT_APP, but we need to know

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{ty}} \Psi_1(\tau_1) \Psi_1(\tau_2) : \sigma_1 \\ \Gamma, \dot{\Psi} \vdash_{\text{ty}} \Psi_2(\tau_1) \Psi_2(\tau_2) : \sigma_2 \end{aligned}$$

for some types σ_1 and σ_2 . Lemma C.6 applied to the types of τ_1 and τ_2 , along with straightforward typing rule applications, gives us exactly these facts. Thus,

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_1) \Psi(\tau_2) : \Psi_1(\tau_1) \Psi_1(\tau_2) \sim \Psi_2(\tau_1) \Psi_2(\tau_2)$$

or

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_1 \tau_2) : \Psi_1(\tau_1 \tau_2) \sim \Psi_2(\tau_1 \tau_2)$$

as desired.

Case K_INST: $\tau = \tau_1 \tau_2$, and we know $\Gamma, \Delta \vdash_{\text{ty}} \tau_1 : \forall a: \kappa_1. \kappa_2$ and $\Gamma, \Delta \vdash_{\text{ty}} \tau_2 : \kappa_1$. This case then proceeds identically to the previous case.

Case K_CAPP: $\tau = \tau_1 \gamma_1$, and we know $\Gamma, \Delta \vdash_{\text{ty}} \tau_1 : \forall c: \phi. \kappa$ and $\Gamma, \Delta \vdash_{\text{co}} \gamma_1 : \phi$. $\Psi(\tau_1 \gamma_1) = \Psi(\tau_1)(\Psi_1(\gamma_1), \Psi_2(\gamma_1))$. The induction hypothesis gives us

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_1) : \Psi_1(\tau_1) \sim \Psi_2(\tau_1).$$

We now wish to use rule CT_CAPP, but we need to know

$$\begin{aligned} \Gamma, \Delta \vdash_{\text{ty}} \Psi_1(\tau_1) \Psi_1(\gamma_1) : \kappa \\ \Gamma, \Delta \vdash_{\text{ty}} \Psi_2(\tau_1) \Psi_2(\gamma_1) : \kappa' \end{aligned}$$

for some types κ and κ' . Lemma C.6 applied to the types of τ_1 and γ_1 , along with straightforward typing rule applications, gives us exactly these facts. Thus,

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_1 \gamma_1) : \Psi_1(\tau_1) \Psi_1(\gamma_1) \sim \Psi_2(\tau_1) \Psi_2(\gamma_1)$$

or

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau_1 \gamma_1) : \Psi_1(\tau_1 \gamma_1) \sim \Psi_2(\tau_1 \gamma_1)$$

as desired.

Case K.ALLT: $\tau = \forall a: \kappa. \tau'$, and we know $\Gamma, \Delta, a: \kappa \vdash_{\text{ty}} \tau' : \star$ and $\Gamma, \Delta \vdash_{\text{ty}} \kappa : \star$. We can use LC_TYFRESH to derive $\Gamma \vdash_{\text{c}} \Delta, a: \kappa \rightsquigarrow \Psi, a: \kappa \mapsto (a_1, a_2, c)$ for fresh a_1, a_2, c . Write Ψ' for this extended lifting context.

We wish to show

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\forall a: \kappa. \tau') : \Psi_1(\forall a: \kappa. \tau') \sim \Psi_2(\forall a: \kappa. \tau')$$

or, equivalently,

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{co}} \forall_{\Psi(\kappa)}(a_1, a_2, c). \Psi'(\tau') : \\ \forall a_1: \Psi_1(\kappa). \Psi'_1(\tau') \sim \forall a_2: \Psi_2(\kappa). \Psi'_2(\tau') \end{aligned}$$

By the induction hypothesis, we have

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\kappa) : \Psi_1(\kappa) \sim \Psi_2(\kappa) \\ \Gamma, \dot{\Psi}' \vdash_{\text{co}} \Psi'(\tau') : \Psi'_1(\tau') \sim \Psi'_2(\tau') \end{aligned}$$

We wish to use CT_ALLT. The first two premises are already satisfied, noting that $\dot{\Psi}'$ contains the extra bindings for the second premise. We must show

$$\Gamma, \dot{\Psi} \vdash_{\text{ty}} \forall a_j : \Psi_j(\kappa). \Psi_j(\tau') : \star$$

This fact comes directly from the use of Lemma C.6 applied to the type of $\forall a: \kappa. \tau'$.

Thus, we can apply CT_ALLT, and we are done.

Case K.ALLC: $\tau = \forall c: \phi. \tau'$, and we know $\Gamma, \Delta, c: \phi \vdash_{\text{ty}} \tau' : \star$ and $\Gamma, \Delta \vdash_{\text{pr}} \phi$ ok. We can use LC_COFRESH to derive $\Gamma \vdash_{\text{c}} \Delta, c: \phi \rightsquigarrow \Psi, c: \phi \mapsto (c_1, c_2)$ for fresh c_1, c_2 . Write Ψ' for this extended lifting context, and let $\phi = \sigma_1 \sim \sigma_2$.

We wish to show

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\forall c: \phi. \tau') : \Psi_1(\forall c: \phi. \tau') \sim \Psi_2(\forall c: \phi. \tau')$$

or, equivalently,

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{co}} \forall_{(\Psi(\sigma_1), \Psi(\sigma_2))}(c_1, c_2). \Psi'(\tau') : \\ \forall c_1: \Psi_1(\sigma_1) \sim \Psi_1(\sigma_2). \Psi'_1(\tau') \sim \\ \forall c_2: \Psi_2(\sigma_1) \sim \Psi_2(\sigma_2). \Psi'_2(\tau') \end{aligned}$$

We use inversion on $\Gamma, \Delta \vdash_{\text{pr}} \sigma_1 \sim \sigma_2$ ok to get

$$\begin{aligned} \Gamma, \Delta \vdash_{\text{ty}} \sigma_1 : \kappa_1 \\ \Gamma, \Delta \vdash_{\text{ty}} \sigma_2 : \kappa_2 \end{aligned}$$

By the induction hypothesis, we have

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\sigma_1) : \Psi_1(\sigma_1) \sim \Psi_2(\sigma_1) \\ \Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\sigma_2) : \Psi_1(\sigma_2) \sim \Psi_2(\sigma_2) \\ \Gamma, \dot{\Psi}' \vdash_{\text{co}} \Psi'(\tau') : \Psi'_1(\tau') \sim \Psi'_2(\tau') \end{aligned}$$

We wish to use CT_ALLC. The first, second, third, fourth, and seventh premises are already satisfied. The fifth and sixth premises are $c_1 \# |\Psi'(\tau')|$ and $c_2 \# |\Psi'(\tau')|$, respectively. We use Lemma C.7 to get these conditions. Now, it remains only to show

$$\Gamma, \dot{\Psi} \vdash_{\text{ty}} \forall c_j : \Psi_j(\phi). \Psi'_j(\tau') : \star$$

This fact comes directly from the use of Lemma C.6 applied to the type of $\forall c: \phi. \tau'$.

Thus, we can apply CT_ALLC, and we are done.

Case K.CAST: $\tau = \tau' \triangleright \eta$, and we know $\Gamma, \Delta \vdash_{\text{ty}} \tau' : \kappa_1$, $\Gamma, \Delta \vdash_{\text{co}} \eta : \kappa_1 \sim \kappa_2$, and $\Gamma, \Delta \vdash_{\text{ty}} \kappa_2 : \star$. We wish to show

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau' \triangleright \eta) : \Psi_1(\tau' \triangleright \eta) \sim \Psi_2(\tau' \triangleright \eta)$$

or, equivalently,

$$\begin{aligned} \Gamma, \dot{\Psi} \vdash_{\text{co}} \mathbf{sym}((\mathbf{sym} \Psi(\tau')) \triangleright \Psi_2(\eta)) \triangleright \Psi_1(\eta) : \\ \Psi_1(\tau') \triangleright \Psi_1(\eta) \sim \Psi_2(\tau') \triangleright \Psi_2(\eta). \end{aligned}$$

By the induction hypothesis, we have

$$\Gamma, \dot{\Psi} \vdash_{\text{co}} \Psi(\tau') : \Psi_1(\tau') \sim \Psi_2(\tau').$$

Using this fact with straightforward application of typing rules gives us the desired result. \square

C.2 Metatheory for S.KPUSH Preservation

Having proved the lifting lemma, we still must present and prove a number of other lemmas before proving that the types are preserved in the S_KPUSH case.

Lemma C.8 (Telescope substitution). *If $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$ and $\vdash_{\text{wf}} \Delta$, then $\Psi_j(\Delta) = \Delta$.*

Proof. By Lemma C.3, the domain of Ψ equals the domain of Δ . Furthermore, $\vdash_{\text{wf}} \Delta$ implies that all kinds in Δ (constructs to the right of a colon) are well-scoped—that is, no variable is mentioned before it is declared. Because the $\Psi_j(\Delta)$ operation is defined only to substitute in kinds and to not substitute a variable after it is locally bound, it is impossible for the substitution to change Δ . Thus, $\Psi_j(\Delta) = \Delta$, as desired. \square

Lemma C.9 (Ψ_j -consistency). *If $\Gamma \vdash_{\text{c}} \Delta \rightsquigarrow \Psi$, then $\Gamma \vdash_{\text{tel}} \Psi_j(\text{dom } \Delta) \Leftarrow \Delta$.*

Proof. We wish to use clause 5 of the lifting context substitution lemma (Lemma C.4), with $\bar{\rho} = \text{dom } \Delta$ and $\Delta' = \Delta$. We must show $\Gamma, \Delta \vdash_{\text{tel}} \text{dom } \Delta \Leftarrow \Delta$. This is true by straightforward induction on the length of Δ . Then, we apply Lemma C.4 to get $\Gamma \vdash_{\text{tel}} \Psi_j(\text{dom } \Delta) \Leftarrow \Psi_j(\Delta)$. By Lemma C.8, this can be rewritten as $\Gamma \vdash_{\text{tel}} \Psi_j(\text{dom } \Delta) \Leftarrow \Delta$, as desired. \square

Lemma C.10 (Lifting context extension consistency). *If $\Gamma \vdash_{\text{c}} \Delta_1 \rightsquigarrow \Psi$, $\vdash_{\text{wf}} \Gamma, \Delta_1, \Delta_2$, $\Gamma \vdash_{\text{tel}} \bar{\rho}_2 \Leftarrow \Psi_1(\Delta_2)$, and $\Psi' = \text{extend}(\Psi; \bar{\rho}_2; \Delta_2)$, then $\Gamma \vdash_{\text{c}} \Delta_1, \Delta_2 \rightsquigarrow \Psi'$.*

Proof. We proceed by induction on the derivation of $\Gamma \vdash_{\text{tel}} \bar{\rho}_2 \Leftarrow \Psi_1(\Delta_2)$.

- Case $\bar{\rho}_2 = \emptyset; \Delta_2 = \emptyset$: In this case $\Psi' = \Psi$, and thus we must show $\Gamma \vdash_{\text{c}} \Delta_1 \rightsquigarrow \Psi$, which we know by assumption.
- Case $\bar{\rho}_2 = \bar{\rho}'_2, \tau; \Delta_2 = \Delta'_2, a: \kappa$:
The inductive hypothesis is: if $\vdash_{\text{wf}} \Gamma, \Delta_1, \Delta'_2$, $\Gamma \vdash_{\text{tel}} \bar{\rho}'_2 \Leftarrow \Psi_1(\Delta'_2)$, and $\Psi'' = \text{extend}(\Psi; \bar{\rho}'_2; \Delta'_2)$, then $\Gamma \vdash_{\text{c}} \Delta_1, \Delta'_2 \rightsquigarrow \Psi''$. We must show $\Gamma \vdash_{\text{c}} \Delta_1, \Delta'_2, a: \kappa \rightsquigarrow \Psi'$, where $\Psi' = \text{extend}(\Psi; \bar{\rho}'_2, \tau; \Delta'_2, a: \kappa)$.

By the definition of extend , we know we will have to use rule LC_TY. It is easy to see from the definition of extend that Ψ' is Ψ'' with an additional mapping from a . Thus, $\Gamma \vdash_{\text{c}} \Delta_1, \Delta'_2 \rightsquigarrow \Psi''$ fulfills the first premise of LC_TY. To use LC_TY, we must show the following:

1. $\Gamma \vdash_{\text{ty}} \tau : \Psi''_1(\kappa)$

We know $\Gamma \vdash_{\text{tel}} \bar{\rho}'_2, \tau \Leftarrow \Psi_1(\Delta'_2, a; \kappa)$. Inverting gives us $\Gamma \vdash_{\text{ty}} \tau : \Psi_1(\kappa)[\bar{\rho}'_2/\Psi_1(\Delta'_2)]$. Because we care only about the names of the variables in the substitution expression, we can rewrite this as $\Gamma \vdash_{\text{ty}} \tau : \Psi_1(\kappa)[\bar{\rho}'_2/\Delta'_2]$. From the definition of extend, we can see that all of the substitutions performed by $\Psi''_1(\cdot)$ that are not in Ψ map a domain element of Δ'_2 to its corresponding $\rho \in \bar{\rho}'_2$. Thus, we can rewrite the judgement above as $\Gamma \vdash_{\text{ty}} \tau : \Psi''_1(\kappa)$ as desired.

2. $\Gamma \vdash_{\text{ty}} \tau \triangleright \Psi''(\kappa) : \Psi''_2(\kappa)$

We wish to use the lifting lemma (Lemma 5.3). We know $\Gamma \vdash_{\text{tc}} \Delta_1, \Delta'_2 \rightsquigarrow \Psi''$. We must show $\Gamma, \Delta_1, \Delta'_2 \vdash_{\text{ty}} \kappa : \sigma$ for some σ . This fact, for $\sigma = \star$, comes directly from inversion on $\vdash_{\text{wf}} \Gamma, \Delta_1, \Delta'_2, a; \kappa$.

Now, we apply the lifting lemma to get $\Gamma \vdash_{\text{co}} \Psi''(\kappa) : \Psi''_1(\kappa) \sim \Psi''_2(\kappa)$. As shown in the previous case, $\Gamma \vdash_{\text{ty}} \tau : \Psi''_1(\kappa)$. Therefore, by simple application of typing rules, we can derive $\Gamma \vdash_{\text{ty}} \tau \triangleright \Psi''(\kappa) : \Psi''_2(\kappa)$ as desired.

3. $\Gamma \vdash_{\text{co}} \mathbf{sym}(\langle \tau \rangle \triangleright \Psi''(\kappa)) : \tau \sim (\tau \triangleright \Psi''(\kappa))$

Straightforward application of typing rules.

• Case $\bar{\rho}_2 = \bar{\rho}'_2, \gamma; \Delta_2 = \Delta'_2, c; \phi$:

The inductive hypothesis is the same as in the previous case. We must show $\Gamma \vdash_{\text{tc}} \Delta_1, \Delta'_2, c; \phi \rightsquigarrow \Psi'$, where $\Psi' = \text{extend}(\Psi; \bar{\rho}'_2, \gamma; \Delta'_2, c; \phi)$.

By the definition of the extend operation, we know we will have to use rule LC_CO. It is easy to see from the definition of extend that Ψ' is Ψ'' with an additional mapping from c . Thus, $\Gamma \vdash_{\text{tc}} \Delta_1, \Delta'_2 \rightsquigarrow \Psi''$ fulfills the first premise of LC_CO. To use LC_CO, we must show the following:

1. $\Gamma \vdash_{\text{co}} \gamma : \Psi''_1(\phi)$

We know $\Gamma \vdash_{\text{tel}} \bar{\rho}'_2, \gamma \Leftarrow \Psi_1(\Delta'_2, c; \phi)$. Inverting gives us $\Gamma \vdash_{\text{co}} \gamma : \Psi_1(\phi)[\bar{\rho}'_2/\Psi_1(\Delta'_2)]$. Because we care only about the names of the variables in the substitution expression, we can rewrite this as $\Gamma \vdash_{\text{co}} \gamma : \Psi_1(\phi)[\bar{\rho}'_2/\Delta'_2]$. From the definition of extend, we can see that all of the substitutions performed by $\Psi''_1(\cdot)$ that are not in Ψ map a domain element of Δ'_2 to its corresponding $\rho \in \bar{\rho}'_2$. Thus, we can rewrite the judgement above as $\Gamma \vdash_{\text{co}} \gamma : \Psi''_1(\phi)$, as desired.

2. $\Gamma \vdash_{\text{co}} \mathbf{sym}(\Psi''(\sigma_1)) \circ \gamma \circ \Psi''(\sigma_2) : \Psi''_2(\sigma_1) \sim \Psi''_2(\sigma_2)$, where $\phi = \sigma_1 \sim \sigma_2$

We wish to use the lifting lemma (Lemma 5.3) twice to get the types of $\Psi''(\sigma_1)$ and $\Psi''(\sigma_2)$. We know $\Gamma \vdash_{\text{tc}} \Delta_1, \Delta_2 \rightsquigarrow \Psi''$. We must show $\Gamma, \Delta_1, \Delta_2 \vdash_{\text{ty}} \sigma_1 : \kappa_1$ for some κ_1 and $\Gamma, \Delta_1, \Delta_2 \vdash_{\text{ty}} \sigma_2 : \kappa_2$ for some κ_2 . Inversion on $\vdash_{\text{wf}} \Gamma, \Delta_1, \Delta_2, c; \sigma_1 \sim \sigma_2$ gives us $\Gamma, \Delta_1, \Delta_2 \vdash_{\text{pr}} \sigma_1 \sim \sigma_2$ ok, and further inversion gives us $\Gamma, \Delta_1, \Delta_2 \vdash_{\text{ty}} \sigma_1 : \kappa_1$ and $\Gamma, \Delta_1, \Delta_2 \vdash_{\text{ty}} \sigma_2 : \kappa_2$ for some κ_1 and κ_2 , exactly what we needed.

Now, we apply the lifting lemma to get $\Gamma \vdash_{\text{co}} \Psi''(\sigma_i) : \Psi''_1(\sigma_i) \sim \Psi''_2(\sigma_i)$. As shown in the previous case, $\Gamma \vdash_{\text{co}} \gamma : \Psi''_1(\sigma_1) \sim \Psi''_1(\sigma_2)$. Therefore, by simple application of typing rules, we can derive $\Gamma \vdash_{\text{co}} \mathbf{sym}(\Psi''(\sigma_1)) \circ \gamma \circ \Psi''(\sigma_2) : \Psi''_2(\sigma_1) \sim \Psi''_2(\sigma_2)$ as desired. \square

Lemma C.11 (Telescope composition). *If $\Gamma \vdash_{\text{tel}} \bar{\rho}_1 \Leftarrow \Delta_1$ and $\Gamma \vdash_{\text{tel}} \bar{\rho}_1, \bar{\rho}_2 \Leftarrow \Delta_1, \Delta_2$, then $\Gamma \vdash_{\text{tel}} \bar{\rho}_2 \Leftarrow \Delta_2[\bar{\rho}_1/\Delta_1]$.*

Proof Sketch. By induction on the length of $\bar{\rho}_2$. \square

Lemma C.12 (S.KPUSH preservation). *If*

1. $\Gamma \vdash_{\text{tm}} \mathbf{case}(K \bar{\tau} \bar{\rho} \bar{e} \triangleright \gamma)$ of $\bar{p} \rightarrow \bar{u} : \sigma$ and

2. $\mathbf{case}(K \bar{\tau} \bar{\rho} \bar{e} \triangleright \gamma)$ of $\bar{p} \rightarrow \bar{u} \rightarrow \mathbf{case}(K \bar{\tau}' \bar{\rho}' \bar{e}')$ of $\bar{p} \rightarrow \bar{u}$, then

$\Gamma \vdash_{\text{tm}} \mathbf{case}(K \bar{\tau}' \bar{\rho}' \bar{e}')$ of $\bar{p} \rightarrow \bar{u} : \sigma$

Proof. By inversion we know that:

- $K : \forall \bar{a}; \bar{\kappa}. \forall \Delta. \bar{\sigma} \rightarrow (T \bar{a})$
- $\Psi = \text{extend}(\text{context}(\gamma); \bar{p}; \Delta)$
- $\bar{\tau}' = \Psi_2(\bar{a})$
- $\bar{\rho}' = \Psi_2(\text{dom } \Delta)$
- $e'_i = e_i \triangleright \Psi(\sigma_i)$
- $\Gamma \vdash_{\text{tm}} e_i : \sigma_i[\bar{\tau}'/\bar{a}][\bar{\rho}'/\Delta]$
- $\Gamma \vdash_{\text{tm}} (K \bar{\tau} \bar{\rho} \bar{e}) \triangleright \gamma : T \bar{\tau}'$.
- $\Gamma \vdash_{\text{tm}} K \bar{\tau} \bar{\rho} \bar{e} : T \bar{\tau}$.

We will have to use rule T_CASE to get the desired result. Because the patterns are not changing, we need only show that $\Gamma \vdash_{\text{tm}} K \bar{\tau}' \bar{\rho}' \bar{e}' : T \bar{\tau}'$.

By convention, we have chosen the length of the list $\bar{\tau}$ to be the same as that of the list $\bar{a}; \bar{\kappa}$ in the type of K . Thus, we know that $\Gamma \vdash_{\text{ty}} K \bar{\tau}' : \forall \Delta[\bar{\tau}'/\bar{a}]. (\bar{\sigma}[\bar{\tau}'/\bar{a}] \rightarrow T \bar{\tau}')$.

Now, we must show that $\Gamma \vdash_{\text{tel}} \bar{\rho}' \Leftarrow \Delta[\bar{\tau}'/\bar{a}]$. This can be rewritten as $\Gamma \vdash_{\text{tel}} \Psi_2(\text{dom } \Delta) \Leftarrow \Delta[\bar{\tau}'/\bar{a}]$.

We know from Lemma C.10 that $\Gamma \vdash_{\text{tc}} \bar{a}; \bar{\kappa}, \Delta \rightsquigarrow \Psi$ (using Lemma 5.5 to get $\Gamma \vdash_{\text{tc}} \bar{a}; \bar{\kappa} \rightsquigarrow \text{context}(\gamma)$). Lemma C.9 then gives us $\Gamma \vdash_{\text{tel}} \Psi_2(\bar{a}, \text{dom } \Delta) \Leftarrow \bar{a}; \bar{\kappa}, \Delta$. Invoking Lemma C.11 gives us $\Gamma \vdash_{\text{tel}} \Psi_2(\text{dom } \Delta) \Leftarrow \Delta[\bar{\tau}'/\bar{a}]$ as desired.

We have now shown that $\Gamma \vdash_{\text{ty}} K \bar{\tau}' \bar{\rho}' : \Psi_2(\bar{\sigma}) \rightarrow T \bar{\tau}'$. We need to show that $\Gamma \vdash_{\text{tm}} e'_i : \Psi_2(\sigma_i)$, or equivalently, $\Gamma \vdash_{\text{tm}} e_i \triangleright \Psi(\sigma_i) : \Psi_2(\sigma_i)$. We will need the lifting lemma (Lemma 5.3). We have already shown $\Gamma \vdash_{\text{tc}} \bar{a}; \bar{\kappa}, \Delta \rightsquigarrow \Psi$; we must show $\Gamma, \bar{a}; \bar{\kappa}, \Delta \vdash_{\text{ty}} \sigma_i : \kappa_i$ for some type κ_i . By repeated inversion on the typing judgement for K , we will get $\Gamma, \bar{a}; \bar{\kappa}, \Delta \vdash_{\text{ty}} \sigma_i : \kappa_i$ as desired. Thus, the lifting lemma gives us $\Gamma \vdash_{\text{co}} \Psi(\sigma_i) : \Psi_1(\sigma_i) \sim \Psi_2(\sigma_i)$. We note that, by construction, $\Psi_1(\cdot)$ maps \bar{a} to $\bar{\tau}$ and $\text{dom } \Delta$ to $\bar{\rho}$. Thus, $\sigma_i[\bar{\tau}'/\bar{a}][\bar{\rho}'/\Delta] = \Psi_1(\sigma_i)$. Now, by straightforward application of typing rules, we can see that $\Gamma \vdash_{\text{tm}} e_i \triangleright \Psi(\sigma_i) : \Psi_2(\sigma_i)$ as desired.

Thus, $\Gamma \vdash_{\text{tm}} K \bar{\tau}' \bar{\rho}' \bar{e}' : T \bar{\tau}'$ as desired, and we are done. \square

C.3 Other preservation cases

Lemma C.13 (S.TPUSH Preservation). *If*

1. $\Gamma \vdash_{\text{tm}} (v \triangleright \gamma) \tau : \sigma_2[\tau/a_2]$ and
2. $\Gamma \vdash_{\text{co}} \gamma : \forall a_1: \kappa_1. \sigma_1 \sim \forall a_2: \kappa_2. \sigma_2$
3. $(v \triangleright \gamma) \tau \rightarrow e'$ where
4. $e' = v(\tau \triangleright \gamma') \triangleright \gamma @ (\langle \tau \rangle \triangleright \gamma')$ and
5. $\gamma' = \mathbf{sym}(\mathbf{nth}^1 \gamma)$,

then $\Gamma \vdash_{\text{tm}} e' : \sigma_2[\tau/a_2]$.

Proof. By inversion of the typing derivation we know that $\Gamma \vdash_{\text{tm}} v \triangleright \gamma : \forall a_2: \kappa_2. \sigma_2$ and $\Gamma \vdash_{\text{ty}} \tau : \kappa_2$. An additional inversion gives us $\Gamma \vdash_{\text{tm}} v : \forall a_1: \kappa_1. \sigma_1$. Therefore we can show that

- $\Gamma \vdash_{\text{co}} \gamma' : \kappa_2 \sim \kappa_1$, by the rules for symmetry and nth and
- $\Gamma \vdash_{\text{ty}} \tau \triangleright \gamma' : \kappa_1$, by casting and
- $\Gamma \vdash_{\text{tm}} v(\tau \triangleright \gamma') : \sigma_1[\tau \triangleright \gamma'/a_1]$, by type application.

Furthermore, we have

- $\Gamma \vdash_{\text{co}} \langle \tau \rangle \triangleright \gamma' : \tau \triangleright \gamma' \sim \tau$, by reflexivity and coherence and
- $\Gamma \vdash_{\text{co}} \gamma @ (\langle \tau \rangle \triangleright \gamma') : \sigma_1[\tau \triangleright \gamma'/a_1] \sim \sigma_2[\tau/a_2]$, by instantiation.

Thus the final term has the desired type by casting. \square

Lemma C.14 (S_CPUSH Preservation). *If*

1. $\Gamma \vdash_{\text{tm}} (v \triangleright \gamma) \gamma' : \sigma$ and
2. $(v \triangleright \gamma) \gamma' \longrightarrow v \gamma'' \triangleright \gamma @ (\gamma'', \gamma')$, where
3. $\gamma'' = \mathbf{nth}^1 \gamma \ddagger \gamma' \ddagger \mathbf{sym}(\mathbf{nth}^2 \gamma)$ and
4. $\Gamma \vdash_{\text{co}} \gamma : (\forall c: \phi. \tau) \sim (\forall c': \phi'. \tau')$,

then $\Gamma \vdash_{\text{tm}} v \gamma'' \triangleright \gamma @ (\gamma'', \gamma') : \sigma$.

Proof. By inversion, we have

- $\Gamma \vdash_{\text{tm}} v \triangleright \gamma : \forall c': \phi'. \tau'$
- $\Gamma \vdash_{\text{tm}} v : \forall c: \phi. \tau$
- $\Gamma \vdash_{\text{co}} \gamma' : \phi'$
- $\sigma = \tau'[\gamma'/c']$.

Let $\phi = \sigma_1 \sim \sigma_2$ and $\phi' = \sigma'_1 \sim \sigma'_2$. We can show

- $\Gamma \vdash_{\text{co}} \mathbf{nth}^1 \gamma : \sigma_1 \sim \sigma'_1$, by CT_NTH1CA
- $\Gamma \vdash_{\text{co}} \mathbf{nth}^2 \gamma : \sigma_2 \sim \sigma'_2$, by CT_NTH2CA
- $\Gamma \vdash_{\text{co}} \mathbf{sym}(\mathbf{nth}^2 \gamma) : \sigma'_2 \sim \sigma_2$, by symmetry
- $\Gamma \vdash_{\text{co}} \gamma'' : \sigma_1 \sim \sigma_2$, by definition of transitivity
- $\Gamma \vdash_{\text{tm}} v \gamma'' : \tau[\gamma''/c]$, by coercion instantiation
- $\Gamma \vdash_{\text{co}} \gamma @ (\gamma'', \gamma') : \tau[\gamma''/c] \sim \tau'[\gamma'/c']$, by CT_INSTC.

The final term has the desired type by casting. \square

D. Type Erasure

We need the following small lemma before we can prove type erasure:

Lemma D.1 (Type erasure erases types). *No type variable a or coercion variable c appears free in $|e|$, for any expression e .*

Proof. Straightforward inspection of definition of $|e|$. \square

Corollary D.2 (Substitution in erased expressions). *For all expressions e , types τ , coercions γ , and variables a and c ,*

1. $|e[\tau/a]| = |e|$
2. $|e[\gamma/c]| = |e|$

We can now present the proof for the type erasure theorem: If $e \longrightarrow e'$, then either $|e| = |e'|$ or $|e| \longrightarrow |e'|$.

Proof. We proceed by induction on $e \longrightarrow e'$.

Cases S_BETA, S_TBETA, S_CBETA, S_CASEMATCH: The erased expression steps by the same rule as the unerased expression, appealing to Corollary D.2 in the S_TBETA and S_CBETA cases.

Cases S_EAPP, S_TAPP, S_CAPP, S_CASE: We appeal to the induction hypothesis. If $|e| = |e'|$, we are done. If $|e| \longrightarrow |e'|$, then we use the same stepping rule as the unerased expression used.

Cases S_PUSH, S_TPUSH, S_CPUSH, S_COMB: Straightforward application of the definition of erasure yields $|e| = |e'|$.

Case S_COERCE:

$$\frac{e \longrightarrow e'}{e \triangleright \gamma \longrightarrow e' \triangleright \gamma} \quad \text{S_COERCE}$$

By the definition of erasure, $|e \triangleright \gamma| = |e|$ and $|e' \triangleright \gamma| = |e'|$. By the induction hypothesis, either $|e| = |e'|$ or $|e| \longrightarrow |e'|$. In either case, we are done.

Case S_KPUSH:

$$\frac{K: \forall \bar{a}: \bar{\kappa}. \forall \Delta. \bar{\sigma} \rightarrow (T \bar{a}) \in \Gamma \quad \Psi = \text{extend}(\text{context}(\gamma); \bar{p}; \Delta) \quad \bar{\tau}' = \Psi_2(\bar{a}) \quad \bar{\rho}' = \Psi_2(\text{dom } \Delta) \quad \text{for each } e_i \in \bar{e}, \quad e'_i = e_i \triangleright \Psi(\sigma_i)}{\text{case } ((K \bar{\tau} \bar{\rho} \bar{e}) \triangleright \gamma) \text{ of } \bar{p} \rightarrow \bar{u} \longrightarrow \quad \text{case } (K \bar{\tau}' \bar{\rho}' \bar{e}') \text{ of } \bar{p} \rightarrow \bar{u}} \quad \text{S_KPUSH}$$

Here, $e = \text{case } ((K \bar{\tau} \bar{\rho} \bar{e}) \triangleright \gamma) \text{ of } \bar{p} \rightarrow \bar{u}$ and $e' = \text{case } (K \bar{\tau}' \bar{\rho}' \bar{e}') \text{ of } \bar{p} \rightarrow \bar{u}$. Thus, by the definition of erasure, $|e| = \text{case } (K \bar{\bullet} |e'|) \text{ of } \bar{p} \rightarrow |u|$ and $|e'| = \text{case } (K \bar{\bullet} |e'|) \text{ of } \bar{p} \rightarrow |u|$. To show that $|e| = |e'|$, we must show only that $|\bar{e}| = |\bar{e}'|$. From the definition of S_KPUSH, $e'_i = e_i \triangleright \Psi(\sigma_i)$ and thus $|e'_i| = |e_i|$ as desired. \square

E. Metatheory for Consistency

In this section, we show that good contexts are consistent contexts following the plan laid out in Section 6. Recall the conditions of a good context:

We have **Good** Γ when the following conditions hold:

1. All coercion assumptions and axioms in Γ are of the form $C: \forall \Delta. (F \bar{\tau} \sim \tau')$ or of the form $c: a_1 \sim a_2$. In the first form, the arguments to the type function must behave like patterns: for all \bar{p} , every $\tau_i \in \bar{\tau}$ and every τ'_i such that $\Gamma \models \tau_i[\bar{p}/\Delta] \rightsquigarrow \tau'_i$, there exists $\bar{\rho}'$ such that $\tau'_i = \tau_i[\bar{\rho}'/\Delta]$ and $\Gamma \models \sigma_m \rightsquigarrow \sigma'_m$ for each $\sigma_m \in \bar{p}$ and $\sigma'_m \in \bar{\rho}'$.
2. Axioms and coercion assumptions don't overlap. For each $F \bar{\tau}$, there exists at most one prefix $\bar{\tau}_1$ of $\bar{\tau}$ such that there exist C and \bar{p} where $C: \forall \Delta. F \bar{\sigma}_0 \sim \sigma_1 \in \Gamma$ and $\bar{\tau}_1 = \bar{\sigma}_0[\bar{p}/\Delta]$. These C and \bar{p} are unique for every matching $F \bar{\tau}_1$.
3. For each a , there is at most one assumption of the form $c: a \sim a'$ or $c: a' \sim a$, and $a \neq a'$.
4. Axioms equate types of the same kind. For each $C: \forall \Delta. (F \bar{\tau} \sim \tau')$ in Γ , the kinds of each side must equal: for some κ , $\Gamma, \Delta \models F \bar{\tau} : \kappa$ and $\Gamma, \Delta \models \tau' : \kappa$ and that kind must not mention bindings in the telescope, $\Gamma \models \kappa : \star$.

Showing that these conditions ensure that the context cannot prove two value types equal requires a number of auxiliary lemmas.

Lemma E.1 (No free coercion variables in erased types). *If $\Gamma \vdash_{\text{ty}} \tau : \kappa$, then $c \# |\tau|$.*

Proof. Proof is by inspection of the erasure function. All coercions are removed from types. \square

Proof of Lemma 6.5 (Erasure is type preserving) If a judgement holds in the explicit system, the judgement with coercions erased throughout the context, types and coercions is derivable in the implicit system.

1. If $\Gamma \vdash_{\text{wf}} \Gamma$ then $\models |\Gamma|$.
2. If $\Gamma \vdash_{\text{ty}} \tau : \kappa$ then $|\Gamma| \models |\tau| : |\kappa|$.
3. If $\Gamma \vdash_{\text{pr}} \phi \text{ ok}$ then $|\Gamma| \models |\phi| \text{ ok}$.
4. If $\Gamma \vdash_{\text{co}} \gamma : \phi$ then $|\Gamma| \models |\gamma| : |\phi|$.
5. If $\Gamma \vdash_{\text{tel}} \bar{\rho} \Leftarrow \Delta$ then $|\Gamma| \models |\bar{\rho}| : |\Delta|$.

Proof. By simultaneous induction on the length of the explicit typing derivation. We present a few representative cases.

Case K.CAST: Given rule:

$$\frac{\Gamma \vdash_{\text{ty}} \tau : \kappa_1 \quad \Gamma \vdash_{\text{co}} \eta : \kappa_1 \sim \kappa_2 \quad \Gamma \vdash_{\text{ty}} \kappa_2 : \star}{\Gamma \vdash_{\text{ty}} \tau \triangleright \eta : \kappa_2} \text{K.CAST}$$

By induction, we have $|\Gamma| \models |\tau| : |\kappa_1|$ and $|\Gamma| \models |\eta| : |\kappa_1| \sim |\kappa_2|$ and $|\Gamma| \models |\kappa_2| : |\star|$. By the rule IT_CAST, we have $|\Gamma| \models |\tau| : |\kappa_2|$. Finally, by definition of erasure, we have $|\tau \triangleright \eta| = |\tau|$, and we are done.

Case K.CAPP: Given rule:

$$\frac{\Gamma \vdash_{\text{ty}} \tau_1 : \forall c: \phi. \kappa \quad \Gamma \vdash_{\text{co}} \gamma_1 : \phi}{\Gamma \vdash_{\text{ty}} \tau_1 \gamma_1 : \kappa[\gamma_1/c]} \text{K.CAPP}$$

By induction and definition of erasure, we have $|\Gamma| \models |\tau_1| : \forall c: |\phi|, |\kappa|$, and $|\Gamma| \models |\gamma_1| : |\phi|$. Hence, by rule IT_CAPP, we have $|\Gamma| \models |\tau_1| \bullet_{\text{co}} : |\kappa|$, and by erasure $|\tau_1 \gamma_1| = |\tau_1| \bullet_{\text{co}}$. Finally, we have $|\kappa[\gamma/c]| = |\kappa|$, as the erasure operation erases all coercions within κ .

Case CT.COHO: Given rule:

$$\frac{\Gamma \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \quad \Gamma \vdash_{\text{ty}} \tau_1 \triangleright \gamma' : \kappa}{\Gamma \vdash_{\text{co}} \gamma \triangleright \gamma' : \tau_1 \triangleright \gamma' \sim \tau_2} \text{CT.COHO}$$

By induction and erasure, we have $|\Gamma| \models |\gamma| : |\tau_1| \sim |\tau_2|$. But also by erasure, we have $|\gamma \triangleright \gamma'| = |\gamma|$ and $|\tau_1 \triangleright \gamma' \sim \tau_2| = |\tau_1| \sim |\tau_2|$, so we are done.

Case CT.CAPP: Given rule:

$$\frac{\Gamma \vdash_{\text{co}} \gamma_1 : \tau_1 \sim \tau'_1 \quad \Gamma \vdash_{\text{ty}} \tau_1 \gamma_2 : \kappa \quad \Gamma \vdash_{\text{ty}} \tau'_1 \gamma'_2 : \kappa'}{\Gamma \vdash_{\text{co}} \gamma_1(\gamma_2, \gamma'_2) : \tau_1 \gamma_2 \sim \tau'_1 \gamma'_2} \text{CT.CAPP}$$

By induction and definition of erasure, we have $|\Gamma| \models |\tau_1| \bullet_{\text{co}} : |\kappa|$, $|\Gamma| \models |\tau'_1| \bullet_{\text{co}} : |\kappa'|$, and $|\Gamma| \models |\gamma| : |\tau_1| \sim |\tau'_1|$. Hence, by rule ICT_CAPP, we have $|\Gamma| \models |\gamma|(\bullet_{\text{co}}, \bullet_{\text{co}}) : |\tau_1| \bullet_{\text{co}} \sim |\tau'_1| \bullet_{\text{co}}$, and we are done by erasure.

Case CT.ALLC: Given rule:

$$\frac{\begin{array}{l} \Gamma \vdash_{\text{co}} \eta_1 : \sigma_1 \sim \sigma'_1 \quad \phi_1 = \sigma_1 \sim \sigma_2 \\ \Gamma \vdash_{\text{co}} \eta_2 : \sigma_2 \sim \sigma'_2 \quad \phi_2 = \sigma'_1 \sim \sigma'_2 \\ c_1 \# |\gamma| \quad c_2 \# |\gamma| \\ \Gamma, c_1: \phi_1, c_2: \phi_2 \vdash_{\text{co}} \gamma : \tau_1 \sim \tau_2 \\ \Gamma \vdash_{\text{ty}} \forall c_1: \phi_1. \tau_1 : \star \quad \Gamma \vdash_{\text{ty}} \forall c_2: \phi_2. \tau_2 : \star \end{array}}{\Gamma \vdash_{\text{co}} \forall_{(\eta_1, \eta_2)} (c_1, c_2). \gamma : (\forall c_1: \phi_1. \tau_1) \sim (\forall c_2: \phi_2. \tau_2)} \text{CT.ALLC} \text{and also}$$

By induction and definition of erasure, we have

- $|\Gamma| \models |\eta_1| : |\sigma_1| \sim |\sigma'_1|$,
- $|\Gamma| \models |\eta_2| : |\sigma_2| \sim |\sigma'_2|$,
- $|\phi_1| = |\sigma_1| \sim |\sigma_2|$,
- $|\phi_2| = |\sigma'_1| \sim |\sigma'_2|$,
- $|\Gamma|, c_1: |\phi_1|, c_2: |\phi_2| \models |\gamma| : |\tau_1| \sim |\tau_2|$,
- $|\Gamma| \models \forall c_1: |\phi_1|. |\tau_1| : \star$, and
- $|\Gamma| \models \forall c_2: |\phi_2|. |\tau_2| : \star$.

Furthermore, the original rule restricted c_1 and c_2 from appearing in $|\gamma|$. Hence by, ICT_ALLC, we have $|\Gamma| \models \forall_{(|\eta_1|, |\eta_2|)} (c_1, c_2). |\gamma| : (\forall c_1: |\phi_1|. |\tau_1|) \sim (\forall c_2: |\phi_2|. |\tau_2|)$ and we are done by erasure. \square

Lemma E.2 (Application). *If $\Gamma \models \sigma_1 \Leftrightarrow \sigma'_1$ and $\Gamma \models \sigma_2 \Leftrightarrow \sigma'_2$ then $\Gamma \models \sigma_1 \sigma_2 \Leftrightarrow \sigma'_1 \sigma'_2$.*

Proof. Let τ_1 be a join point of σ_1, σ'_1 , and τ_2 a join point for σ_2, σ'_2 . By repeatedly applying rule TS_APP and reflexivity of rewriting, we find that $\tau_1 \tau_2$ is a join point for $\sigma_1 \sigma_2$ and $\sigma'_1 \sigma'_2$. \square

Lemma E.3 (Type function preservation). *If $\text{Good} \Gamma$, $\Gamma \models F \bar{\tau}_1 \rightsquigarrow \sigma_1$ by TS_RED, and $\Gamma \models F \bar{\tau}_2 \rightsquigarrow \sigma_2$ with the list*

$\bar{\tau}_2$ a proper prefix of $\bar{\tau}_1$, then $\sigma_2 = F \bar{\tau}'_2$ for some types $\bar{\tau}'_2$ with $\Gamma \models \bar{\tau}_2 \rightsquigarrow \bar{\tau}'_2$.

Proof. We invert $\Gamma \models F \bar{\tau}_1 \rightsquigarrow \sigma_1$ to see that there exist C and $\bar{\rho}$ such that $C: \forall \Delta. (F \bar{\tau} \sim \tau') \in \Gamma$ and $\bar{\tau}_1 = \tau[\bar{\rho}/\Delta]$. By the definition of $\text{Good} \Gamma$, we see that there must be only one prefix of $\bar{\tau}_1$ such that we can find an applicable axiom. Thus, rule TS_RED will not be applicable for F applied to any prefix of $\bar{\tau}_1$ of length shorter than that of $\bar{\tau}_1$.

We proceed by induction on the length of the list $\bar{\tau}_2$.

Base case: The list $\bar{\tau}_2$ is empty, and thus we have $\Gamma \models F \rightsquigarrow \sigma_2$.

We must show that $\sigma_2 = F$. Because the empty list is a prefix of $\bar{\tau}_1$, we know that TS_RED cannot apply. Thus, the reduction must be by TS_REFL and we are done.

Inductive case: The list $\bar{\tau}_2$ is $\bar{\tau}_3, \tau_4$, and we have $\Gamma \models F \bar{\tau}_3 \tau_4 \rightsquigarrow \sigma_2$. Because $\bar{\tau}_3, \tau_4$ is a prefix of $\bar{\tau}_1$, the rule TS_RED does not apply. Only rules TS_REFL and TS_APP may apply. If we have used TS_REFL, we are done. Otherwise, we know $\Gamma \models F \bar{\tau}_3 \rightsquigarrow \sigma_3$ and $\Gamma \models \tau_4 \rightsquigarrow \sigma_4$, where $\sigma_2 = \sigma_3 \sigma_4$. By induction, we know that σ_3 must be $F \bar{\sigma}'_3$ where $\Gamma \models \bar{\tau}_3 \rightsquigarrow \bar{\sigma}'_3$. Thus, $\sigma_2 = F \bar{\sigma}'_3 \sigma_4$ where $\Gamma \models \bar{\tau}_3, \tau_4 \rightsquigarrow \bar{\sigma}'_3, \sigma_4$, as desired. \square

Lemma E.4 (Unique type function reduction). *If $\text{Good} \Gamma$, $\Gamma \models F \bar{\tau} \rightsquigarrow \sigma_1$ by TS_RED and $\Gamma \models F \bar{\tau} \rightsquigarrow \sigma_2$ by TS_APP, then $\sigma_2 = F \bar{\tau}'$ where $\Gamma \models \bar{\tau} \rightsquigarrow \bar{\tau}'$.*

Proof. Since $\Gamma \models F \bar{\tau} \rightsquigarrow \sigma_2$ by TS_APP, we must have $\bar{\tau} = \bar{\tau}_1, \tau_2$ and $\sigma_2 = \sigma_3 \sigma_4$, with $\Gamma \models F \bar{\tau}_1 \rightsquigarrow \sigma_3$ and $\Gamma \models \tau_2 \rightsquigarrow \sigma_4$. By Lemma E.3, we know that σ_3 must have the form $F \bar{\sigma}'_3$ where $\Gamma \models \bar{\tau}_1 \rightsquigarrow \bar{\sigma}'_3$. We thus have the desired result. \square

Lemma E.5 (Single Step Substitution). *If $\Gamma \models \tau \rightsquigarrow \tau'$, σ well-formed and a not free in Γ , then $\Gamma \models \sigma[\tau/a] \rightsquigarrow \sigma[\tau'/a]$.*

Proof. By induction on σ . For instance, if $\sigma = \forall c: \sigma_1 \sim \sigma_2. \sigma'$, by induction,

$$\Gamma \models \sigma'[\tau/a] \rightsquigarrow \sigma'[\tau'/a],$$

$$\Gamma \models \sigma_i[\tau/a] \rightsquigarrow \sigma_i[\tau'/a].$$

Thus, by rule TS_ALLC, we conclude

$$\Gamma \models (\forall c: \sigma_1 \sim \sigma_2. \sigma')[\tau/a] \rightsquigarrow (\forall c: \sigma_1 \sim \sigma_2. \sigma')[\tau'/a].$$

The other cases are similar. \square

Here, we prove completeness of the rewrite reduction with respect to the coercion relation. The two key lemmas of the completeness proof are that joinability is preserved under substitution, and a local diamond property of rewriting.

Lemma E.6 (Local diamond property). *If $\text{Good} \Gamma$, $\Gamma \models \sigma \rightsquigarrow \sigma_1$, and $\Gamma \models \sigma \rightsquigarrow \sigma_2$ then there exists σ_3 such that $\Gamma \models \sigma_1 \rightsquigarrow \sigma_3$ and $\Gamma \models \sigma_2 \rightsquigarrow \sigma_3$.*

Proof. Induction on lengths of the two step derivations with a case analysis on the last rule used in each.

The overlapping cases are TS_REFL and anything else, TS_APP-TS_RED (and symmetric), and all instances with the same final rule on both sides. The reflexivity overlaps are trivial. All other pairs of rules apply to types with different head forms. Of the same-same overlaps, most follow by induction. (We demonstrate an example of this pattern with case TS_APP-TS_APP below.) The exception is TS_RED-TS_RED and TS_VARRED-TS_VARRED which are both deterministic. Below, we complete the proof with the TS_APP-TS_RED case.

Case TS_APP-TS_APP Concretely, we have a type $\tau \sigma$ with reductions:

$$\Gamma \models \tau \sigma \rightsquigarrow \tau' \sigma', \quad \Gamma \models \tau \sigma \rightsquigarrow \tau'' \sigma''$$

Now, we can deduce:

$$\Gamma \models \sigma \rightsquigarrow \sigma', \quad \Gamma \models \sigma \rightsquigarrow \sigma''$$

So by induction, we can find σ''' that is a common reduct. We also know

$$\Gamma \models \tau \rightsquigarrow \tau', \quad \Gamma \models \tau \rightsquigarrow \tau''$$

So, also by induction, we can find τ''' that is a common reduct of the two. Hence, by TS_TAPP,

$$\Gamma \models \tau' \sigma' \rightsquigarrow \tau''' \sigma''' \quad \Gamma \models \tau'' \sigma'' \rightsquigarrow \tau''' \sigma'''$$

Case TS_RED-TS_APP Concretely, we have a type $F \bar{\tau}$, with reductions:

$$\Gamma \models (F \bar{\tau}) \rightsquigarrow \sigma_1, \quad \Gamma \models (F \bar{\tau}) \rightsquigarrow \sigma_2 \sigma'$$

where the first reduction is a type function reduction. Now note that, since context is good, type function axioms are nonoverlapping. Now say that $\bar{\tau} = \bar{\tau}_0, \sigma$. We have by inversion, $\Gamma \models F \bar{\tau}_0 \rightsquigarrow \sigma_2'$. By Lemma E.4, we have that $\sigma_2' = F \bar{\tau}_0'$, such that $\Gamma \models \bar{\tau}_0 \rightsquigarrow \bar{\tau}_0'$, and so that $\Gamma \models \bar{\tau}_0, \sigma \rightsquigarrow \bar{\tau}_0', \sigma'$. We have that if the coercion for F is $C: \forall \Delta. (F \bar{\tau}_1 \sim \tau_1')$, then we have $\bar{\tau}_0, \sigma = \bar{\tau}_1[\bar{\rho}_1/\Delta]$ (for some $\bar{\rho}_1$, and now by the first condition of good contexts, we have a $\bar{\rho}_1'$, such that

$$\bar{\tau}_0', \sigma' = \bar{\tau}_1[\bar{\rho}_1'/\Delta] \quad \Gamma \models \bar{\rho}_1 \rightsquigarrow \bar{\rho}_1'$$

In which case we have a reduction $\Gamma \models F \bar{\tau}_0' \sigma' \rightsquigarrow \tau_1'[\bar{\rho}_1'/\Delta]$. But, by an extension of Lemma E.10 for telescopes, we have that

$$\sigma_1 = \tau_1'[\bar{\rho}_1/\Delta] \quad \Gamma \models \sigma_1 \rightsquigarrow \tau_1'[\bar{\rho}_1'/\Delta]$$

as desired.

Case TS_RED-TS_RED Concretely, we have a type $F \bar{\sigma}_1 \bar{\sigma}_2$, which can also be written as $F \bar{\sigma}_3 \bar{\sigma}_4$, such that we have reductions:

$$\Gamma \models F \bar{\sigma} \rightsquigarrow \sigma', \quad \Gamma \models F \bar{\sigma} \rightsquigarrow \sigma''$$

But since good contexts have nonoverlapping axioms, we have that only one axiom applies. Hence, we are done: $\sigma' = \sigma''$. \square

Lemma E.7 (Transitivity of Rewriting). *If Good Γ and $\Gamma \models \sigma_1 \Leftrightarrow \sigma_2$ and $\Gamma \models \sigma_2 \Leftrightarrow \sigma_3$, then $\Gamma \models \sigma_1 \Leftrightarrow \sigma_3$.*

Proof. Appeal to the local diamond property. Suppose σ_{12} is a join point for σ_1, σ_2 and σ_{23} is a join point for σ_2, σ_3 . By Lemma E.6, there is a join point σ_0 for σ_{12}, σ_{23} , and hence is a join point for σ_1, σ_3 . \square

Lemma E.8 (Multistep Substitution). *If $\Gamma \models \tau \rightsquigarrow^* \tau', \sigma$ well-formed and a not free in Γ , then $\Gamma \models \sigma[\tau/a] \rightsquigarrow^* \sigma[\tau'/a]$.*

Proof. By induction on the length of the reduction $\Gamma \models \tau \rightsquigarrow^* \tau'$. The base case is trivial, and the inductive step follows by Lemma E.5. \square

Lemma E.9 (Single Substitution). *If $\Gamma \models \tau \Leftrightarrow \tau'$, and $\Gamma \models \sigma \rightsquigarrow \sigma'$, with σ, σ' well-formed and a not free in Γ , then $\Gamma \models \sigma[\tau/a] \Leftrightarrow \sigma'[\tau'/a]$.*

Proof. There is a join point τ'' of τ and τ' , we can apply Lemma E.8 to the reductions $\Gamma \models \tau \rightsquigarrow^* \tau''$ and $\Gamma \models \tau' \rightsquigarrow^* \tau''$, and connect two reductions with Lemma E.7. \square

Lemma E.10 (Single Step Double Substitution). *Suppose Good Γ and $\Gamma \models \sigma \rightsquigarrow \sigma'$, with a free in σ and a' free in σ' well-formed, and $\Gamma = \Gamma', c: a \sim a', \Gamma''$ or $\Gamma = \Gamma', c: a' \sim a, \Gamma''$. Then Good $(\Gamma', \Gamma'')[\tau/a][\tau'/a']$, and if $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \tau \Leftrightarrow \tau'$, then $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \sigma[\tau/a] \Leftrightarrow \sigma'[\tau'/a']$.*

Proof. Note first that since Good Γ , the only axiom mentioning a, a' is c . Hence, Good $(\Gamma', \Gamma'')[\tau/a][\tau'/a']$ is immediate. The rest follows by induction on the derivation of $\Gamma \models \sigma \rightsquigarrow \sigma'$.

Case TS_REFL: Follows from Lemma E.9.

Case TS_ALLT: The rule is

$$\frac{\Gamma, \Gamma' \models \kappa \rightsquigarrow \kappa' \quad \Gamma, c: a_1 \sim a_2, \Gamma' \models \sigma \rightsquigarrow \sigma'}{\Gamma, \Gamma' \models \forall a_1: \kappa. \sigma \rightsquigarrow \forall a_2: \kappa'. \sigma'} \quad \text{TS_ALLT}$$

where $a_1 \neq a_2 \neq a \neq a'$, and $\Gamma, \Gamma' = \Gamma'', c': a \sim a', \Gamma'''$. By induction, we have both $(\Gamma, \Gamma')[\tau/a][\tau'/a'] \models \kappa[\tau/a] \Leftrightarrow \kappa[\tau'/a']$ and $(\Gamma, \Gamma')[\tau/a][\tau'/a'] \models c: a_1 \sim a_2, \Gamma'[\tau/a][\tau'/a'] \models \sigma[\tau/a] \Leftrightarrow \sigma'[\tau'/a']$. But now, we can put these transitions together with rule TS_ALLT: first, we have

$$\begin{aligned} (\Gamma, \Gamma')[\tau/a][\tau'/a'] \models \\ \forall a_1: \kappa[\tau/a]. \sigma[\tau/a] \Leftrightarrow \forall a_1: \kappa'[\tau'/a']. \sigma[\tau/a] \end{aligned}$$

By α -renaming, the right hand side is $\forall a_2: \kappa'[\tau'/a']. \sigma[\tau/a]$. Now, we have

$$\begin{aligned} (\Gamma, \Gamma')[\tau/a][\tau'/a'] \models \\ \forall a_2: \kappa'[\tau'/a']. \sigma[\tau/a] \Leftrightarrow \forall a_2: \kappa'[\tau'/a']. \sigma'[\tau'/a'] \end{aligned}$$

and we are done by Lemma E.7.

Case TS_ALLC: Almost identical to the previous case.

Case TS_RED: Follows from Lemma E.9.

Case TS_VARRED: If the coercion in question isn't $c: a \sim a'$, then this case is trivial. Otherwise, we have by assumption that $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \tau \Leftrightarrow \tau'$, which is exactly what we need to prove.

Case TS_APP: Similar to the previous cases. By induction (suppose we are substituting σ'', σ''' ,

$$(\Gamma', \Gamma'')[\sigma''/a][\sigma'''/a'] \models \tau[\sigma''/a] \Leftrightarrow \tau'[\sigma'''/a']$$

and

$$(\Gamma', \Gamma'')[\sigma''/a][\sigma'''/a'] \models \sigma[\sigma''/a] \Leftrightarrow \sigma'[\sigma'''/a']$$

So, by applying TS_APP, we have

$$\begin{aligned} (\Gamma', \Gamma'')[\sigma''/a][\sigma'''/a'] \models \\ \tau[\sigma''/a] (\sigma[\sigma''/a]) \Leftrightarrow \tau'[\sigma'''/a'] (\sigma'[\sigma'''/a']) \end{aligned}$$

and

$$\begin{aligned} (\Gamma', \Gamma'')[\sigma''/a][\sigma'''/a'] \models \\ \tau'[\sigma'''/a'] (\sigma[\sigma''/a]) \Leftrightarrow \tau'[\sigma'''/a'] (\sigma'[\sigma'''/a']) \end{aligned}$$

so we are done by Lemma E.7.

Case TS_CAPP: Immediate, by induction. \square

Lemma E.11 (Substitution). *Suppose Good Γ and $\Gamma \models \sigma \rightsquigarrow^* \sigma'$, with a, a' free in σ, σ' , and $\Gamma = \Gamma', c: a \sim a', \Gamma''$. Suppose also that $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \tau \Leftrightarrow \tau'$. Then, $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \sigma[\tau/a] \Leftrightarrow \sigma'[\tau'/a']$.*

Proof. Induction on the length of reduction $\Gamma \models \sigma \rightsquigarrow^* \sigma'$. The base case is trivial. The inductive step follows by Lemma E.10 and Lemma E.7. \square

Corollary E.12 (Joinability substitution). *Suppose **Good** Γ and $\Gamma \models \sigma \Leftrightarrow \sigma'$, with a, a' free in σ, σ' , and $\Gamma = \Gamma', c: a \sim a', \Gamma''$. Suppose also that $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \tau \Leftrightarrow \tau'$. Then, $(\Gamma', \Gamma'')[\tau/a][\tau'/a'] \models \sigma[\tau/a] \Leftrightarrow \sigma'[\tau'/a']$.*

Proof. By induction on the number of transitions in $\Gamma \models \sigma \Leftrightarrow \sigma'$. The base case is trivial. For the induction step, we can use the induction hypothesis, combined with Lemma E.11. \square

Lemma E.13 (Joinability strengthening). *If **Good** $(\Gamma, a: \kappa, \Gamma')$ and $\Gamma, a: \kappa, \Gamma' \models \tau_1 \Leftrightarrow \tau_2$, then **Good** $(\Gamma, \Gamma') \Gamma, \Gamma' \models \tau_1 \Leftrightarrow \tau_2$.*

Proof. By inspection on the rewrite relation. The rewrite relation does not depend on any type bindings in the context, only axioms. \square

Lemma E.14 (Basic implicit substitution). *1. If $\Gamma, a: \kappa_1, \Gamma' \models \tau : \kappa_2$ and $\Gamma \models \sigma : \kappa_1$, then $\Gamma, \Gamma'[\sigma/a] \models \tau[\sigma/a] : \kappa_2[\sigma/a]$.
2. If $\Gamma, a: \kappa_1, \Gamma'$ and $\Gamma \models \sigma : \kappa_1$, then $\Gamma, \Gamma'[\sigma/a]$.
3. If $\Gamma, a: \kappa_1, \Gamma' \models \phi$ ok and $\Gamma \models \sigma : \kappa_1$, then $\Gamma, \Gamma'[\sigma/a] \models \phi[\sigma/a]$ ok.*

Proof. Straightforward mutual induction. \square

Lemma E.15 (Implicit regularity/generation). *If $\Gamma \models \tau : \kappa$, then $\Gamma \models \kappa : \star$ and the height of this derivation is at most the height of $\Gamma \models \tau : \kappa$.*

Proof. Straightforward induction, appealing to Lemma E.14 in the IT_TAPP case. The base cases appeal to rules IT_STARINSTAR and IT_ARROWK. \square

Lemma E.16 (Weakening for implicit system). *If $\Gamma \models \tau : \kappa$, then $\Gamma, \Gamma' \models \tau : \kappa$ for any Γ' such that Γ, Γ' , and there exists a derivation of $\Gamma \models \tau : \kappa$ with height at most the height of the derivation of $\Gamma, \Gamma' \models \tau : \kappa$.*

Proof. Straightforward induction. \square

We need a lemma to deal with the **kind** γ construct. Essentially, this lemma states that we don't need the **kind** γ construct, as it is already internalized in our system.

Lemma E.17 (Admissibility of "kind"). *Suppose we have a derivation $\Gamma \models \gamma : \tau_1 \sim \tau_2$, such that $\Gamma \models \tau_1 : \kappa_1$ and $\Gamma \models \tau_2 : \kappa_2$ and $\text{fcv}(\gamma) \subseteq \text{dom } \Gamma'$ for some subcontext Γ' satisfying **Good** Γ' . Then, there exists a derivation $\Gamma \models \eta : \kappa_1 \sim \kappa_2$ at strictly lower height, for some η , such that $\text{fcv}(\eta) \subseteq \text{dom } \Gamma'$.*

Proof Sketch. By induction on the derivation $\Gamma \models \gamma : \tau_1 \sim \tau_2$. Most cases are straightforward. We consider two here.

Case ICT_TRANS: Given rule:

$$\frac{\Gamma \models \gamma_1 : \tau_1 \sim \tau_2 \quad \Gamma \models \gamma_2 : \tau_2 \sim \tau_3}{\Gamma \models \gamma_1 \circ \gamma_2 : \tau_1 \sim \tau_3} \quad \text{ICT_TRANS}$$

Note that the free coercion variables of $\gamma_1 \circ \gamma_2$ lie in a good context, so the same is true of γ_1 and γ_2 . Hence, by induction, we are able to find derivations of $\Gamma \models \eta_1 : \kappa_1 \sim \kappa_2$ and $\Gamma \models \eta_2 : \kappa_2 \sim \kappa_3$, both of height less than that of any premises of ICT_TRANS. Now, by ICT_TRANS, we are able to create a proof $\Gamma \models \eta_1 \circ \eta_2 : \kappa_1 \sim \kappa_3$ at height strictly less than that of the conclusion, and we are done.

Case ICT_AXIOM: Given rule:

$$\frac{C: \forall \Delta. (\tau_1 \sim \tau_2) \in \Gamma \quad \Gamma \models \bar{\rho} : \Delta}{\Gamma \models C \bar{\rho} : \tau_1[\bar{\rho}/\Delta] \sim \tau_2[\bar{\rho}/\Delta]} \quad \text{ICT_AXIOM}$$

Note that the free coercion variables of $C \bar{\rho}$ lie in a good context, so the same is true of C and $\bar{\rho}$. Thus, the axiom lies in a good subcontext. By definition of **Good** Γ' , we have that both sides are kind κ for a closed kind. Hence, simply choosing $\eta = \langle \kappa \rangle$ suffices. This η will have no free coercion variables (appealing to Lemma E.1), so the restriction on free coercion variables is vacuously satisfied.

But, what is the height of the derivation of $\Gamma \models \langle \kappa \rangle : \kappa \sim \kappa$? It is one more than the height of $\Gamma \models \kappa : \sigma$, the premise of $\Gamma \models \langle \kappa \rangle : \kappa \sim \kappa$. This derivation $\Gamma \models \kappa : \sigma$ must be a part of the derivation concluding in ICT_AXIOM: One of the premises to ICT_AXIOM is $\Gamma \models \bar{\rho} : \Delta$. That judgement, in turn, must eventually appeal to IT2_EMPTY, which depends on $\models \Gamma$. Because $C \in \text{dom } \Gamma$, the proof of $\models \Gamma$ must appeal to IV_AX, which in turn depends on $\Gamma, \Delta \models \tau_1 \sim \tau_2$ ok. This depends on $\Gamma, \Delta \models \tau_1 : \kappa$. By Lemma E.15, the proof that $\Gamma, \Delta \models \kappa : \sigma$ (for $\sigma = \star$) is strictly smaller than that of $\Gamma, \Delta \models \tau_1 : \kappa$. From the fact that C lies in a good context, we know that κ must not contain variables introduced in Δ , so there exists a derivation $\Gamma \models \kappa : \sigma$ and the height of this derivation is no larger than the height of $\Gamma, \Delta \models \kappa : \sigma$, invoking Lemma E.16. Thus, the height of $\Gamma \models \langle \kappa \rangle : \kappa \sim \kappa$ is strictly smaller than the height of the derivation concluding in ICT_AXIOM, as desired. \square

Lemma E.18 (Nth joinability). *Suppose that $\Gamma \models H \bar{\rho} \Leftrightarrow H \bar{\rho}'$, and **Good** Γ . Then, $\Gamma \models \rho_i \Leftrightarrow \rho'_i$.*

Proof. By induction on the length of the telescopes (by inversion, both have the same length). The base case is trivial. For induction, note that $H \bar{\rho}, H \bar{\rho}'$ must both step by TS_APP. Hence, by the form of that rewrite rule, say that $\bar{\rho} = \bar{\rho}_0, \rho_0$ and $\bar{\rho}' = \bar{\rho}'_0, \rho'_0$, and the length of the telescopes are preserved. So, $\Gamma \models \rho_0 \Leftrightarrow \rho'_0$. If we want the last element in the telescope, we are done. Otherwise, $\Gamma \models H \bar{\rho}_0 \Leftrightarrow H \bar{\rho}'_0$, and we are done by induction. \square

From these lemmas we see that joinability is complete.

Proof of Lemma 6.7 (Completeness) Suppose that $\Gamma \models \gamma : \sigma_1 \sim \sigma_2$, and $\text{fcv}(\gamma) \subseteq \text{dom } \Gamma'$ for some subcontext Γ' satisfying **Good** Γ' . Then $\Gamma \models \sigma_1 \Leftrightarrow \sigma_2$.

Proof. By induction on the structure of $\Gamma \models \gamma : \sigma_1 \sim \sigma_2$.

Case ICT_CAPP: We have rule:

$$\frac{\Gamma \models \gamma : \tau \sim \tau' \quad \Gamma \models \tau \bullet_{\text{co}} : \kappa \quad \Gamma \models \tau' \bullet_{\text{co}} : \kappa'}{\Gamma \models \gamma(\bullet_{\text{co}}, \bullet_{\text{co}}) : \tau \bullet_{\text{co}} \sim \tau' \bullet_{\text{co}}} \quad \text{ICT_CAPP}$$

Note that the free coercion variables of $\gamma(\bullet_{\text{co}}, \bullet_{\text{co}})$ lie in a good context, so the same is true of γ . Hence, by induction, $\Gamma \models \tau \Leftrightarrow \tau'$. Then, by Lemma E.2, we are done.

Case ICT_ALLC:

$$\frac{\Gamma \models \eta_1 : \sigma_1 \sim \sigma'_1 \quad \phi_1 = \sigma_1 \sim \sigma_2 \quad \Gamma \models \eta_2 : \sigma_2 \sim \sigma'_2 \quad \phi_2 = \sigma'_1 \sim \sigma'_2 \quad c_1 \# \gamma \quad c_2 \# \gamma \quad \Gamma, c_1: \phi_1, c_2: \phi_2 \models \gamma : \tau_1 \sim \tau_2 \quad \Gamma \models \forall c_1: \phi_1. \tau_1 : \star \quad \Gamma \models \forall c_2: \phi_2. \tau_2 : \star}{\Gamma \models \forall_{(\eta_1, \eta_2)}(c_1, c_2). \gamma : (\forall c_1: \phi_1. \tau_1) \sim (\forall c_2: \phi_2. \tau_2)}$$

Note that the free coercion variables of $\forall_{(\eta_1, \eta_2)}(c_1, c_2). \gamma$ lie in a good context, so the same is true of γ, η_1 , and η_2 . Hence,

by induction, there is a join point σ_1'' for σ_1 and σ_1' , and there is a join point σ_2'' for σ_2 and σ_2' . Let $\phi = \sigma_1'' \sim \sigma_2''$. Also by induction, there is a join point τ for τ_1, τ_2 . By rule TS_ALLC, we have that

$$\Gamma \models \forall c_1: \phi_1. \tau_1 \rightsquigarrow^* \forall c_1: \phi. \tau$$

and

$$\Gamma \models \forall c_2: \phi_2. \tau_2 \rightsquigarrow^* \forall c_2: \phi. \tau$$

and hence they are joinable.

Case ICT_INST:

$$\frac{\begin{array}{l} \Gamma \models \gamma_1 : (\forall a_1: \kappa_1. \tau_1) \sim (\forall a_2: \kappa_2. \tau_2) \\ \Gamma \models \gamma_2 : \sigma_1 \sim \sigma_2 \\ \Gamma \models \sigma_1 : \kappa_1 \quad \Gamma \models \sigma_2 : \kappa_2 \end{array}}{\Gamma \models \gamma_1 @ \gamma_2 : \tau_1[\sigma_1/a_1] \sim \tau_2[\sigma_2/a_2]} \quad \text{ICT_INST}$$

Note that the free coercion variables of $\gamma @ \gamma'$ lie in a good context, so the same is true of γ and γ' . Hence, by induction, $\Gamma \models \sigma_1 \Leftrightarrow \sigma_2$, and $\Gamma \models (\forall a_1: \kappa_1. \tau_1) \Leftrightarrow (\forall a_2: \kappa_2. \tau_2)$. Now, by inversion on the step relation for quantified types, we find that $\Gamma, c: a_1 \sim a_2 \models \tau_1 \Leftrightarrow \tau_2$. By substitution (Lemma E.11), we have $\Gamma \models \tau_1[\sigma_1/a_1] \Leftrightarrow \tau_2[\sigma_2/a_2]$, as desired.

Case ICT_INSTC:

$$\frac{\begin{array}{l} \Gamma \models \gamma : (\forall c: \sigma_1 \sim \sigma_2. \tau) \sim (\forall c': \sigma_1' \sim \sigma_2'. \tau') \\ \Gamma \models \gamma_1 : \sigma_1 \sim \sigma_2 \quad \Gamma \models \gamma_2 : \sigma_1' \sim \sigma_2' \end{array}}{\Gamma \models \gamma @ (\bullet_{\text{co}}, \bullet_{\text{co}}) : \tau \sim \tau'}$$

Note that the free coercion variables of $\gamma @ (\bullet_{\text{co}}, \bullet_{\text{co}})$ lie in a good context, so the same is true of γ . Hence, by induction, $\Gamma \models (\forall c: \sigma_1 \sim \sigma_2. \tau) \Leftrightarrow (\forall c': \sigma_1' \sim \sigma_2'. \tau')$. Now, by inversion on the step relation for quantified types, we find that $\Gamma \models \tau \Leftrightarrow \tau'$, and we are done.

Case ICT_REFL: Trivial.

Case ICT_SYM: Trivial.

Case ICT_TRANS: Follows from Lemma E.7.

Case ICT_APP: Follows from Lemma E.2.

Case ICT_ALLT:

$$\frac{\begin{array}{l} \Gamma \models \eta : \kappa_1 \sim \kappa_2 \\ \Gamma, a_1: \kappa_1, a_2: \kappa_2, c: a_1 \sim a_2 \models \gamma : \tau_1 \sim \tau_2 \\ \Gamma \models \forall a_1: \kappa_1. \tau_1 : \star \quad \Gamma \models \forall a_2: \kappa_2. \tau_2 : \star \end{array}}{\Gamma \models \forall_{\eta}(a_1, a_2, c). \gamma : (\forall a_1: \kappa_1. \tau_1) \sim (\forall a_2: \kappa_2. \tau_2)}$$

Note that the free coercion variables of $\forall_{\eta}(a_1, a_2, c). \gamma$ lie in a good context, so the same is true of γ since $c: a_1 \sim a_2$ is a good assumption that doesn't overlap with the previous axioms, as the variables a_1, a_2 are fresh. Hence, by induction, we have $\Gamma, a_1: \kappa_1, a_2: \kappa_2, c: a_1 \sim a_2 \models \tau_1 \Leftrightarrow \tau_2$, which we can strengthen to $\Gamma, c: a_1 \sim a_2 \models \tau_1 \Leftrightarrow \tau_2$, by Lemma E.13. Also by induction, we have $\Gamma \models \kappa_1 \Leftrightarrow \kappa_2$, which allows us to finish the rule by TS_ALLT.

Case ICT_VAR: Trivial, all assumptions are rewrite rules in good contexts. Note that c must be a good assumption in the context.

Case ICT_AXIOM: We have the rule:

$$\frac{C: \forall \Delta. (\tau_1 \sim \tau_2) \in \Gamma \quad \Gamma \models \bar{\rho} : \Delta}{\Gamma \models C \bar{\rho} : \tau_1[\bar{\rho}/\Delta] \sim \tau_2[\bar{\rho}/\Delta]} \quad \text{ICT_AXIOM}$$

We know that C lies in a good context, so we know that τ_1 has the form $F \bar{\tau}_1'$. Thus, rule TS_RED shows that $\Gamma \models \tau_1[\bar{\rho}/\Delta] \rightsquigarrow \tau_2[\bar{\rho}/\Delta]$, so we are done, noting that TS_REFL shows that $\Gamma \models \tau_2[\bar{\rho}/\Delta] \rightsquigarrow \tau_2[\bar{\rho}/\Delta]$ as well.

Case ICT_NTH: We have the rule:

$$\frac{\Gamma \models \gamma : H \bar{\tau} \sim H \bar{\tau}'}{\Gamma \models \mathbf{nth}^i \gamma : \tau_i \sim \tau_i'} \quad \text{ICT_NTH}$$

Note that the free coercion variables of $\mathbf{nth}^i \gamma$ lie in a good context, so the same is true of γ . Hence, by induction, then Lemma E.18, we are done.

Case ICT_NTH1TA: We have rule:

$$\frac{\Gamma \models \gamma_1 : (\forall a_1: \kappa_1. \tau_1) \sim (\forall a_2: \kappa_2. \tau_2)}{\Gamma \models \mathbf{nth}^1 \gamma_1 : \kappa_1 \sim \kappa_2} \quad \text{ICT_NTH1TA}$$

Note that the free coercion variables of $\mathbf{nth}^1 \gamma_1$ lie in a good context, so the same is true of γ_1 . Hence, by induction on γ_1 , the two quantified types have a join point. By inversion on the rewrite relation, both sides must step via TS_ALLT. Hence, we can find a join point for the kinds, and $\Gamma \models \kappa_1 \Leftrightarrow \kappa_2$ as desired.

Cases ICT_NTH1CA, ICT_NTH2CA: We have rules:

$$\frac{\Gamma \models \gamma : (\forall c: \kappa_1 \sim \kappa_2. \tau) \sim (\forall c': \kappa_1' \sim \kappa_2'. \tau')}{\Gamma \models \mathbf{nth}^1 \gamma : \kappa_1 \sim \kappa_1'} \quad \text{ICT_NTH1CA}$$

$$\frac{\Gamma \models \gamma : (\forall c: \kappa_1 \sim \kappa_2. \tau) \sim (\forall c': \kappa_1' \sim \kappa_2'. \tau')}{\Gamma \models \mathbf{nth}^2 \gamma : \kappa_2 \sim \kappa_2'} \quad \text{ICT_NTH2CA}$$

Virtually identical to the previous case.

Case ICT_EXT: We have rule:

$$\frac{\Gamma \models \gamma : \tau_1 \sim \tau_2 \quad \Gamma \models \tau_1 : \kappa_2 \quad \Gamma \models \tau_2 : \kappa_2}{\Gamma \models \mathbf{kind} \gamma : \kappa_1 \sim \kappa_2} \quad \text{ICT_EXT}$$

By the admissibility of $\mathbf{kind} \gamma$ (Lemma E.17) we can construct a derivation of $\Gamma \models \eta : \kappa_1 \sim \kappa_2$ at strictly smaller height that proves the same equality, such that η has free variables in a good context. Then, we are done by induction. \square

Lemma E.19 (Consistency). *If $\mathbf{Good} \mid \Gamma \mid$ then Γ is consistent.*

Proof. Suppose $\Gamma \vdash_{\text{co}} \gamma : \xi_1 \sim \xi_2$. Then, we have that $\mid \Gamma \mid \models \mid \gamma \mid : \mid \xi_1 \mid \sim \mid \xi_2 \mid$. By completeness, we have that those two types are joinable. There is some σ such that $\mid \Gamma \mid \models \mid \xi_1 \mid \rightsquigarrow^* \sigma$ and $\mid \Gamma \mid \models \mid \xi_2 \mid \rightsquigarrow^* \sigma$. However, by inversion on the rewriting relation, we see that it preserves the head forms of value types (since there exist no axioms for those by the first condition of $\mathbf{Good} \mid \Gamma \mid$). Also, we know that erasure preserves head forms. Thus, ξ_1 and ξ_2 (and σ) have the same head form. \square

F. Metatheory for Progress

Using the consistency lemma, it is straightforward to prove progress. We refer the reader to previous work (Weirich et al. 2010) for this proof, which requires only one more case for the current system:

Lemma F.1 (Progress for T_CONTRA). *Assume Σ is a closed, consistent context. If $\Sigma \vdash_{\text{tm}} \mathbf{contra} \gamma \tau : \tau$, then there exists some e such that $\mathbf{contra} \gamma \tau \longrightarrow e$.*

Proof. By inversion on $\Sigma \vdash_{\text{tm}} \mathbf{contra} \gamma \tau : \tau$, we get that $\Sigma \vdash_{\text{co}} \gamma : H_1 \bar{\rho}_1 \sim H_2 \bar{\rho}_2$ and that $H_1 \neq H_2$. However, these facts exactly contradict the fact that Σ is consistent. Thus, our premises are absurd and we are done. \square